FORM A: BID (See B8)

1.	Contract Title		IEWALS, SEWER RENEWALS PAIRS – CONTRACT NO. 8	S, AND
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pe of the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall have General Conditions.	ve the meanings
5.	Offer		rs to perform the Work in acc id Price, in Canadian funds, se	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's officials have signed this	authorized official or
		day of	, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual whose	se signature appears above)
	(Witness)	(Print here name and official capacity of individual whos	se signature appears above)

SEAL

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	Toronto St Wellington Ave to 1st MH N of Vellington Ave							
A. 1	Combined Sewer Renewal	CW 2130						
a)	375mm C76-V or SDR 35 PVC							
	trenchless installation, Class B sand bedding, Class 3 backfill		m	94.0				
l ii)	In a trench, Class B sand bedding, Class 5 backfill		m	11.0				
A. 2	Manholes	CW 2130						
a)	SD-010							
i)	1200mm Base		v.m.	6.0				
A. 3	Catch Basins							
a)	SD-024		each	2.0				
A. 4	Connecting to Existing Manhole	CW 2130						
a)	375mm		each	2.0				
A. 5	Sewer Services	CW 2130						
a)	150mm							
	trenchless installation, Class B bedding, Class 3 backfill 250mm		m	178.0				
i) A. 6	trenchless installation, Class B bedding, Class 3 backfill Sewer Cleaning	CW 2140	m	15.0				
a)	Combined Sewers							
i)	375mm (Warranty)		m	105.0				
A. 7	Sewer Inspection	CW 2145						
a)	Combined Sewers							
i)	375mm (New Sewer)		m	105.0				
ii)	375mm (Warranty)		m	105.0				
A. 8	Manhole Inspection	CW 2145						
a)	New Manholes		each	2.0				
A. 9	Abandoning Existing Sewers With Cement Stabilzed Flowable Fill	CW 2130						
a)	375mm		m^3	12.0				
	Toronto Street - Subtotal							

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8 $\,$

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B Vic	tor St - Portage Ave to St. Matthews	NEF.		QUANTITI	FRICE	
Ave	_					
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	240.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3.0		
B. 3	Watermain Valve	CW 2110				
a)	150mm		each	3.0		
B. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm X 250mm X 150mm		each	1.0		
b)	Bends					
i)	150mm - 22.5° bend		each	1.0		
B. 5	Water Services	CW 2110				
a)	19mm					
	trenchless installation, Class B sand bedding, Class 3 backfill		m	215.0		
b)	25mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	5.0		
B. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	16.0		
b)	38mm		each	1.0		
c)	50mm		each	1.0		
B. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline Connection - No Plug Existing					
i)	150mm		each	1.0		
b)	Perpendicular Connection					
i)	250mm		each	1.0		

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8 $\,$

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 8	Corporation Stops	CW 2110				
a)	19mm		each	38.0		
b)	25mm		each	1.0		
c)	50mm		each	1.0		
B. 9	Curb Stops	CW 2110				
a)	19mm		each	22.0		
b)	25mm		each	1.0		
B. 10	Curb Stop Boxes	CW 2110				
a)	19mm		each	22.0		
b)	25mm		each	1.0		
B. 11	Continuity Bonding	CW 2110	each	38.0		
B. 12	Maintaining Curb Stop Excavations	CW 2110	each/day	5.0		
				Victor S	t Sub-total	

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8 $\,$

TEM		PRICES	SPEC.		APPROX.	UNIT	
C. 1 Watermain Renewal 150mm CW 2110 i) trenchless installation, Class B sand bedding, Class 3 backfill m 35.0 ii) trenchless installation, Class B sand bedding, Class 5 backfill m 66.0 C. 2 Hydrant Assembly CW 2110 a) SD-006 each 1.0 C. 3 Watermain Valve and 150mm each 1.0 C. 4 Fittings CW 2110 a) 150mm each 1.0 C. 4 Fittings CW 2110 a) 7ees 250mm X 250mm X 150mm each 1.0 b) Bends i) 150mm - 22.5° bend each 1.0 C. 5 Water Services CW 2110 a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill m 8.0 a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill m 15.0 C. 6 Connecting Existing Copper Water Services to New Watermains cW 2110 a) 19mm b) 50mm each 7.0 b) 50mm each 2.0 C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm	ITEM	DESCRIPTION		UNIT			AMOUNT
C. 1 Watermain Renewal CW 2110 a) 150mm i) trenchless installation, Class B sand bedding, Class 3 backfill m 35.0 ii) trenchless installation, Class B sand bedding, Class 5 backfill m 66.0 C. 2 Hydrant Assembly CW 2110 a) SD-006 each 1.0 C. 3 Watermain Valve and 150mm each 1.0 C. 4 Fittings CW 2110 a) 150mm each 1.0 C. 4 Fittings CW 2110 a) 7ees j 250mm X 250mm X 150mm each 1.0 b) Bends j) 150mm - 22.5° bend each 1.0 C. 5 Water Services CW 2110 each 1.0 a) 19mm b) trenchless installation, Class B sand bedding, Class 3 backfill m 8.0 a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill m 15.0 C. 6 Connecting Existing Copper Water Services to New Watermains each 7.0 a) 19mm b) 50mm each 7.0 b) 50mm each 7.0 c) 50mm each 1.0							
a) 150mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill m 66.0			CW 2110		 		
i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill C. 2 Hydrant Assembly a) SD-006 C. 3 Watermain Valve a) 150mm C. 4 Fittings a) 7ees i) 250mm X 250mm X 150mm b) Bends i) 150mm - 22.5° bend C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm C. 6 Gornecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm each 1.0 m 35.0 m 66.0 m 66.0 CW 2110 each 1.0 CW 2110 Each 1.0 EACH 1.0 EACH 2.10 EACH 2.0 CW 2110 EACH 2.0 CW 2110 EACH 2.0 CW 2110 EACH 2.0 EACH 2.0 EACH 3.0 E			OW 2110				
bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill C. 2 Hydrant Assembly CW 2110 each 1.0	,				25.0		
Dedding, Class 5 backfill		bedding, Class 3 backfill		m			
a) SD-006 C. 3 Watermain Valve C. 4 Fittings C. 4 Fittings C. 25 Water Services A) 150mm C. 5 Water Services A) 19mm B) trenchless installation, Class B sand bedding, Class 3 backfill A) 50mm B) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains A) 19mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services A) Inline Connection B) 60mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services A) Inline Connection B) 60mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services A) Inline Connection - No Plug Existing B) 150mm B) Perpendicular Connection B) 250mm B) 3.00	ii)			m	66.0		
C. 3 Watermain Valve	C. 2	Hydrant Assembly	CW 2110				
a) 150mm Fittings Tees i) 250mm X 250mm X 150mm b) Bends ii) 150mm - 22.5° bend C. 5 a) 19mm ii) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 CW 2110 Each 1.0 CW 2110 Each 1.0 Each 1.0	a)	SD-006		each	1.0		
C. 4 Fittings Tees i) 250mm X 250mm X 150mm b) Bends i) 150mm - 22.5° bend C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 CW 2110 CW 2110 CW 2110 CW 2110 CW 2110 Each 7.0 Each 7.0 Each 1.0 Perpendicular Connection Each 1.0 Each 1.0	C. 3	Watermain Valve	CW 2110				
a) Tees i) 250mm X 250mm X 150mm b) Bends i) 150mm - 22.5° bend c. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill c. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm each c. 7.0 b) 50mm c. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm each 1.0	a)	150mm		each	1.0		
i) 250mm X 250mm X 150mm b) Bends i) 150mm - 22.5° bend C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm each 7.0 b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm each 1.0	C. 4	Fittings	CW 2110				
b) Bends i) 150mm - 22.5° bend C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm each 1.0	a)	Tees					
i) 150mm - 22.5° bend C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm cw 2110 cw 2110	i)	250mm X 250mm X 150mm		each	1.0		
C. 5 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm cut 2110 cut 211	b)	Bends					
a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	i)	150mm - 22.5° bend		each	1.0		
i) trenchless installation, Class B sand bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 Perpendicular Connection i) 250mm m 8.0 CW 2110 CW 2110 CW 2110 Each 1.0	C. 5	Water Services	CW 2110				
bedding, Class 3 backfill a) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm b) Perpendicular Connection i) 250mm m 15.0 CW 2110 CW 2110 CW 2110 Each 1.0	a)	19mm					
i) trenchless installation, Class B sand bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm each 7.0 b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 Perpendicular Connection i) 250mm each 1.0	i)			m	8.0		
bedding, Class 3 backfill C. 6 Connecting Existing Copper Water Services to New Watermains a) 19mm each 7.0 b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	a)	50mm					
Services to New Watermains a) 19mm b) 50mm c. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	i)			m	15.0		
b) 50mm C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each Perpendicular Connection i) 250mm each 1.0	C. 6		CW 2110				
C. 7 Connecting to Existing Watermains and Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	a)	19mm		each	7.0		
Large Diameter Water Services a) Inline Connection - No Plug Existing i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	b)	50mm		each	2.0		
i) 150mm each 1.0 b) Perpendicular Connection i) 250mm each 1.0	C. 7		CW 2110				
b) Perpendicular Connection i) 250mm each 1.0	a)	Inline Connection - No Plug Existing					
i) 250mm each 1.0	i)	150mm		each	1.0		
	b)	Perpendicular Connection					
C. 8 Corporation Stops CW 2110	i)	250mm		each	1.0		
1 1 1 1	C. 8	Corporation Stops	CW 2110				
a) 19mm each 7.0	a)	19mm		each	7.0		
b) 50mm each 2.0	b)	50mm		each	2.0		

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8 $\,$

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 9	Curb Stops	CW 2110				
a)	19mm		each	2.0		
b)	50mm		each	1.0		
C. 10	Curb Stop Boxes	CW 2110				
a)	19mm		each	2.0		
b)	50mm		each	1.0		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1.0		
C. 12	Continuity Bonding	CW 2110	each	10.0		
C. 13	Maintaining Curb Stop Excavations	CW 2110	each/day	3.0		
C. 14	Abandonment of Hydrant Assembly on Watermain in Service	CW 2110	each	1.0		
C. 15	Removal of Existing Catchbasins	CW 2130	each	2.0		
C. 16	Plugging Existing Catchbasin leeds smaller than 300 mm	CW 2130				
a)	250		each	2.0		
				Laura S	t Sub-total	

Name of Bidder

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
). Laura St (Sewer ID MA50020018967) IH20017017 to MH20017056								
D. 1	Sewer Cleaning	CW 2140							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	103.0					
ii)	300mm (Warranty)		m	103.0					
D. 2	Sewer Inspection	CW 2145							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	103.0					
ii)	300mm (Warranty)		m	103.0					
D. 3	Sewer Repair - Up to 3 Meters Long	CW 2130							
a)	300mm SDR 35 PVC or C76-V								
i)	Class 3 backfill		each	1.0					
D. 4	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130							
a)	300mm SDR 35 PVC or C76-V								
i)	Class 3 backfill		m	2.0					
D. 5	Sewer Services								
a)	250mm								
i)	trenchless installation, Class B bedding, Class 3 backfill		m	10.0					
D. 6	Connecting Existing Sewer Service to New Sewer	CW 2130							
a)	150mm		each	5.0					
D. 7	Catch Basins	CW 2130							
a)	SD-024		each	2.0					
		_aura St (Sew	er ID MA5	50020018967)	- Subtotal				

Laura St (Sewer ID MA50020018967) - Subtotal

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	. Victor St (Sewer ID MA20015511) IH20014002 to MH20013991							
E. 1	Sewer Cleaning	CW 2140						
a)	Combined Sewers							
i)	300mm (Post Repair)		m	66.0				
ii)	300mm (Warranty)		m	66.0				
E. 2	Sewer Inspection	CW 2145						
a)	Combined Sewers							
i)	300mm (Post Repair)		m	66.0				
ii)	300mm (Warranty)		m	66.0				
E. 3	Sewer Repair - Up to 3 Meters Long	CW 2130						
a)	300mm SDR 35 PVC or C76-V							
i)	Class 3 backfill		each	1.0				
E. 4	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130						
a)	300mm SDR 35 PVC or C76-V							
i)	Class 3 backfill		m	10.4				
E. 5	Connecting Existing Sewer Service to New Sewer	CW 2130						
a)	150mm		each	5.0				
		Victor St (Sewer ID I	MA20015511)	- Subtotal			

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
	Victor St (Sewer ID MA70001948) H20013991 to MH70000790								
F. 1	Sewer Cleaning	CW 2140							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	73.1					
ii)	300mm (Warranty)		m	73.1					
F. 2	Sewer Inspection	CW 2145							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	73.1					
ii)	300mm (Warranty)		m	73.1					
F. 3	Sewer Repair - Up to 3 Meters Long	CW 2130							
a)	300mm SDR 35 PVC or C76-V								
i)	Class 3 backfill		each	1.0					
F. 4	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130							
a)	300mm SDR 35 PVC or C76-V								
i)	Class 3 backfill		m	10.0					
F. 5	Connecting Existing Sewer Service to New Sewer	CW 2130							
a)	150mm		each	5.0					
	Victor St (Sewer ID MA70001948) - Subtotal								

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
G. Hin	G. Hindley Ave (Sewer ID MA50017924) MH50014445 to MH50014446								
G. 1	Sewer Cleaning	CW 2140							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	124.5					
ii)	300mm (Warranty)		m	124.5					
G. 2	Sewer Inspection	CW 2145							
a)	Combined Sewers								
i)	300mm (Post Repair)		m	124.5					
ii)	300mm (Warranty)		m	124.5					
G. 3	Sewer Repair - Up to 3 Meters Long	CW 2130							
a)	300mm SDR 35 PVC or C76-V								
i)	Class 3 backfill		each	2.0					
G. 4	Connecting Existing Sewer Service to New Sewer	CW 2130							
a) G. 5	150mm Connecting Existing Sewer Service to New Sewer	CW 2130	each	3.0					
a)	150mm	CW 2440	each	3.0					
H. 6 a)	Water Services 19mm	CW 2110							
•	trenchless installation, Class B sand bedding, Class 3 backfill		m	25.0					
H. 7	Corporation Stops	CW 2110							
a)	19mm		each	1.0					
H. 8	Curb Stops	CW 2110							
a)	19mm		each	1.0					
H. 9	Curb Stop Boxes	CW 2110							
a)	19mm	014,0400	each	1.0					
H. 10	Partial Slab Patches	CW 2130	m=?	10.0					
a)	150mm reinforced concrete pavement	OW 2225	m²	10.0					
H. 11	100 mm Concrete Sidewalk	CW 3325	m ²	10.0					

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

UNIT PRICES

UNIT F	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. Hindley Ave (Sewer ID MA50014490) MH50011601 to MH50011597						
H. 1	Sewer Cleaning	CW 2140				
a)	Combined Sewers					
i)	300mm (Post Repair)		m	111.9		
ii)	300mm (Warranty)		m	111.9		
H. 2	Sewer Inspection	CW 2145				
a)	Combined Sewers					
i)	300mm (Post Repair)		m	111.9		
ii)	300mm (Warranty)		m	111.9		
H. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	300mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	4.0		
H. 4	Sewer Repair - In Addition to First 3.0 Meters Long	CW 2130				
a)	300mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		m	1.0		
H. 5	Connecting Existing Sewer Service to New Sewer	CW 2130				
a)	150mm		each	3.0		
Hindley Ave (Sewer ID MA50014490) - Subtotal						
1	•			1555 1 4 456)	Junioidi	

Name of Bidder

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. Hind	I. Hindley Ave (Sewer ID MA50014489) MH50011601 to MH50011600					
l. 1	Sewer Cleaning	CW 2140				
a)	Combined Sewers					
i)	300mm (Post Repair)		m	119.2		
ii)	300mm (Warranty)		m	119.2		
l. 2	Sewer Inspection	CW 2145				
a)	Combined Sewers					
i)	300mm (Post Repair)		m	119.2		
ii)	300mm (Warranty)		m	119.2		
I. 3	Sewer Repair - Up to 3 Meters Long	CW 2130				
a)	300mm SDR 35 PVC or C76-V					
i)	Class 3 backfill		each	1.0		
	Hindley Ave (Sewer ID MA50014489) - Subtotal					

FORM B: PRICES

(See B9)

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND EXTERNAL POINT REPAIRS CONTACT NO. 8 $\,$

U	NI	Т	ΡI	RΙ	C	ES

CINIT	RICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J. Pro	visional Items					
J. 1	Cement Stabilized Fill	CW 2030	m^3	10.0		
J. 2	Fittings					
a)	Verticle Bends (SD-005)	CW 2110				
i)	150mm - 11 1/4° - 45° bend		each	4.0		
3	Curb Stops - Replace Existing	CW 2110				
a)	19mm		each	4.0		
b)	50mm		each	1.0		
J. 4	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2130				
a)	100mm - Class 3 Backfill		each	1.0		
b)	150mm - Class 3 Backfill		each	1.0		
c)	250mm - Class 3 Backfill		each	1.0		
J. 5	Sodding	CW 3510	m²	100.0		
			Prov	risional Items	- Subtotal	

TOTAL BID PRICE (GST extra)	(in figures)\$
(in words)	

(Witness)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS TH	HAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held a called the "Obligee") in the sum of ten perce described, for the payment of which sum the administrators, successors and assigns, joint	ent (10%) of the Principal and S	Total Bid Surety bind	Price set out in the Bid hereinafted themselves, their heirs, executors
WHEREAS the Principal has submitted a Bid	to the Obligee	dated the	
day of	, 2	0	_ for
BID OPPORTUNITY NO. 312-2007			
2007 WATERMAIN RENEWALS, SEWER RICONTRACT NO. 8	ENEWALS, AND) EXTERN	IAL POINT REPAIRS –
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this oblig if said Bid is accepted and the Principal, in ac the said Obligee and furnishes the required p of the Contract, this obligation shall be void, b	ccordance with the cordance with the cordance with the cordance section.	he terms ourity for g	of the Bid, enters into a Contract with uaranteeing the faithful performance
IN WITNESS WHEREOF the Principal and S	urety have signe	ed and sea	aled this bond the
day of	, 2	0	
SIGNED AND SEALED in the presence of:	(Name of Princip	al)	
	Per:		(Seal)

(Name of Surety)

(Attorney-in-Fact)

Ву:

Per: _____

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 312-2007 2007 WATERMAIN RENEWALS, SEWER RENEWALS, AND EXTERNAL POINT REPAIRS -CONTRACT NO. 8 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
The Ci Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Branch ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 312-2007
CONT	2007 WATERMAIN RENEWALS, SEWER RENEWALS, AND EXTERNAL POINT REPAIRS – RACT NO. 8
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
WE H	s of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	standby Letter of Credit may be drawn on by you at any time and from time to time upon written for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 1, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
,	,
_	
Per:	
	(Authorized Signing Officer)
_	
Per:	
	(Authorized Signing Officer)