

- GRAPHIC LEGEND**
- Parapet
 - Gravel stop
 - Gas line
 - Control joint
 - Expansion joint
 - New insulated drain pipe
 - Photo vantage point
 - Area Label
 - = new goose neck attic vent on curb

- KEYNOTE LEGEND**
- 1 core sample
 - 2 chimney
 - 3 AC unit
 - 4 vent hood
 - 5 ventilator
 - 6 vent pipe
 - 7 roof drain
 - 8 skylight
 - 9 eavestrough
 - 10 firewall
 - 11 antenna
 - 12 ladder
 - 13 stub column
 - 14 roof hatch
 - 15 scupper
 - 16 pitch box
 - 17 HVAC unit
 - 18 capped curb
 - 19 flag pole
 - 20 electrical mast
 - 21 cooling tower
 - 22 splash pad
 - 23 splash pan
 - 24 downspout/rainwater leader
 - 25 back slope
 - 26 cant
 - 27 increase slope to drain
 - 28 cricket
 - 29 parapet/wide flashing
 - 30 life line anchor

A1, B2 & A2 south - existing
Roof Construction

wood deck
aluminum coated membrane

A2 north - 2007 Construction

wood deck
1/2" drywall
Soprema Elastophene Flam 2.2 VB
2" Soprema Colgrip B
2" Soprema Colgrip A
(mechanically fastened insulation)
Soprema Unilay cap sheet

A2 north - existing Construction

wood deck
vapor barrier
1" fiberboard
aluminum coated membrane

A1, B2 & A2 south -
2007 Roof Construction

wood deck
7/16" OSB
Soprema Unilay

Note: Exact locations of down pipes to be
verified on site by the Contract Administrator


Approx. Area
sq.m.

A1 = 23
B1 = 17
A2 = 308
B2 = 101
Total = 449

Notes:

- .01 Contractor is responsible for the site verification of all dimensions
- .02 Drawings are not to be scaled for estimating purposes
- .03 All areas given are approximate
- .04 Contractor is responsible for the site verification of existing roof construction

Stated scale is when in 11x17 format



**AGASSIZ
CONSULTING
GROUP
LTD.**

809 Pipeline Road, Winnipeg, Manitoba
Phone: 697-8091 Fax: 697-8039

Project: **Bord-Aire Community Center
471 Hampton
Winnipeg, MB**

Date: **January 16, 2007**

Drawing No. **R-1**

File no: **3573-07** Scale: **1:100**