

## THE CITY OF WINNIPEG

## **BID OPPORTUNITY**

337-2007 BID OPPORTUNITY

#### **TABLE OF CONTENTS**

PART A - BID SUBMISSION	
Form A: Bid Form B: Prices Form G1: Bid Bond and Agreement to Bond Form G2: Irrevocable Standby Letter of Credit and Undertaking	1 4 13 15
PART B - BIDDING PROCEDURES	
B1. Contract Title B2. Submission Deadline B3. Site Investigation B4. Enquiries B5. Addenda B6. Substitutes B7. Bid Components B8. Bid B9. Prices B10. Qualification B11. Bid Security B12. Opening of Bids and Release of Information B13. Irrevocable Bid B14. Withdrawal of Bids B15. Evaluation of Bids B16. Award of Contract	1 1 1 1 1 2 3 3 4 4 5 6 6 7 7
PART C - GENERAL CONDITIONS	
C0. General Conditions	1
PART D - SUPPLEMENTAL CONDITIONS	
General D1. General Conditions D2. Scope of Work D3. Contract Administrator D4. Contractor's Supervisor D5. Notices D6. Furnishing of Documents  Submissions D7. Authority to Carry on Business D8. Safe Work Plan D9. Insurance	1 1 2 2 2 2 3 3 3 3
D10. Performance Security D11. Subcontractor List D12. Equipment List D13. Detailed Work Schedule	4 4 4 4
Schedule of Work D14. Commencement D15. Working Days D16. Restricted Work Hours D17. Work By Others D18. Sequence of Work D19. Substantial Performance D20. Total Performance D21. Liquidated Damages D22. Scheduled Maintenance	5 5 5 6 6 6 7 7

Control of Work D23. Job Meetings D24. Prime Contractor – The Workplace Safety and Health Act (Manitoba)	7 8
<b>Warranty</b> D25. Warranty	8
Form H1: Performance Bond Form H2: Irrevocable Standby Letter of Credit Form J: Subcontractor List Form K: Equipment Form L: Detailed Work Schedule	9 11 13 14 16
PART E - SPECIFICATIONS	
General  E1. Applicable Specifications and Drawings  E2. Geotechnical Report  E3. Office Facilities  E4. Protection Of Existing Trees  E5. Traffic Control  E6. Traffic Management  E7. Refuse and Recycling Collection  E8. Water Used By Contractor  E9. Surface Restorations  E10. Infrastructure Signs  E11. Supply and Installation of Geotextile Fabric  E12. Supply and Installation of Geogrid  E13. Supply and installation of NON-WOVEN geotextile fabric  E14. 100mm Crushed Pavement Sub-base Material  Appendix 'A' - Geotechnical Report	1 1 1 2 3 3 3 4 4 4 4 5 6

#### **PART B - BIDDING PROCEDURES**

#### **B1.** CONTRACT TITLE

B1.1 PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM

PART 1 – TORONTO STREET AND OWENA STREET PART 2 – VICTOR STREET AND LAURA STREET

#### **B2. SUBMISSION DEADLINE**

- B2.1 The Submission Deadline is 12:00 noon Winnipeg time, May 18, 2007.
- B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.
- B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

#### **B3.** SITE INVESTIGATION

B3.1 Further to C3.1, the Bidder may view the Site without making an appointment.

#### **B4.** ENQUIRIES

- B4.1 All enquiries shall be directed to the Contract Administrator identified in D3.1.
- B4.2 If the Bidder finds errors, discrepancies or omissions in the Bid Opportunity, or is unsure of the meaning or intent of any provision therein, the Bidder shall notify the Contract Administrator of the error, discrepancy or omission, or request a clarification as to the meaning or intent of the provision at least five (5) Business Days prior to the Submission Deadline.
- B4.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B4.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B4.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B4 unless that response or interpretation is provided by the Contract Administrator in writing.

#### B5. ADDENDA

- B5.1 The Contract Administrator may, at any time prior to the Submission deadline, issue addenda correcting errors, discrepancies or omissions in the Bid Opportunity, or clarifying the meaning or intent of any provision therein.
- B5.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B5.2.1 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B5.2.2 The Bidder is responsible for ensuring that he has received all addenda and is advised to check the Materials Management Branch internet website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.

B5.3 The Bidder shall acknowledge receipt of each addendum in Paragraph 10 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.

#### **B6.** SUBSTITUTES

- B6.1 The Work is based on the Plant, Materials and methods specified in the Bid Opportunity.
- B6.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B6.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B6.4 The Bidder shall ensure that any and all requests for approval of a substitute:
  - (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the Plant, Material or method as either an approved equal or alternative:
  - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
  - (c) identify any anticipated cost or time savings that may be associated with the substitute;
  - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance:
  - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance.
- B6.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B6.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, only to the Bidder who requested approval of the substitute.
- B6.6.1 The Bidder requesting and obtaining the approval of a substitute shall be entirely responsible for disseminating information regarding the approval to any person or persons he wishes to inform.
- B6.7 If the Contract Administrator approves a substitute as an "approved equal", any Bidder may use the approved equal in place of the specified item.
- B6.8 If the Contract Administrator approves a substitute as an "approved alternative", any Bidder bidding that approved alternative may base his Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B15.
- B6.9 No later claim by the Contractor for an addition to the Total Bid Price because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

#### **B7.** BID COMPONENTS

- B7.1 The Bid shall consist of the following components:
  - (a) Form A: Bid;
  - (b) Form B: Prices, hard copy;
  - (c) Form G1: Bid Bond and Agreement to Bond, or
    - Form G2: Irrevocable Standby Letter of Credit and Undertaking, or
    - a certified cheque or draft;
- B7.2 Further to B7.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B6.
- B7.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely, to constitute a responsive Bid.
- B7.4 The Bid shall be submitted enclosed and sealed in an envelope clearly marked with the Bid Opportunity number and the Bidder's name and address.
- B7.4.1 Samples or other components of the Bid which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Bid Opportunity number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid.
- B7.4.2 A hard copy of Form B: Prices must be submitted with the Bid. If there is any discrepancy between the Adobe PDF version of Form B: Prices and the Microsoft Excel version of Form B: Prices, the PDF version shall take precedence.
- B7.5 Bidders are advised not to include any information/literature except as requested in accordance with B7.1.
- B7.6 Bidders are advised that inclusion of terms and conditions inconsistent with the Bid Opportunity document, including the General Conditions, may result in the Bid being determined to be non-responsive.
- B7.7 Bids submitted by facsimile transmission (fax) or internet electronic mail (e-mail) will not be accepted.
- B7.8 Bids shall be submitted to:

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### B8. BID

- B8.1 The Bidder shall complete Form A: Bid, making all required entries.
- B8.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his own name, his name shall be inserted;
  - (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
  - (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
  - (d) if the Bidder is carrying on business under a name other than his own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.

- B8.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B8.2.
- B8.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.
- B8.4 Paragraph 12 of Form A: Bid shall be signed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his own name, it shall be signed by the Bidder:
  - (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
  - (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers and the corporate seal, if the corporation has one, shall be affixed;
  - (d) if the Bidder is carrying on business under a name other than his own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.
- B8.4.1 The name and official capacity of all individuals signing Form A: Bid shall be printed below such signatures.
- B8.4.2 All signatures should be witnessed, except where a corporate seal has been affixed.
- B8.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

#### B9. PRICES

- B9.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.
- B9.1.1 For the convenience of Bidders, and pursuant to B7.4.2 and B15.4.2, an electronic spreadsheet Form B: Prices in Microsoft Excel (.xls) format is available along with the Adobe PDF documents for this Bid Opportunity on the Bid Opportunities page at the Materials Management Branch internet website at http://www.winnipeg.ca/matmgt.
- B9.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.
- B9.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.
- B9.4 Form B: Prices is organized into Parts: Part 1 of the Work and Part 2 of the Work. Bidders shall provide a total price for each Part and, on the summary sheet, a Total Bid Price consisting of the sum of prices for Part 1 and Part 2.

#### **B10. QUALIFICATION**

- B10.1 The Bidder shall:
  - (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba; and
  - (b) be financially capable of carrying out the terms of the Contract; and
  - (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.

- B10.2 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
  - (a) be responsible and not be suspended, debarred or in default of any obligations to the City (a list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at <a href="http://www.winnipeg.ca/matmgt">http://www.winnipeg.ca/matmgt</a>); and
  - (b) have successfully carried out work similar in nature, scope and value to the Work; and
  - (c) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
  - (d) have a written workplace safety and health program if required pursuant to The Workplace Safety and Health Act (Manitoba);
- B10.3 Further to B10.2(d), the Bidder shall, within three (3) Business Days of a request by the Contract Administrator, provide proof satisfactory to the Contract Administrator that the Bidder/Subcontractor has a workplace safety and health program meeting the requirements of The Workplace Safety and Health Act (Manitoba), by providing:
  - (a) a valid COR certification number under the Certificate of Recognition (COR) Program administered by the Manitoba Construction Safety Association or by the Manitoba Heavy Construction Association's Safety, Health and Environment Program; or
  - (b) a report or letter to that effect from an independent reviewer acceptable to the City. (A list of acceptable reviewers and the review template are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.)
- B10.4 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.
- B10.5 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

#### **B11.** BID SECURITY

- B11.1 The Bidder shall provide bid security in the form of:
  - (a) a bid bond, in the amount of at least ten percent (10%) of the Total Bid Price, and agreement to bond of a company registered to conduct the business of a surety in Manitoba, in the form included in the Bid Submission (Form G1: Bid Bond and Agreement to Bond); or
  - (b) an irrevocable standby letter of credit, in the amount of at least ten percent (10%) of the Total Bid Price, and undertaking issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form included in the Bid Submission (Form G2: Irrevocable Standby Letter of Credit and Undertaking); or
  - (c) a certified cheque or draft payable to "The City of Winnipeg", in the amount of at least fifty percent (50%) of the Total Bid Price, drawn on a bank or other financial institution registered to conduct business in Manitoba.
- B11.1.1 If the Bidder submits alternative bids, the bid security shall be in the amount of the specified percentage of the highest Total Bid Price submitted.
- B11.1.2 All signatures on bid securities shall be original, and shall be witnessed or sealed as required.
- B11.2 The bid security of the successful Bidder and the next two lowest evaluated responsive and responsible Bidders will be released by the City when a Contract for the Work has been duly

- executed by the successful Bidder and the performance security furnished as provided herein. The bid securities of all other Bidders will be released when a Contract is awarded.
- B11.2.1 Where the bid security provided by the successful Bidder is in the form of a certified cheque or draft pursuant to B11.1(c), it will be deposited and retained by the City as the performance security and no further submission is required.
- B11.2.2 The City will not pay any interest on certified cheques or drafts furnished as bid security or subsequently retained as performance security.
- B11.3 The bid securities of all Bidders will be released by the City as soon as practicable following notification by the Contract Administrator to the Bidders that no award of Contract will be made pursuant to the Bid Opportunity.

#### B12. OPENING OF BIDS AND RELEASE OF INFORMATION

- B12.1 Bids will be opened publicly, after the Submission Deadline has elapsed, in the office of the Corporate Finance Department, Materials Management Branch, or in such other office as may be designated by the Manager of Materials.
- B12.1.1 Bidders or their representatives may attend.
- B12.1.2 Bids determined by the Manager of Materials, or his designate, to not include the bid security specified in B11 will not be read out.
- B12.2 Following the submission deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B12.3 After award of Contract, the name(s) of the successful Bidder(s) and the Contract Amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B12.4 The Bidder is advised that any information contained in any Bid may be released if required by City policy or procedures, by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law.

#### **B13.** IRREVOCABLE BID

- B13.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 11 of Form A: Bid.
- B13.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work until a Contract for the Work has been duly executed and the performance security furnished as herein provided, but any Bid shall be deemed to have lapsed unless accepted within the time period specified in Paragraph 11 of Form A: Bid.

#### **B14. WITHDRAWAL OF BIDS**

- B14.1 A Bidder may withdraw his Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.
- B14.1.1 Notwithstanding C23.3, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.
- B14.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid, and only such person, has authority to give notice of withdrawal.

- B14.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:
  - (a) retain the Bid until after the Submission Deadline has elapsed;
  - (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid; and
  - (c) if the notice has been given by any one of the persons specified in B14.1.3(b), declare the Bid withdrawn.
- B14.2 A Bidder who withdraws his Bid after the Submission Deadline but before his Bid has been released or has lapsed as provided for in B13.2 shall be liable for such damages as are imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law, including the right to retain the Bidder's bid security.

#### **B15.** EVALUATION OF BIDS

- B15.1 Award of the Contract shall be based on the following bid evaluation criteria:
  - (a) compliance by the Bidder with the requirements of the Bid Opportunity (pass/fail);
  - (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B10 (pass/fail);
  - (c) Total Bid Price:
  - (d) economic analysis of any approved alternative pursuant to B6.
- B15.2 Further to B15.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities, if the interests of the City so require.
- B15.2.1 Any bid with an apparent imbalance between the unit prices in Part 1 and Part 2 may be determined to be non-responsive and rejected by the Award Authority in its sole discretion, acting reasonably.
- B15.3 Further to B15.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his Bid or in other information required to be submitted, that he is responsible and qualified.
- B15.4 Further to B15.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.
- B15.4.1 If there is any discrepancy between the Total Bid Price written in figures, the Total Bid Price written in words and the sum of the quantities multiplied by the unit prices for each item, the sum of the quantities multiplied by the unit prices for each item shall take precedence.
- B15.4.2 The electronic Form B: Prices and the formulas imbedded in that spreadsheet are only provided for the convenience of Bidders. The City makes no representations or warranties as to the correctness of the imbedded formulas. It is the Bidder's responsibility to ensure the extensions of the unit prices and the sum of Total Bid Price performed as a function of the formulas within the electronic Form B: Prices are correct.

#### **B16.** AWARD OF CONTRACT

- B16.1 The City will give notice of the award of the Contract or will give notice that no award will be made.
- B16.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be responsible and qualified, and the Bids are determined to be responsive.

- B16.2.1 Without limiting the generality of B16.2, the City will have no obligation to award a Contract where:
  - (a) the prices exceed the available City funds for the Work;
  - (b) the prices are materially in excess of the prices received for similar work in the past;
  - (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;
  - (d) only one Bid is received; or
  - (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.
- B16.3 Subject to B16.2, where an award of Contract is made by the City, the award shall be made to the responsible and qualified Bidder submitting the lowest evaluated responsive Bid.
- B16.3.1 Following the award of contract, a Bidder will be provided with information related to the evaluation of his Bid upon written request to the Contract Administrator.
- B16.4 As noted in D2 and identified in Form B: Prices, the Work of Part 2 will be contingent upon the Province approving funding for the Work. If sufficient funding for Part 2 Work is not approved by the Province the City shall have the right to eliminate all or any portion of Part 2 Work in accordance with D2.

#### **PART C - GENERAL CONDITIONS**

#### CO. GENERAL CONDITIONS

- C0.1 The *General Conditions for Construction* (Revision 2006 12 15) are applicable to the Work of the Contract.
- C0.1.1 The *General Conditions for Construction* are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- C0.2 A reference in the Bid Opportunity to a section, clause or subclause with the prefix "C" designates a section, clause or subclause in the *General Conditions for Construction*.

#### **PART D - SUPPLEMENTAL CONDITIONS**

#### **GENERAL**

#### D1. GENERAL CONDITIONS

D1.1 In addition to the General Conditions for Construction, these Supplemental Conditions are applicable to the Work of the Contract.

#### D2. SCOPE OF WORK

- D2.1 The Work to be done under the Contract shall consist of two parts:
  - (a) Part 1 City Funded Work
  - (b) Part 2 Provincially Funded Work.

#### Part 1 - City Funded Work

- D2.2 Part 1 City Funded Work shall consist of:
  - (a) Pavement Reconstruction
    - (i) Toronto Street from Notre Dave Avenue to Wellington Avenue
    - (ii) Owena Street from Alexander Avenue to Logan Avenue

#### Part 2 - Provincially Funded Work

- D2.3 Part 2 Provincially Funded Work shall consist of:
  - (a) Pavement Reconstruction
    - (i) Laura Street from Alexander Avenue to Logan Avenue
    - (ii) Victor Street from St. Matthews Avenue to Portage Avenue
- D2.4 The City currently has not approved funding in the Capital Budget for Part 2 of the Work, but is anticipating receiving notification about funding from the Province of Manitoba by late May. Part 2 of the Work is contingent upon the Province approving sufficient funding.
- D2.4.1 Further to C7.1, if notice of sufficient funding is not received, the City shall have the right to eliminate all or any portion of Part 2, and the Contract Price will be reduced accordingly.
- D2.4.2 Further to C7.5, C7.5.1, and C7.6, a reduction in the Contract Price pursuant to D2.4.1 shall not be considered in calculating the aggregate reduction in the Contract Price for purposes of C7.5.
- D2.4.3 If all or any portion of Part 2 is eliminated pursuant to D2.4.1, the time periods stipulated in D19 for Substantial Performance of the Work and in D20 for Total Performance of the Work will be reduced proportionally by the Contract Administrator acting reasonably.
- D2.5 The major components of the Work are as follows:
  - (a) Pavement Reconstruction
    - (i) Remove existing pavement
    - (ii) Excavation
    - (iii) Installation of subdrains
    - (iv) Compaction of existing sub-grade
    - (v) Installation of catchbasins and connection pipe
    - (vi) Placement of separation/reinforcement fabric
    - (vii) Placement of sub-base and base course materials
    - (viii) Adjustment of existing manholes
    - (ix) Construct 150mm concrete pavement (reinforced)

- (x) Construct 180mm barrier curb (separate) utilizing slip-form paving equipment
- (xi) Renewal of existing sidewalk
- (xii) Boulevard restoration

#### D3. CONTRACT ADMINISTRATOR

D3.1 The Contract Administrator is Stantec Consulting Ltd., represented by:

Vilko Maroti, CET Contract Administrator 905 Waverley Street, Winnipeg, MB R3T 5P4

Telephone No. (204) 489-5900 Facsimile No. (204) 453-9012

D3.2 At the pre-construction meeting, Vilko Maroti, CET will identify additional personnel representing the Contract Administrator and their respective roles and responsibilities for the Work.

#### D4. CONTRACTOR'S SUPERVISOR

- D4.1 At the pre-construction meeting, the Contractor shall identify his designated supervisor and any additional personnel representing the Contractor and their respective roles and responsibilities for the Work.
- D4.2 At least two (2) business days prior to the commencement of any Work on the site, the Contractor shall provide the Contract Administrator with a phone number where the supervisor identified in D4.1 or an alternate can be contacted 24 hours a day to respond to an emergency.

#### D5. NOTICES

- D5.1 Except as provided for in C23.2.2, all notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the Contractor shall be sent to the address or facsimile number identified by the Contractor in Paragraph 2 of Form A: Bid.
- D5.2 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the City, except as expressly otherwise required in D5.3, D5.4 or elsewhere in the Contract, shall be sent to the attention of the Contract Administrator at the address or facsimile number identified in D3.1.
- D5.3 All notices of appeal to the Chief Administrative Officer shall be sent to the following address or facsimile number:

The City of Winnipeg
Chief Administrative Officer Secretariat
Attn: Chief Administrative Officer
Administration Building, 3rd Floor
510 Main Street
Winnipeg MB R3B 1B9

Facsimile No.: (204) 949-1174

D5.4 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications required to be submitted or returned to the City Solicitor shall be sent to the following address or facsimile number:

The City of Winnipeg Corporate Services Department Legal Services Division Attn: City Solicitor 185 King Street, 3rd Floor Winnipeg MB R3B 1J1

Facsimile No.: (204) 947-9155

#### D6. FURNISHING OF DOCUMENTS

D6.1 Upon award of the Contract, the Contractor will be provided with five (5) complete sets of the Bid Opportunity. If the Contractor requires additional sets of the Bid Opportunity, they will be supplied to him at cost.

#### **SUBMISSIONS**

#### D7. AUTHORITY TO CARRY ON BUSINESS

D7.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

#### D8. SAFE WORK PLAN

- D8.1 The Contractor shall provide the Contract Administrator with a Safe Work Plan at least five (5) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D8.2 The Safe Work Plan shall be prepared and submitted in the format shown in the City's template which is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.

#### D9. INSURANCE

- D9.1 The Contractor shall provide and maintain the following insurance coverage:
  - (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured, with a cross-liability clause, such liability policy to also contain a contractual liability, unlicensed motor vehicle liability, non-owned automobile liability and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;
  - (b) automobile liability insurance for owned automobiles used for or in connection with the Work in the amount of at least two million dollars (\$2,000,000.00) at all times during the performance of the Work and until the date of Total Performance;
  - (c) an all risks Installation Floater carrying adequate limits to cover all machinery and equipment utilized during the performance of the Work.
- D9.2 Deductibles shall be borne by the Contractor.
- D9.3 The Contractor shall provide the City Solicitor with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than the date specified in the C4.1 for the return of the executed Contract.
- D9.4 The Contractor shall not cancel, materially alter, or cause each policy to lapse without providing at least fifteen (15) Calendar Days prior written notice to the Contract Administrator.

#### D10. PERFORMANCE SECURITY

- D10.1 The Contractor shall provide and maintain performance security until the expiration of the warranty period in the form of:
  - (a) a performance bond of a company registered to conduct the business of a surety in Manitoba, in the form attached to these Supplemental Conditions (Form H1: Performance Bond), in the amount of fifty percent (50%) of the Contract Price; or
  - (b) an irrevocable standby letter of credit issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form attached to these Supplemental Conditions (Form H2: Irrevocable Standby Letter of Credit), in the amount of fifty percent (50%) of the Contract Price; or
  - (c) a certified cheque or draft payable to "The City of Winnipeg", drawn on a bank or other financial institution registered to conduct business in Manitoba, in the amount of fifty percent (50%) of the Contract Price.
- D10.1.1 Where the performance security is in the form of a certified cheque or draft, it will be deposited by the City. The City will not pay any interest on certified cheques or drafts furnished as performance security.
- D10.2 If the bid security provided in his Bid was not a certified cheque or draft pursuant to B11.1(c), the Contractor shall provide the City Solicitor with the required performance security within seven (7) Calendar Days of notification of the award of the Contract by way of letter of intent and prior to the commencement of any Work on the Site and in no event later than the date specified in the C4.1 for the return of the executed Contract.

#### D11. SUBCONTRACTOR LIST

D11.1 The Contractor shall provide the Contract Administrator with a complete list of the Subcontractors whom the Contractor proposes to engage (Form J: Subcontractor List) at or prior to a pre-construction meeting, or at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in the C4.1 for the return of the executed Contract.

#### D12. EQUIPMENT LIST

D12.1 The Contractor shall provide the Contract Administrator with a complete list of the equipment which the Contractor proposes to utilize (Form K: Equipment List) at or prior to a preconstruction meeting, or at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in the C4.1 for the return of the executed Contract.

#### D13. DETAILED WORK SCHEDULE

- D13.1 The Contractor shall provide the Contract Administrator with a detailed work schedule (Form L: Detailed Work Schedule) at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in the General Conditions for the return of the executed Contract.
- D13.2 If, prior to submitting the Detailed Work Schedule, the Contractor does not receive notification pursuant to D14.4 that all or some portion of Part 2 of the Work may be commenced, he shall complete Form L: Detailed Work Schedule for only Part 1 of the Work assuming that, if all of Part 2 is eliminated, the time periods stipulated in D19 for Substantial Performance of the Work and in D20 for Total Performance of the Work will be reduced by twenty (20) Working Days
- D13.3 If, after submitting the Detailed Work Schedule, the Contractor receives notification that all or any portion of Part 2 of the Work may be commenced, he shall submit a revised Detailed Work Schedule no later than two (2) Business Days from receipt of the notification.

#### **SCHEDULE OF WORK**

#### D14. COMMENCEMENT

- D14.1 The Contractor shall not commence any Work until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
- D14.2 The Contractor shall not commence any Work on the Site until:
  - (a) the Contract Administrator has confirmed receipt and approval of:
    - (i) evidence of authority to carry on business specified in D7;
    - (ii) evidence of the workers compensation coverage specified in C6.15;
    - (iii) the twenty-four (24) hour emergency response phone number specified in D4.2.
    - (iv) the Safe Work Plan specified in D8;
    - (v) evidence of the insurance specified in D9;
    - (vi) the performance security specified in D10;
    - (vii) the subcontractor list specified in D11;
    - (viii) the equipment list specified in D12; and
    - (ix) the detailed work schedule specified in D13.
  - (b) the Contractor has attended a pre-construction meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a pre-construction meeting.
- D14.3 The Contractor shall not commence the Work on the Site before June 18, 2007, and shall commence the Work on Site no later than July 03, 2007, as directed by the Contract Administrator and weather permitting.
- D14.4 The Contractor shall not commence Part 2 of the Work as described in D2 and identified in Form B: Prices, unless prior to July 31, 2007, he has received notification from the Contract Administrator that the City has received notice of sufficient funding from the Province.

#### D15. WORKING DAYS

- D15.1 Further to C1.1(gg);
- D15.1.1 The Contract Administrator will determine daily if a Working Day has elapsed and will record his assessment. On a weekly basis the Contract Administrator will provide the Contractor with a record of the Working Days assessed for the preceding week. The Contractor shall sign each report signifying that he agrees with the Contract Administrator's determination of the Working Days assessed for the report period.
- D15.1.2 Work done to restore the Site to a condition suitable for Work, shall not be considered "work" as defined in the definition of a Working Day.
- D15.1.3 When the Work includes two or more major types of Work that can be performed under different atmospheric conditions, the Contract Administrator shall consider all major types of Work in determining whether the Contractor was able to work in assessing Working Days.

#### D16. RESTRICTED WORK HOURS

D16.1 Further to clause 3.10 of CW 1130, the Contractor shall require written permission 48 hours in advance from the Contract Administrator for any work to be performed between 2000 hours and 0700 hours, or on Saturdays, Sundays, Statutory Holidays and or Civic Holidays.

#### D17. WORK BY OTHERS

- D17.1 Work by others on or near the Site will include but not necessarily be limited to:
  - (a) Geomatic Services Branch of the Planning and Property and Development Various work on survey monuments at various locations throughout the sites.
  - (b) Manitoba Hydro Temporary overhead street lighting cables and repair/ relocate of underground street lighting cables, if required by Manitoba Hydro.
  - (c) Manitoba Hydro gas line services to be wrapped and lowered if required on Toronto Street, Owena Street, Victor Street and Laura Street during reconstruction of Toronto Street, Owena Street, Victor Street and Laura Street
  - (d) Installing a 375mm PVC sewer on Toronto Street from the first manhole North of Wellington Avenue to the manhole at Wellington Avenue ending June 18, 2007.
  - (e) Repair one (1) 300mm CLAY sewer external point repairs on Laura Street from the manhole at Alexander Avenue north to the manhole at Logan Avenue ending July 20, 2007.
  - (f) Repair one (1) 300mm CLAY sewer external point repairs on Victor Street from the first manhole north of Portage Avenue to the manhole at the centerline of Portage Avenue and between the second manhole north of Portage Avenue to the first manhole north of Portage Ave ending July 11, 2007.
  - (g) Installing 150mm PVC watermain on Laura Street from Alexander Avenue to Logan Avenue ending July 20, 2007.
  - (h) Installing 150mm PVC watermain on Victor Street from St. Matthews Avenue to Portage Avenue ending July 11, 2007.
- D17.2 The Contractor shall coordinate with the identified activities from Bid Opportunity No. 312-2007and modify his proposal in order to minimize disruptions.

#### D18. SEQUENCE OF WORK

- D18.1 Further to C6.1, the sequence of work shall comply with the following:
- D18.1.1 Providing that the Work on each street is completed in a similar order to the order that the Work was commenced in, the Contractor will be permitted to have a maximum of three (3) streets under construction at any one time. Completion of a street means that all of the necessary concrete, asphalt including approaches and landscaping Work is completed to the satisfaction of the Contract Administrator.
- D18.1.2 Where the Contractor utilizes two (2) or more crews that work independently on the same major component of the Work as identified in D2, the Contract Administrator may approve an increase to the maximum number of streets under construction at any time.
- D18.1.3 Placing the topsoil and finished grading of all boulevard and median areas shall be completed prior to commencing construction of asphaltic concrete overlays, including scratch courses.
- D18.1.4 The sewer and watermain renewals and external point repairs on Toronto Street, Owena Street, Victor Street and Laura Street as stated in D17 must be completed prior to the construction taking place on each street respectively.

#### D19. SUBSTANTIAL PERFORMANCE

- D19.1 The Contractor shall achieve Substantial Performance within forty (40) consecutive Working Days of the commencement of the Work as specified in D14.
- D19.2 When the Contractor considers the Work to be substantially performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Substantial Performance. Any defects or deficiencies in the Work noted

- during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be re-inspected.
- D19.3 The date on which the Work has been certified by the Contract Administrator as being substantially performed to the requirements of the Contract through the issue of a certificate of Substantial Performance is the date on which Substantial Performance has been achieved.

#### D20. TOTAL PERFORMANCE

- D20.1 The Contractor shall achieve Total Performance within forty-five (45) consecutive Working Days of the commencement of the Work as specified in D14.
- D20.2 When the Contractor or the Contract Administrator considers the Work to be totally performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Total Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be re-inspected.
- D20.3 The date on which the Work has been certified by the Contract Administrator as being totally performed to the requirements of the Contract through the issue of a certificate of Total Performance is the date on which Total Performance has been achieved.

#### D21. LIQUIDATED DAMAGES

- D21.1 If the Contractor fails to achieve Substantial Performance in accordance with the Contract by the day fixed herein for Substantial Performance, the Contractor shall pay the City one thousand five hundred dollars (\$1,500.00) per working day for each and every working day following the day fixed herein for Substantial Performance during which such failure continues.
- D21.2 The amount specified for liquidated damages in D21.1 is based on a genuine pre-estimate of the City's damages in the event that the Contractor does not achieve Substantial Performance by the day fixed herein for same.
- D21.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

#### D22. SCHEDULED MAINTENANCE

- D22.1 The Contractor shall perform the following scheduled maintenance in the manner and within the time periods required by the Specifications:
  - (a) Reflective Crack Maintenance as specified in CW 3250 –R6;
  - (b) Sod Maintenance as specified in CW 3510-R9
- D22.2 Determination of Substantial Performance and Total Performance shall be exclusive of scheduled maintenance identified herein. All scheduled maintenance shall be completed prior to the expiration of the warranty period. Where the scheduled maintenance cannot be completed during the warranty period, the warranty period shall be extended for such period of time as it takes the Contractor to complete the scheduled maintenance.

#### **CONTROL OF WORK**

#### D23. JOB MEETINGS

D23.1 Regular weekly job meetings will be held at the Site. These meetings shall be attended by a minimum of one representative of the Contract Administrator, one representative of the City and one representative of the Contractor. Each representative shall be a responsible person capable of expressing the position of the Contract Administrator, the City and the Contractor respectively on any matter discussed at the meeting including the Work schedule and the need

- to make any revisions to the Work schedule. The progress of the Work will be reviewed at each of these meetings.
- D23.2 The Contract Administrator reserves the right to cancel any job meeting or call additional job meetings whenever he deems it necessary.

#### D24. PRIME CONTRACTOR – THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA)

D24.1 Further to C6.24, the Contractor shall be the Prime Contractor and shall serve as, and have the duties of the Prime Contractor in accordance with The Workplace Safety and Health Act (Manitoba).

#### **WARRANTY**

#### D25. WARRANTY

D25.1 Notwithstanding C13.2, the warranty period shall begin on the date of Total Performance and shall expire two (2) years thereafter unless extended pursuant to C13.2.1 or C13.2.2, in which case it shall expire when provided for thereunder.

# FORM H1: PERFORMANCE BOND (See D10)

k	(1	V	$\mathcal{C}$	١(	V	Δ	ш	Ν	ΛE	N	R	Υ	ΤI	н	F٩	ς.	F	PΕ	₽F	= 5	۱F	N	Т.9	: Т	ΉÆ	LΤ
г	N	N	L	, v	v	$\overline{}$		. 11	и∟	.IV	ப		- 1 1		ட	_	_	ГΙ	٦L		ᅩ	ıν	10	, ,	1 1/	٦ı

TANGAT ALE IN EACH TRESERVE THAT
(hereinafter called the "Principal"), and
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter called the "Obligee"), in the sum of
dollars (\$)
of lawful money of Canada to be paid to the Obligee, or its successors or assigns, for the payment of which sum the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has entered into a written contract with the Obligee dated the
day of , 20 , for:
BID OPPORTUNITY NO. 337-2007
PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM PART 1 – TORONTO STREET AND OWENA STREET PART 2 – VICTOR STREET AND LAURA STREET which is by reference made part hereof and is hereinafter referred to as the "Contract".
NOW THEREFORE the condition of the above obligation is such that if the Principal shall:
<ul> <li>(a) carry out and perform the Contract and every part thereof in the manner and within the times set forth in the Contract and in accordance with the terms and conditions specified in the Contract;</li> <li>(b) perform the Work in a good, proper, workmanlike manner;</li> <li>(c) make all the payments whether to the Obligee or to others as therein provided;</li> <li>(d) in every other respect comply with the conditions and perform the covenants contained in the Contract; and</li> <li>(e) indemnify and save harmless the Obligee against and from all loss, costs, damages, claims, and demands of every description as set forth in the Contract, and from all penalties, assessments, claims, actions for loss, damages or compensation whether arising under "The Workers Compensation Act", or any other Act or otherwise arising out of or in any way connected with the performance or non-performance of the Contract or any part thereof during the term of the Contract and the warranty period provided for therein;</li> </ul>
THEN THIS OBLIGATION SHALL BE VOID, but otherwise shall remain in full force and effect. The Surety shall not, however, be liable for a greater sum than the sum specified above.
AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the
day of , 20

SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

## FORM H2: IRREVOCABLE STANDBY LETTER OF CREDIT (PERFORMANCE SECURITY) (See D10)

(Date)
The City of Winnipeg Corporate Services Department Legal Services Division 185 King Street, 3rd Floor Winnipeg MB R3B 1J1
RE: PERFORMANCE SECURITY – BID OPPORTUNITY NO. 337-2007
PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM PART 1 – TORONTO STREET AND OWENA STREET PART 2 – VICTOR STREET AND LAURA STREET
Pursuant to the request of and for the account of our customer,
(Name of Contractor)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand fo payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.
Subject to the condition hereinafter set forth, this Standby Letter of Credit will expire on
(Date)
It is a condition of this Standby Letter of Credit that it shall be deemed to be automatically extended from year to year without amendment from the present or any future expiry date, unless at least 30 days prior to

Letter of Credit to be renewable for any additional period.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

the present or any future expiry date, we notify you in writing that we elect not to consider this Standby

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)

#### **FORM J: SUBCONTRACTOR LIST**

(See D11)

Portion of the Work	<u>Name</u>	<u>Address</u>	
SURFACE WORKS:			
Supply of Materials:			
Geotextile Fabrics			
Base Course & Sub-Base			
Concrete			
Asphalt			
Top Soil/ Sod			
Joint Sealant			
Installation/Placement:			
Geotextile Fabrics			
Base Course & Sub-Base			
Concrete			
Asphalt			
Top Soil/ Sod			
Route & Seal Maintenance			
UNDERGROUND WORKS:			
Supply of Materials:			
Precast Concrete Catch Pit/ Catch	h Basin/ Ring Sections		
Catch Pit/ Catch Basin/ Manhole	Frames, Covers and Boxes		
Drainage Pipe			
Connecting and Sewer Service P	pe		
Installation/Placement:			
Precast Concrete Catch Pit/ Catch	h Basin/ Ring Sections		
Catch Pit/ Catch Basin/ Manhole	Frames, Covers and Boxes		
Drainage Pipe			
Connecting and Sewer Service P	pe		

#### FORM K: EQUIPMENT

(See D12)

1. Category/type: Underg	round Works
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
Make/Model/Year:	Serial No.:
Registered owner:	
2. Category/type: Earthm	oving and Excavation
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
3. Category/type: Comp.	action and Grading
Make/Model/Year:	Serial No.:
Registered owner:	<del>-</del>
Make/Model/Year:	Serial No.:
Registered owner:	
Make/Model/Year:	Serial No.:
Registered owner:	

#### FORM K: EQUIPMENT

(See D12)

4. Category/type:	Concrete Curb Paving (Slip Form)	
Make/Model/Year:		Serial No.:
Registered owner:		
Make/Model/Year:		Serial No.:
Registered owner:		<del>-</del>
Make/Model/Year:		Serial No.:
Registered owner:		
5. Category/type:	Concrete Paving	
Make/Model/Year:		Serial No.:
Registered owner:		
Make/Model/Year:		Serial No.:
Registered owner:		
Make/Model/Year:		Serial No.:
Registered owner:		
6. Category/type:	Miscellaneous	
Make/Model/Year:		Serial No.:
Registered owner:		
Make/Model/Year:		Serial No.:
Registered owner:		<del>-</del>
Make/Model/Year:		Serial No.:
Registered owner:		

#### FORM L: DETAILED WORK SCHEDULE

(See D13)

completion is achieved.  Items of Work	Time Period in Working Days									
	0	10	15	20	30	40				
PART 1 CITY FUNDED WORK										
Toronto Street										
Owena Street										
PART 2 PROVINCIALLY FUNDED WORK										
Laura Street										
Victor Street										

#### **PART E - SPECIFICATIONS**

#### **GENERAL**

#### E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

- E1.1 These Specifications shall apply to the Work.
- E1.2 The City of Winnipeg Standard Construction Specifications in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.
- E1.2.1 The City of Winnipeg Standard Construction Specifications is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.
- E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over *The City of Winnipeg Standard Construction Specifications*.
- E1.3 The following are applicable to the Work:

Drawing No.	<u>Drawing Name/Title</u>	<u>Drawing</u>
		(Original) Sheet
		<u>Size</u>
G-001	Cover Sheet	A1
C-201	Toronto Street – Wellington Avenue to Notre Dame Avenue –	A1
	Wellington Avenue to Station 2+50	
	2007 Street Reconstruction	
C-202	Toronto Street – Wellington Avenue to Notre Dame Avenue –	A1
	Station 2+50 to Notre Dame Avenue	
	2007 Street Reconstruction	
C-203	Owena Street – Alexander Avenue to Logan Avenue	A1
	2007 Street Reconstruction	
C-204	Victor Street – Portage Avenue to St. Matthews Avenue –	A1
	Portage Avenue to Station 2+50	
	2007 Street Reconstruction	
C-205	Victor Street – Portage Avenue to St. Matthews Avenue –	A1
	Station 2+50 to St. Matthews Avenue	
	2007 Street Reconstruction	
C-206	Laura Street – Alexander Avenue to Logan Avenue	A1
	2007 Street Reconstruction	

#### **E2.** GEOTECHNICAL REPORT

E2.1 Further to C3.1, the geotechnical report is provided to aid the Contractor's evaluation of the pavement structure and/or existing soil conditions. The geotechnical report is contained in Appendix 'A'.

#### E3. OFFICE FACILITIES

- E3.1 The Contractor shall supply office facilities meeting the following requirements:
  - (a) The field office shall be for the exclusive use of the Contract Administrator.
  - (b) The building shall be conveniently located near the site of the Work.

The City of Winnipeg 337-2007 Bid Opportunity Template Version: C420061130

- (c) The building shall have a minimum floor area of 20 square metres, a height of 2.4m with two windows for cross ventilation and a door entrance with a suitable lock.
- (d) The building shall be suitable for all weather use. It shall be equipped with an heater and air conditioner so that the room temperature can be maintained between either 16-18°C or 24-25°C.
- (e) The building shall be adequately lighted with fluorescent fixtures and have a minimum of three wall outlets.
- (f) The building shall be furnished with two desks, one drafting table, table 3m X 1.2m, one stool, one four drawer legal size filing cabinet, and a minimum of 8 chairs.
- (g) A portable toilet shall be located near the field office building. The toilet shall have a locking door and be for the exclusive use of the Contract Administrator and other personnel from the City.
- (h) The field office building and the portable toilet shall be cleaned on a weekly basis immediately prior to each site meeting. The Contract Administrator may request additional cleaning when he deems it necessary.
- E3.2 The Contractor shall be responsible for all installation and removal costs, all operating costs, and the general maintenance of the office facilities.
- E3.3 The office facilities will be provided from the date of the commencement of the Work to the date the Total Performance is completed.
- E3.4 On a one time basis, where directed by the Contract Administrator, the Contractor shall relocate the office facilities to a location more convenient for the remaining Work.

#### E4. PROTECTION OF EXISTING TREES

- E4.1 The Contractor shall take the following precautionary steps to prevent damage from construction activities to existing boulevard trees within the limits of the construction area:
  - (a) The Contractor shall not stockpile materials and soil or park vehicles and equipment on boulevards within 2 metres of trees.
  - (b) Trees identified to be at risk by the Contract Administrator are to be strapped with 25 x 100 x 2400mm wood planks, or suitably protected as approved by the Contract Administrator.
  - (c) Excavation shall be performed in a manner that minimizes damage to the existing root systems. Where possible, excavation shall be carried out such that the edge of the excavation shall be a minimum of 1.5 times the diameter (measured in inches), with the outcome read in feet, from the closest edge of the trunk. Where roots must be cut to facilitate excavation, they shall be pruned neatly at the face of excavation.
  - (d) Operation of equipment within the dripline of the trees shall be kept to the minimum required to perform the work required. Equipment shall not be parked, repaired, refuelled; construction materials shall not be stored, and earth materials shall not be stockpiled within the driplines of trees. The dripline of a tree shall be considered to be the ground surface directly beneath the tips of its outermost branches. The Contractor shall ensure that the operations do not cause flooding or sediment deposition on areas where trees are located.
  - (e) Work on-site shall be carried out in such a manner so as to minimize damage to existing tree branches. Where damage to branches does occur, they shall be neatly pruned.
- E4.2 All damage to existing trees caused by the Contractor's activities shall be repaired to the requirements and satisfaction of the Contract Administrator and the City Forester or his designate.
- E4.3 No separate measurement or payment will be made for the protection of trees.
- E4.4 Elm trees cannot be trimmed between April 1 and July 31, inclusive.

#### E5. TRAFFIC CONTROL

- E5.1 Further to clauses 3.6 and 3.7 of CW 1130-R1:
  - (a) Where directed, the Contractor shall construct and maintain temporary asphalt ramps to alleviate vertical pavement obstructions such as manholes and planing drop-offs to the satisfaction of the Contract Administrator. No measurement for payment will be made for this work.
  - (b) In accordance with the Manual of Temporary Traffic Control, the Contractor ("Agency" in the manual) shall make arrangements with the Traffic Services Section of the City of Winnipeg to place all temporary regulatory signs. The Contractor shall bear all costs associated with the placement of temporary traffic control devices by the Traffic Services Section of the City of Winnipeg in connection with the works undertaken by the Contractor.

#### E6. TRAFFIC MANAGEMENT

- E6.1 Further to clause 3.7 of CW 1130-R1:
- E6.1.1 The Contractor shall schedule construction activities to meet the following:
  - (a) Toronto Street, Owena Street, Victor Street and Laura Street will be closed to all traffic. The Contractor shall sign the street "Road Closed " in accordance with the Manual of Temporary Traffic Control.
  - (b) All intersecting street and private approach access shall be maintained at all times.
- E6.1.2 Should the Contractor be unable to maintain an existing access to a residence or business, he shall review the planned disruption with the business or residence and the Contract Administrator, and take reasonable measures to minimize the impact. The Contractor shall provide a minimum of 24 hours notification to the affected residence or business and the Contract Administrator, prior to disruption of access.
- E6.1.3 Pedestrian and ambulance/emergency vehicle access must be maintained at all times.

#### E7. REFUSE AND RECYCLING COLLECTION

E7.1 While access to refuse and/or recycling collection vehicles is restricted, on collection day(s) the Contractor shall move all of the affected property owners refuse and/or recycling materials to a nearby common area, prior to an established time, in accordance with E7.2 to permit the normal collection vehicles to collect the materials. Immediately following recycling collection the Contractor shall return recycling receptacles to the addresses marked on the receptacles.

#### E7.2 Collection Schedule:

Toronto Street from Wellington Avenue to Notre Dame Avenue

Collection Day(s): 5

Collection Time: 7:00 a.m.

Common Collection Area: Back lane collection.

Owena Street from Alexander Avenue to Logan Avenue

Collection Day(s):

Collection Time: 7:00 a.m.

Common Collection Area: Front street collection.

Victor Street from Portage Avenue to St. Matthews Avenue

Collection Day(s): 5

Collection Time: 7:00 a.m.

Common Collection Area: Refuse back lane collection, recycling front street collection.

Laura Street from Alexander Avenue to Logan Avenue

Collection Day(s): 5

Collection Time: 7:00 a.m.

Common Collection Area: Back lane collection.

E7.3 No measurement or payment will be made for the work associated with this specification.

#### E8. WATER USED BY CONTRACTOR

E8.1 Further to clause 3.7 of CW 1120-R1, the Contractor shall pay for all costs associated with obtaining water in accordance with the Waterworks By-law. Sewer charges will not be assessed for water obtained from a hydrant.

#### E9. SURFACE RESTORATIONS

E9.1 Further to clause 3.3 of CW 1130-R1, when Total Performance is not achieved in the year the Contract is commenced, the Contractor shall temporarily repair any Work commenced and not completed to the satisfaction of the Contract Administrator. The Contractor shall maintain the temporary repairs in a safe condition as determined by the Contract Administrator until permanent repairs are completed. The Contractor shall bear all costs associated with temporary repairs and their maintenance.

#### E10. INFRASTRUCTURE SIGNS

E10.1 The Contractor shall obtain infrastructure signs from the Traffic Services Sign Shop at 421 Osborne Street. The Contractor shall mount each sign securely to a rigid backing material approved by the Contract Administrator. The Contractor shall fasten each sign to a suitable support and erect and maintain one sign at each street as directed by the Contract Administrator. When the Contract Administrator considers the Work on the street complete, the Contractor shall remove and dispose of the signs and supports. No measurement for payment will be made for performing all operations herein described and all other items incidental to the work described.

#### E11. SUPPLY AND INSTALLATION OF GEOTEXTILE FABRIC

**DESCRIPTION** 

- E11.1 For sub-grades designated as unstable, the Contract Administrator will advise the Contractor to supply and install a non-woven geotextile as the separation/reinforcement fabric.
- E11.2 Use only non-woven geotextile materials as approved and listed in accordance with section 4.4 of Approved products for Surface Works.
- E11.3 Measurement and payment for non-woven geotextile fabric will be at the same Contact unit Price per square metre for "Separation/Reinforcement Geotextile Fabric".

#### E12. SUPPLY AND INSTALLATION OF GEOGRID

#### **DESCRIPTION**

- E12.1 This specification covers the supply and installation of Geogrid on unstable sub-grade soil conditions.
- E12.2 Reinforced Standard Construction Specifications
- E12.2.1 CW 3110 Sub-grade, Sub-base and Base Course Construction
- E12.2.2 E14 100mm Crushed Pavement Sub-base Material
- E12.2.3 E13 Supply and Installation of Non-Woven Geotextile Fabric

#### **MATERIALS**

- E12.3 Materials will be polypropylene, extruded bi-axial single layer Geogrid.
- E12.4 Acceptable products will be Tenax LBO 302, Nilex BX 1200 or an equal approved by the Contract Administrator in accordance with B6.
- E12.5 All Geogrid rolls must clearly show the product style number and unique roll number.

#### STORAGE AND HANDLING

E12.6 Store and handle in accordance with the manufacturer's recommendations.

#### MILL CERTIFICATE AND MARV DATA

E12.7 Provide the Mill Certificate and MARV (Minimum Average Roll Data) Data upon request by the Contract Administrator.

#### **CONSTRUCTION METHODS**

- E12.8 Commence installation of Geogrid after approval by the Contract Administrator and the preparation of sub-grade has been completed in accordance with CW 3110.
- E12.9 Commence installation of Geogrid after material has been approved by the Contract Administrator and separation/reinforcement fabric material has been installed in accordance with E13 Supply and Installation of Non-Woven Geotextile Fabric.
- E12.10 Supply and install additional separation/reinforcement fabric material in accordance with CW 3130 at locations as directed by the Contract Administrator.
- E12.11 Unroll Geogrid as smooth as possible on the prepared sub-grade or separation/reinforcement fabric as applicable, in the direction of construction traffic.
- E12.12 Install the Geogrid in the longest continuous practical length, free from tension, stress, folds, wrinkles and creases.
- E12.13 Overlap joints a minimum of 900mm.
- E12.14 Tie adjacent rolls with joint fasteners in accordance to the manufacturer's recommendations.
- E12.15 Construction vehicles are not permitted directly on the Geogrid.
- E12.16 Place and compact sub-base material to a minimum depth of 300mm in accordance with E14 100mm Crushed Pavement Sub-base Material.

- E12.17 Place and compact sub-base material to a minimum depth of 300mm in accordance with CW 3110.
- E12.18 Avoid sudden stops or sharp turns by construction equipment during placement of sub-base material.
- E12.19 Remove or replace Geogrid improperly installed or damaged as directed by the Contract Administrator.

#### MEASUREMENT AND PAYMENT

- E12.20 Supply and installation of Geogrid will be measured on an area basis and paid for at the Contract Unit Price per square metre for "Supply and Install Geogrid". The area to be paid for will be the total number of square metres of Geogrid, supplied and installed in accordance with the specification, accepted and measured by the Contract Administrator.
- E12.21 Only material placed with the designated sub-grade limits will be included in the payment for "Supply and Install Geogrid".
- E12.22 No measurement or payment will be made for Geogrid removed and replaced due to improper installation or damaged materials.
- E12.23 Adjacent roll joint fasteners will be included in payment for "Supply and Install Geogrid".

#### E13. SUPPLY AND INSTALLATION OF NON-WOVEN GEOTEXTILE FABRIC

- E13.1 Supply and install non-woven geotextile material fabric as Separation / Reinforcement Geotextile Fabric for sub-grades designated as unstable by the Contract Administrator.
- E13.2 Use only Drainage Fabric as approved and listed in accordance with section 4.4 of Approved Products for Surface Works.
- E13.3 Measurement and payment for non-woven geotextile fabric will be at the same Contract Unit Price per square metre for "Separation / Reinforcement Geotextile Fabric".

#### E14. 100MM CRUSHED PAVEMENT SUB-BASE MATERIAL

#### **DESCRIPTION**

- E14.1 Further to CW 3110, this specification covers the supply and placement of 100mm crushed pavement sub-base material for unstable sub-grades.
- E14.2 Referenced Standard Construction Specifications
- E14.2.1 CW 3110 Sub-grade, Sub-base and Base Course Construction
- E14.2.2 E12 Supply and Installation of Geogrid

#### **MATERIALS**

E14.3 100mm crushed pavement sub-base material will be approved by the Contract Administrator. The 100mm crushed pavement sub-base material will conform to the following grading requirements:

CANADIAN METRIC	PERCENT OF TOTAL DRY WEIGHT PASSING		
SIEVE SIZE	EACH SIEVE		
	100MM MAX. AGGREGATE		
100 000	97% - 100%		
25 000	40% Max.		
80	5% Max.		

- E14.4 100mm crushed pavement sub-base material will be a mixture of reclaimed concrete and asphaltic concrete. The contents of the material will be limited to the following percentages based on weight.
  - (a) minimum of 85% recycled concrete
  - (b) maximum of 15% recycled asphaltic concrete
  - (c) maximum of 3% clay
  - (d) maximum of 1% foreign material

#### **CONSTRUCTION METHODS**

- E14.5 Commence placement of 100mm crushed pavement sub-base material after the Contract Administrator has approved installation of the geogrid.
- Place sub-base material by end dumping down the centre of the excavation. The sub-base shall be pushed forward and leveled to thickness equal to cover the entire sub-grade width, thickening the section to allow support for the hauling operations. This procedure shall continue until all sub-base material has been placed down the centre of the excavation.
- E14.7 Level sub-base material utilizing a track type dozer.
- E14.8 Initial compaction of the sub-base material shall consist of two complete passes utilizing vibratory type equipment capable of setting the material. Each pass shall be over lapped by half the width of the roller. All additional compaction shall be completed utilizing static type equipment. No trucks, rubber tire loaders or graders will be allowed to travel on the sub-base material until the Contract Administrator has approved the compaction of the sub-base.
- E14.9 The final compacted thickness of the sub-base material shall be a minimum of 300 mm thickness.

#### MEASUREMENT AND PAYMENT

- E14.10 The supplying, placing and compaction of crushed sub-base material will be measured on a weight basis and paid for at the Contract Unit Price per tonne for the "100mm Crushed Pavement Sub-base Material". The weight to be paid for will be the total number of tonnes of 100mm crushed pavement sub-base material supplied and placed in accordance with this specification, accepted and measured by the Contract Administrator.
- E14.11 The weight to be paid for will be the total number of tonnes of 100mm crushed pavement subbase material as measured on a certified weigh scale.
- E14.12 Only material placed within the limits of excavation will be included in the payment for 100mm crushed payement sub-base material.
- E14.13 No measurement or payment will be made for materials rejected by the Contract Administrator.

# APPENDIX 'A' GEOTECHNICAL REPORT

#### APPENDIX 'A' - GEOTECHNICAL REPORT


#### **TABLE OF CONTENTS**

GEOTECHNICAL REPORT FOR TORONTO STREET	1
Test Hole Locations Summary of Core Samples Test Hole Log for Test Hole #1 Test Hole Log for Test Hole #2 Test Hole Log for Test Hole #3 Pavement Core Photos	1 2 3 4 5
GEOTECHNICAL REPORT FOR OWENA STREET	7
Test Hole Locations Summary of Core Samples Test Hole Log for Test Hole #1 Test Hole Log for Test Hole #2 Pavement Core Photos	7 8 9 10 11
GEOTECHNICAL REPORT FOR VICTOR STREET	12
Test Hole Locations Summary of Core Samples Test Hole Log for Test Hole #1 Test Hole Log for Test Hole #2 Pavement Core Photos	12 13 14 15 16
GEOTECHNICAL REPORT FOR LAURA STREET	17
Test Hole Locations Summary of Core Samples Test Hole Log for Test Hole #1 Test Hole Log for Test Hole #2 Pavement Core Photos	17 18 19 20 21

The geotechnical report is provided to aid in the Contractor's evaluation of the existing pavement structure and/or soil conditions. The information presented is considered accurate at the locations shown on the Drawings and at the time of drilling. However, variations in pavement structure and/or soil conditions may exist between test holes and fluctuations in groundwater levels can be expected seasonally and may occur as a result of construction activities. The nature and extent of variations may not become evident until construction commences.

# **Geotechnical Report for Toronto Street**

#### **Test Hole Locations**



# **Summary of Core Samples**

2007 City of Winnipeg Regional and Residential Streets Program Geotechnical Investigation Toronto Street Notre Dame Avenue to Wellington Avenue

		Pavement Su	rface	Pavement Str	cture Material		Sample	Moisture		Particle Si:	ze Analysis		1	Atterberg Lin	rits
Testhole ID	Testhole Location	Туре	Thickness (mm)	Type	Thickness (mm)	Sample Description	Depth (m)	Content (%)	Gravel (%)	Sand (%)	Silt (%)	Clay (%)	Liquid Limit	Plastic Limit	Plasticity Index
TH1	1.3 m N of N property line of 720 Toronto St., 1.5 m E of W curb	Asphalt/Concrete	35/195	Granular	80	sut	1.2	16.3	0.0	5.7	729	21.4	24	18	6
TH2	1.6 m N of S property line of 757 Toronto St., 1.6 m W of E curb	Asphalt/Concrete	77/168	Granular	65	Clau	1.8	42.2	0.0	0.4	9.4	90.2	91	24	67
TH3	4.4 m S of N property line of 790 Toronto St., 1.2 m E of W curb	Asphalt/Concrete	40/180	Granular	50	N/A	-	-		-	,	-	-	-	-

## **TESTHOLE TH1**

Project Name: 2007 Regional and Residential Streets Program Client: Stantec Consulting Ltd.

Site: Toronto Street, Notre Dame Avenue to Wellington Avenue

Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Date Drilled: January 18, 2007

		Subsurface Profile		Laboratory 1	esting	)		
Depth (m)	Symbol	Description	Moistu PL 0 25	re Content (%) LL 50 75 100	Gravel (%)	Sand (%)	Silt (%)	Clay (%)
0.0-		Ground Surface	H					
0.5-	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	Asphalt Concrete  Granular Fill - 20 mm maximum aggregate size Clay - brown, moist, firm, high plasticity, trace thin silt layers  Silt - tan, moist to dry, firm, low plasticity, some clay, trace fine grained sand			0.0	5.7	72.9	21.4
1.5-		Clay - brown, moist, stiff to firm, high plasticity, trace silt  End of testhole at 2.1 m below grade.						
2.5-	-	No water seepage or soil sloughing were observed during or after the completion of drilling.						

#### **TESTHOLE TH2**

TESTING
LABORATORIES
LIMITED

Project Name: 2007 Regional and Residential Streets Program Client: Stantec Consulting Ltd.

Site: Toronto Street, Notre Dame Avenue to Wellington Avenue

Date Drilled: January 18, 2007 Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Testhole Location: 1.6 m N of the S property line of 757 Toronto St., 1.6 m W of the E curb

		Subsurface Profile	Т	Laboratory T	octine			
		Subsurface Profile	+	Laboratory I	esung			
Depth (m)	Symbol	Description	POH	Moisture Content (%) 25 50 75 100	Gravel (%)	(%) pues	Silt (%)	Clay (%)
0.0-		Ground Surface	П					
0.0	<b>EXECUTE</b>	Asphalt	41					
-	********* ******** *******	Concrete						
0.5-	970329	Granular Fill - 20 mm maximum aggregate size Clay - brown, moist, soft to firm, high plasticity, with silt layers - trace silt below 1.2 m						
1.0-								
1.5-								
2.0-					0.0	0.4	9.4	90.2
2.5-		End of testhole at 2.1 m below grade.  No water seepage or soil sloughing were observed during or after the completion of drilling.						

#### **TESTHOLE TH3**

THE NATIONAL TESTING LABORATORIES LIMITED LIMI

Project Name: 2007 Regional and Residential Streets Program

Client: Stantec Consulting Ltd.

Site: Toronto Street, Notre Dame Avenue to Wellington Avenue

Date Drilled: January 18, 2007 Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Testhole Location: 4.4 m S of the N property line of 790 Toronto St., 1.2 m E of the W curb

		Subsurface Profile	Laboratory Testing
Depth	Symbol	Description	Water Content (%) 0 20 40 60 80 100
0.0-		Ground Surface	
0.0-	200	Asphalt	iiii
-	7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Concrete	
-	<u> </u>	Granular Fill - 20 mm maximum aggregate size	1 1, 1 1 1
0.5-		Clay Fill - brown/grey, moist, firm, high plasticity, trace fine to coarse grained sand, trace fine grained gravel	
-		014	
1.0-	- - - -	Silt - tan, moist, firm, low plasticity, some clay	
1.5 - - -	-	Clay  - brown, moist, firm, high plasticity, trace silt	
2.0-	-	Silt - tan, moist, firm, low plasticity, some clay	
		Clay - brown, moist, firm, high plasticity, trace silt	$\left\{ \left[ $
-	-	End of testhole at 2.1 m below grade.	
2.5-		No water seepage or soil sloughing were observed during or after the completion of drilling.	

## **Pavement Core Photos**








## **Geotechnical Report for Owena Street**

#### **Test Hole Locations**



# **Summary of Core Samples**

#### 2007 City of Winnipeg Regional and Residential Streets Program Geotechnical Investigation Owena Street Alexander Avenue to Logan Avenue

		Povement Su	rface	Pavement Str	ucture Material		Sample	Moisture		Particle St	ze Analysis		Atterberg Limits		
Testrole ID	Testrole Location	Туре	Thickness (mm)	Type	Thickness [mm]	Sample Description	Dapth (m)	Content (%)	Gravel (%)	Sand (%)	SIIt (%)	Clay (%)	Liquid Limit	Plastic Limit	Plasticity Index
TH1	8.0 m S of N property line of 701 Alexander Ave., 1.8 m W of E curb	Asphalt/Concrete	25/200	N/A	-	Clay	1.5	38.8	0.0	0.1	7.4	92.5	98	24	74
TH2	10.1 m S of N property line of 710 Logan Ave., 1.6 m E of W outb	Asphalt/Concrete	25/175	N/A		sit	0.9	22.7	0.0	2.9	73.6	23.5	22	17	5

#### TESTHOLE TH1

THE NATIONAL TESTING LABORATORIES LABORATORIES

Date Drilled: January 18, 2007

Project Name: 2007 Regional and Residential Streets Program Client: Stantec Consulting Ltd.

Client: Stantec Consulting Ltd.

Depth of Testhole: 2.1 m

Site: Owena Street, Logan Avenue to Alexander Avenue
Logged by: Kurtis Kulchyski
Testhole Logation: 9.0 m S of the N gropesty line of 701 Alexander Ave. 1.6 m W of the E curb

Tes	sthole Loc	ation: 8.0 m S of the N property line of 70	1 A	lexander.	Ave., 1	.6 m W	of th	e E cu	rb		
		Subsurface Profile			l	_aborate	гу Т	Festing	J		
Depth (m)	Symbol	Description	POL	Moistu 25		tent (%) 75		Gravel (%)	Sand (%)	Silt (%)	Clay (%)
0.0-		Ground Surface	I								
0.0	wa	Asphalt	11	į	İ	İ					
	767677 940270	Concrete		İ	İ	į					
		Clay - brown, moist, firm, high plasticity, some silt		Ť							
0.5-	-	Silt - tan, moist, firm, low plasticity, some clay		<u> </u>							
1.0-		Clay - brown, moist, firm, high plasticity, trace thin silt layers - and silt between 1.7 and 1.75 m									
1.5-					\ \ \ \		_	0.0	0.1	7.4	92.5
2.0-											
2.5-		End of testhole at 2.1 m below grade.  No water seepage or soil sloughing were observed during or after the completion of drilling.									

## **TESTHOLE TH2**

THE NATIONAL TESTING LABORATORIES LABORATORIES LABORATORIES

Project Name: 2007 Regional and Residential Streets Program Client: Stantec Consulting Ltd.

Site: Owena Street, Logan Avenue to Alexander Avenue

Date Drilled: January 18, 2007 Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Tes	thole Loc	ation: 10.1 m S of the N property line of 7	D Logan Ave., 1.6 m E of the W curb	
		Subsurface Profile	Laboratory Testing	
Depth (m)	Symbol	Description	Moisture Content (%) PL	Clay (%)
0.0-		Ground Surface		$\neg$
0.0-	171 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Asphalt	[ <u> </u>	
-	# 6 # 6 # # # # 0 = CO	Concrete		
0.5-		Clay - black/grey, moist, firm, high plasticity, trace silt		
1.0-		Silt - light grey/tan, moist, soft to firm, low plasticity, some clay	0.0 2.9 73.6 2	23.5
2.0-		Clay - light brown, moist, firm, high plasticity, some silt - brown below 2.0 m		
2.5-		End of testhole at 2.1 m below grade.  No water seepage or soil sloughing were observed during or after the completion of drilling.		


# **Pavement Core Photos**





## **Geotechnical Report for Victor Street**

#### **Test Hole Locations**



# **Summary of Core Samples**

#### 2007 City of Winnipeg Regional and Residential Streets Program Geotechnical Investigation Victor Street St. Matthews Avenue to Portage Avenue

		Pavement Su			ucture Material		Sample Moisture		Partide Size Analysis				Atterberg Limits		
Testrole	Testhole		Thickness		Thickness	Sample	Depth	Contant	Gravel	Sand	Silt	Clay	Liquid	Plastic	Plasticity
ID	Location	Туре	(mm)	Type	(mm)	Description	[m]	[%]	(%)	(%)	(%)	(%)	Limit	Limit	Index
TH1	3.8 m S of N property line of 332 Victor St., 1.6 m E of W ourb	Asphalt/Concrete	145/185	Granular	50	Clayey Sit	1.2	14.1	0.0	5.7	66.5	27.8	27	16	11
TH2	5.5 m N of S property line of 350 Victor St., 1.4 m W of E ourb	Concrete	200	Umestone	870	Clay	1.B	33.2	0.0	1.2	11.7	87.1	84	22	62

#### **TESTHOLE TH1**

NATIONAL TESTING (ABORATORIES LIMITED

Project Name: 2007 Regional and Residential Streets Program

Client: Stantec Consulting Ltd. Site: Victor Street, St. Matthews Avenue to Portage Avenue Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Date Drilled: January 18, 2007

Tes	thole Loc	ation: 3.8 m S of the N property line of 33	Victor St., 1.6 m E of the W curb	
		Subsurface Profile	Laboratory Testing	
Depth (m)	Symbol	Description	Moisture Content (%) PL	Clay (%)
0.0-		Ground Surface		$\neg$
0.0	KOSK.	Asphalt		
0.5-	1 2 2 2 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Concrete - freeze thaw damage at bottom of layer  Granular Fill - maximum 20 mm aggregate size  Clay - brown, wet at the surface of the layer, moist below surface, soft to firm, high plasticity, trace silt - with silt below 0.6 m		
1.5-		Clayey Silt - tan, moist, firm, low plasticity, some clay, trace fine grained sand  Clay - brown, moist, firm, high plasticity, with silt layers - some silt below 1.7 m	0.0 5.7 66.5 27	7.8
2.5-		End of testhole at 2.1 m below grade.  No water seepage or soil sloughing were observed during or after the completion of drilling.		

## **TESTHOLE TH2**

THE NATIONAL TESTING (ABORATORIES LAMITED)

Project Name: 2007 Regional and Residential Streets Program

Client: Stantec Consulting Ltd.


Site: Victor Street, St. Matthews Avenue to Portage Avenue


Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Date Drilled: January 18, 2007

		Subsurface Profile	Laboratory	Testing	J		
Depth (m)	Symbol	Description	Moisture Content (%) PLLl 0 25 50 75 110	Gravel (%)	Sand (%)	Silt (%)	Clay (%)
		Ground Surface					
0.0-	va oa v Si ski sa	Concrete					
0.5-		Limestone Fill  - top 150 mm consists of white limestone with a maximum aggregate size of 20 mm  - rust/red limestone below 150 mm; maximum aggregate size could not be determined due to the grinding effect of the auger					
1.0-	0°6', 8 °0'8 9 °0'6'	Clay - brown, moist, stiff to firm, high plasticity, trace silt					
1.5 - -							
2.0-				0.0	1.2	11.7	87.1
2.5-		End of testhole at 2.1 m below grade.  No water seepage or soil sloughing were observed during or after the completion of drilling.					


## **Pavement Core Photos**





## **Geotechnical Report for Laura Street**

#### **Test Hole Locations**



# **Summary of Core Samples**

#### 2007 City of Winnipeg Regional and Residential Streets Program Geotechnical Investigation Laura Street Alexander Avenue to Logan Avenue

		Pavement 3u			ucture Material		Sample	Moisture		Partide St	ze Analysis		Atterberg Limits		
Testrol			Thickness		Thickness	Sample	Depth	Content	Gravel	Sand	SIIt	Clay	Liquid	Plastic	Plasticity
ID	Location	Type	(mm)	Type	(mm)	Description	[m]	[%]	(%)	(%)	(%)	(%)	Limit	Limit	Index
TH1	1.6 m N of N property line of 253 Lauta St., 1.2 m W of E curb	Asphalt/Concrete	60/165	N/A	NA	Clayey Sit	1.5	21.2	0.0	7.4	89.7	22.9	21	17	4
TH2	5.2 m N of N property line of 263 Lauta St., 1.8 m E of W outb	Asphalt/Concrete	65/195	N/A	NA	Clay	1.B	36.1	0.0	1.5	19.2	79.3	73	19	54

#### **TESTHOLE TH1**

THE NATIONAL TESTING LABORATORIES LABORATORIES LABORATORIES

Project Name: 2007 Regional and Residential Streets Program

Client: Stantec Consulting Ltd. Site: Laura Street, Alexander Avenue to Logan Avenue Date Drilled: January 18, 2007 Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Testhole Location: 1.6 N of the N property line of 253 Laura St., 1.2 m W of the E curb											
Subsurface Profile			Laboratory Testing								
Depth (m)	Symbol	Description	PL 0			tent (%) L 75 10	Gravel (%)		sand (%)	Silt (%)	Clay (%)
0.0-		Ground Surface	Π.					Т			
0.0	42.00	Asphalt	11	į	İ	į					
	******** ******* *******	Concrete		İ							
0.5- -		Clay Fill - black/brown, moist, firm, high plasticity, some fine grained gravel, some fine to coarse grained sand		+							
1.0-		Clay - light brown, moist, soft, intermediate plasticity, some silt		<i>\\</i>							
- 1.5- - - - - - 2.0-		Clayey Silt - tan, moist, firm to soft, low plasticity, some clay, trace fine grained sand	-	+			0.0	) 7	7.4	69.7	22.8
-		Clay - brown, moist, firm, high plasticity	$\ $	•							
	]	End of testhole at 2.1 m below grade			-						
2.5-		No water seepage or soil sloughing were observed during or after the completion of drilling.									

#### **TESTHOLE TH2**

NATIONAL TESTING (AHORATORIES LIMITED

Project Name: 2007 Regional and Residential Streets Program

Client: Stantec Consulting Ltd. Site: Laura Street, Alexander Avenue to Logan Avenue Date Drilled: January 18, 2007 Depth of Testhole: 2.1 m Logged by: Kurtis Kulchyski

Testhole Location: 5.2 m N of the N property line of 263 Laura St., 1.8 m E of the W curb

Subsurface Profile			Laboratory Testing						
Depth (m)	Symbol	Description	Moisture Content (%) PLLL 0 25 50 75 100 Case (%) Nik (%)	Clay (%)					
0.0-		Ground Surface							
0.0	4236	Asphalt							
0.5-		Concrete  Clay Fill - brown, moist, firm, high plasticity, some fine grained gravel, some fine to coarse grained sand, some silt - trace fine grained gravel below 0.5 m, trace fine to coarse grained sand							
1.0-		Clav							
1.5-		Clay - black, moist, firm, high plasticity, some silt layers - brown below 1.3 m							
2.0-			0.0 1.5 19.2	79.3					
2.5-		End of testhole at 2.1 m below grade  No water seepage or soil sloughing were observed during or after the completion of drilling.							

## **Pavement Core Photos**



