#### FORM A: BID (See B8)

1.	Contract Title	PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM PART 1 – TORONTO STREET AND OWENA STREET PART 2 – VICTOR STREET AND LAURA STREET
2.	Bidder	Name of Bidder
		Street
		City Province Postal Cod
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Cod
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represe the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form I Prices, appended hereto.

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.							

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official o officials have signed this						
		, 20						
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						
	(Witness)	(Print here name and official capacity of individual whose signature appears above)						

SEAL

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1						
Α	TORONTO STREET - NOTRE DAME AVENUE RECONSTRUCTION	TO WELLINGTO	ON AVE -	-		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m³	1055		
A.2	Sub-Grade Compaction	CW 3110-R10	m²	2400		
A.3	Crushed Sub-base Material	CW 3110-R10				
i	50 mm - Limestone		tonne	1250		
A.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	190		
A.5	Grading of Boulevards	CW 3110-R10	m²	1890		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2400		
	ROADWORKS - RENEWALS					
A.7	Pavement Removal	CW 3110-R10				
i	Concrete Pavement		m²	2200		
A.8	Drilled Dowels	CW 3230-R5				
i	19.1 mm Diameter		each	20		
A.9	Drilled Tie Bars	CW 3230-R5				
i	20 M Deformed Tie Bar		each	50		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	15		
	b) 5 sq.m. to 20 sq.m.		m²	80		
	c) Greater than 20 sq.m.		m²	620		
A.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
A.12	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i	Tie-ins and Approaches					
	a) Type IA		tonne	10		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	b) Type II		tonne	10		
A.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	34		
	ROADWORKS - NEW CONSTRUCTION					
A.15	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2130		
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	507		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	28		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229E	m	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R11				
i)	SD-024		each	4		
A.18	Drainage Connection Pipe	CW 2130-R11	m	27		
A.19	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
	a) Connecting to 375mm (CS) Sewer		each	6		
A.20	Removal of Existing Catch Basins	CW 2130-R11	each	4		
A.21	Installation of Subdrains	CW 3120-R1	m	216		
	ADJUSTMENTS					
A.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
A.23	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast concrete risers		vert. m	1.0		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.24	Lifter Rings	CW 3210-R7				
i	51mm		each	3		
		CW 2240 D7		5		
A.25	Adjustment of Valve Boxes	CW 3210-R7	each	5		
A.26	Valve Box Extensions	CW 3210-R7	each	1		
A.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
A.28	Supply of Curb Inlet Box Covers	CW 3210-R7	each	5		
	LANDSCAPING					
A.29	Sodding	CW 3510-R9				
i)	width < 600mm		m²	200		
ii)	width > or = 600mm		m²	1890		
Α	TORONTO STREET - NOTRE DAME AVENUE	TO WELLINGTO	N AVE -	_		
В	RECONSTRUCTION  OWENA STREET - ALEXANDER AVENUE TO	LOGAN AVENU	<u>E -</u>		Subtotal:	
	RECONSTRUCTION		·			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R10	m³	564		
B.2	Sub-Grade Compaction	CW 3110-R10	m²	1280		
B.3	100mm Crushed Pavement Sub-base Material	E14	m³	298		
B.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	110		
B.5	Grading of Boulevards	CW 3110-R10	m²	665		
B.6	Supply and Installation of GeoGrid	E12	m²	1280		
B.7	Supply and Installation of Non-Woven Geotextile Fabric	E13	m²	1280		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	1200		
B.9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	20		
I	I	I		ı l		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.10	Drilled Tie Bars	CW 3230-R5		Q07.111111		
i)	20 M Deformed Tie Bar		each	50		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	14		
	b) 5 sq.m. to 20 sq.m.		m²	16		
	c) Greater than 20 sq.m.		m²	198		
B.12	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	a) Type IA		tonne	10		
	b) Type II		tonne	10		
	ROADWORKS - NEW CONSTRUCTION					
B.13	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1123		
B.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	190		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	34		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229E	m	66		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
B.16	Drainage Connection Pipe	CW 2130-R11	m	15		
B.17	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
	a) Connecting to 300mm (CS) Sewer		each	2		
B.18	Removal of Existing Catch Basins	CW 2130-R11	each	2		

(SEE B9)

UNIT PRIC		T				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.19	Installation of Subdrains	CW 3120-R1	m	72		
	ADJUSTMENTS					
B.20	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.21	Valve Box Extensions	CW 3210-R7	each	2		
B.22	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
B.23	Supply of Curb Inlet Box Covers	CW 3210-R7	each	5		
	LANDSCAPING					
B.24	Sodding	CW 3510-R9				
i	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	665		
В	OWENA STREET - ALEXANDER AVENUE TO RECONSTRUCTION	LOGAN AVENU	<u>E -</u>		Subtotal:	
PART 2	PROVINCIALLY FUNDED WOR	K (See D2)				
С	VICTOR STREET - ST. MATTHEWS AVENUE RECONSTRUCTION	TO PORTAGE A	VENUE -	-		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m³	1129		
C.2	Sub-Grade Compaction	CW 3110-R10	m²	2550		
C.3	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	1350		
C.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	210		
C.5	Grading of Boulevards	CW 3110-R10	m²	1800		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2550		
	ROADWORKS - RENEWALS					
C.7	Pavement Removal	CW 3110-R10				
ij	Concrete Pavement		m²	2290		
C.8	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	20		
C.9	Drilled Tie Bars	CW 3230-R5				
	I	I	I	l l	I	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	20 M Deformed Tie Bar		each	50		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	5		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	780		
C.11	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.12	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	23		
	b) Type II		tonne	20		
C.14	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	74		
	ROADWORKS - NEW CONSTRUCTION					
C.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2241		
C.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	525		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	28		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229E	m	46		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Basin	CW 2130-R11				
i)	SD-024		each	6		
C.18	Drainage Connection Pipe	CW 2130-R11	m	30		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.19	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
	a) Connecting to 375mm (SRS) Sewer		each	6		
C.20	Removal of Existing Catch Basins	CW 2130-R11	each	6		
C.21	Installation of Subdrains	CW 3120-R1	m	216		
	ADJUSTMENTS					
C.22	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
C.23	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast concrete risers		vert. m	1		
C.24	Lifter Rings	CW 3210-R7				
i)	51mm		each	4		
C.25	Adjustment of Valve Boxes	CW 3210-R7	each	4		
C.26	Valve Box Extensions	CW 3210-R7	each	1		
C.27	Adjustment of Curb Stop Boxes	CW 3210-R7	each	20		
C.28	Supply of Curb Inlet Box Covers	CW 3210-R7	each	5		
	LANDSCAPING					
C.29	Sodding	CW 3510-R9				
i)	width < 600mm		m²	200		
ii)	width > or = 600mm		m²	1800		
С	VICTOR STREET - ST. MATTHEWS AVENUE TRECONSTRUCTION	TO PORTAGE A	VENUE -	_	Subtotal:	
D	LAURA STREET - ALEXANDER AVENUE TO	LOGAN AVENUE	- RECO	NSTRUCTION		
D.1	Excavation	CW 3110-R10	m³	460		
D.2	Sub-Grade Compaction	CW 3110-R10	m²	1050		
D.3	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	560		
D.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	90		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.5	Grading of Boulevards	CW 3110-R10	m²	850		
D.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1050		
	ROADWORKS - RENEWALS					
D.7	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	933		
D.8	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	20		
D.9	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	50		
D.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	20		
	c) Greater than 20 sq.m.		m²	310		
D.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	15		
	b) Type II		tonne	15		
	ROADWORKS - NEW CONSTRUCTION					
D.12	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	917		
D.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R11				
i)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	163		
ii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	28		
iii)	Construction of Curb Ramp (10mm ht, Integral)	SD-229E	m	46		

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS							
D.14	Installation of Subdrains	CW 3120-R1	m	72				
	ADJUSTMENTS							
D.15	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1				
D.16	Replacing Existing Risers	CW 2130-R11						
	Pre-cast concrete risers		vert. m	0.3				
D.17	Lifter Rings	CW 3210-R7						
	i) 51mm		each	1				
D.18	Adjustment of Valve Boxes	CW 3210-R7	each	4				
D.19	Valve Box Extensions	CW 3210-R7	each	1				
D.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5				
D.21	Supply of Curb Inlet Box Covers	CW 3210-R7	each	5				
	LANDSCAPING							
D.22	Sodding	CW 3510-R9						
	i) width < 600mm		m²	100				
i	i) width > or = 600mm		m²	850				
D	LAURA STREET - ALEXANDER AVENUE TO	LOGAN AVENU	E - RECO	NSTRUCTION	Subtotal:			
	SUMMARY							
Α	TORONTO STREET - NOTRE DAME AVENUE RECONSTRUCTION	TO WELLINGTO	ON AVE -		Subtotal:			
В	OWENA STREET - ALEXANDER AVENUE TO	LOGAN AVENU	E - RECO	ONSTRUCTION	Subtotal:			
С	VICTOR STREET - ST. MATTHEWS AVENUE TRECONSTRUCTION	TO PORTAGE A	VENUE -		Subtotal:			
D	LAURA STREET - ALEXANDER AVENUE TO	LOGAN AVENU	E - RECO	NSTRUCTION	Subtotal:			
TOTAL B	TOTAL BID PRICE (GST extra) (in figures)							
(in words)	(in words)							

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum to	and firmly bound unto <b>THE CITY OF WINNIPE</b> rcent (10%) of the Total Bid Price set out in the Ethe Principal and Surety bind themselves, their he intly and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a E	3id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 337-2007		
PROVINCE OF MANITOBA/ CITY OF WIN PART 1 – TORONTO STREET AND OWE PART 2 – VICTOR STREET AND LAURA		PROGRAM
as more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	bligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a d performance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness)	(Name of Principal) Per:	(Seal)
(With Coo)	Per:	-
	(Name of Surety)	(01)
	By: (Attorney-in-Fact)	_ (Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 337-2007 PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM PART 1 – TORONTO STREET AND OWENA STREET PART 2 - VICTOR STREET AND LAURA STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_, (Name of Surety) By: (Attorney-in-Fact) \_\_\_\_\_ (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 337-2007
PROVINCE OF MANITOBA/ CITY OF WINNIPEG 2007 REGIONAL AND LOCAL STREETS PROGRAM PART 1 – TORONTO STREET AND OWENA STREET PART 2 – VICTOR STREET AND LAURA STREET
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2)

(See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 17, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)