FORM A: BID (See B8)

1.	Contract Title	2007 Local Improvement Progra	am - Lanes	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes t the Bidder for purposes of the B		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General		meanings
5.	Offer	The Bidder hereby offers to per Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

SEAL

ITEN	RICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
Α	CLONARD/STRANMILLIS LANE	I	I			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m³	1260		
A.2	Sub-Grade Compaction	CW 3110-R10	m²	1980		
A.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	1150		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	150		
A.5	Grading of Boulevards	CW 3110-R10	m²	200		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1980		
A.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	150		
	ROADWORKS - RENEWALS					
A.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	45		
	ii) Asphalt Pavement		m²	320		
A.9	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	55		
A.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	10		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	30		
A.12	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	20		
A.13	Concrete Curb Installation	CW 3240-R6				
	i) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	20		

	NCES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Concrete Curb Renewal	CW 3240-R6				
	i) Curb Ramp (10mm ht, Integral)	SD-229 E	m	10		
A.15	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
A.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	1695		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.17	Catch Basin	CW 2130-R11				
	i) SD-025		each	2		
A.18	Catch Pit	CW 2130-R11				
	i) SD-023		each	1		
A.19	Drainage Connection Pipe	CW 2130-R11	m	240		
A.20	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	1		
i	ii) AP-006 - Standard Grated Cover for Standard Frame		each	3		
A.21	Connecting to Existing Manhole	CW 2130-R11				
	i) 250mm Catch basin lead		each	2		
A.22	Installation of Subdrains	CW 3120-R1	m	24		
	ADJUSTMENTS					
A.23	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.24	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast concrete risers		vert. m	0.5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.25	Sodding	CW 3510-R9				
i)	width < 600mm		m²	50		
ii)	width > or = 600mm		m²	150		
A	CLONARD/STRANMILLIS LANE	I	1		Subtotal:	

	RICES	(SEE B9)				
ITEM		SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
в	GUIBAULT/ARCHIBALD LANE					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R10	m³	1045		
B.2	Sub-Grade Compaction	CW 3110-R10	m²	1705		
B.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	995		
B.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	130		
B.5	Grading of Boulevards	CW 3110-R10	m²	200		
B.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1705		
B.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	150		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	20		
B.9	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	30		
B.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	35		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	15		
B.12	Concrete Curb Renewal	CW 3240-R6				
	i) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	5		
	ii) Curb Ramp (10mm ht, Integral)	SD-229 E	m	5		
B.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	5		

	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
B.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	1515		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.15	Catch Basin	CW 2130-R11				
	i) SD-025		each	1		
B.16	Drainage Connection Pipe	CW 2130-R11	m	21		
B.17	Replacing Standard Frames & Covers	CW 2130-R11				
B.18	Connecting to Existing Manhole	CW 2130-R11				
	i) 250mm Catch basin lead		each	1		
B.19	Abandoning Existing Catchbasins	CW 2130-R11	each	1		
B.20	Removal of Existing Catchbasins	CW 2130-R11	each	1		
B.21	Installation of Subdrains	CW 3120-R1	m	12		
	LANDSCAPING					
B.22	Sodding	CW 3510-R9				
	i) width < 600mm		m²	50		
	ii) width > or = 600mm		m²	150		
В	GUIBAULT/ARCHIBALD LANE	1	I	I	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	HORACE/EUGENIE LANE					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m³	880		
C.2	Sub-Grade Compaction	CW 3110-R10	m²	1395		
C.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	825		
C.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	110		
C.5	Grading of Boulevards	CW 3110-R10	m²	200		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1395		
C.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	150		
	ROADWORKS - RENEWALS					
C.8	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	135		
	ii) Asphalt Pavement		m²	225		
C.9	Slab Replacement	CW 3230-R5				
	i) 150 mm Concrete Pavement (Reinforced)		m²	145		
C.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	115		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	35		
C.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.13	Supply of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.14	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
C.15	Concrete Curb Removal	CW 3240-R6				
	i) Barrier (Separate)		m	10		
C.16	Concrete Curb Installation	CW 3240-R6				

ITEN	RICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	i) Modified Barrier (180mm ht, Dowelled)	REF. SD-203B	m	QUANTITY 10		
C.17	Concrete Curb Renewal	CW 3240-R6				
0.11	i) Barrier (150mm ht, Separate)	SD-203A				
	a) 3 m to 30 m		m	10		
	ii) Modified Barrier (180mm ht, Dowelled)	SD-203B	m	30		
	iii) Curb Ramp (10mm ht, Integral)	SD-229 E	m	15		
C.18	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
C.19	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	1105		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.20	Catch Basin	CW 2130-R11				
	i) SD-025		each	1		
C.21	Drainage Connection Pipe	CW 2130-R11	m	27		
C.22	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	ii) AP-005 - Standard Solid Cover for Standard		each	1		
C.23	Frame Connecting to Existing Manhole	CW 2130-R11				
	i) 250mm Catch basin lead		each	1		
C.24	Abandoning Existing Catchbasins	CW 2130-R11	each	1		
C.25	Removal of Existing Catchbasins	CW 2130-R11	each	1		
C.26	Installation of Subdrains	CW 3120-R1	m	12		

UNIT PRI	CES	(322 09)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
C.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C.28	Replacing Existing Risers	CW 2130-R11				
i	Pre-cast concrete risers		vert. m	0.5		
C.29	Lifter Rings	CW 3210-R7				
i) 38mm		each	1		
	LANDSCAPING					
C.30	Sodding	CW 3510-R9				
i) width < 600mm		m²	50		
ij	width > or = 600mm		m²	150		
С	HORACE/EUGENIE LANE	1			Subtotal:	

UNIT PF ITEM		SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D	ROSS/ELGIN LANE					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R10	m³	650		
D.2	Sub-Grade Compaction	CW 3110-R10	m²	1045		
D.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	625		
D.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	80		
D.5	Grading of Boulevards	CW 3110-R10	m²	100		
D.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1045		
D.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	100		
	ROADWORKS - RENEWALS					
D.8	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type C)		m²	10		
D.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	20		
D.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	15		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) 5 sq.m. to 20 sq.m.		m²	5		
D.12	Concrete Curb Renewal	CW 3240-R6				
	i) Curb Ramp (10mm ht, Integral)	SD-229 E	m	5		
D.13	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	а) Туре IA		tonne	5		

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R11				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	915		
	ii) Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	15		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.15	Catch Basin	CW 2130-R11				
	i) SD-025		each	2		
D.16	Drainage Connection Pipe	CW 2130-R11	m	155		
D.17	Connecting to Existing Sewer	CW 2130-R11				
	i) 250mm (PVC) of connecting pipe					
	a) Connecting to 900mm (Concrete) Sewer		each	1		
D.18	Installation of Subdrains	CW 3120-R1	m	24		
	LANDSCAPING					
D.19	Sodding	CW 3510-R9				
	i) width < 600mm		m²	100		
D	ROSS/ELGIN LANE				Subtotal:	

UNIT PF ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
Е	VIVIAN/ESSEX LANE					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R10	m³	520		
E.2	Sub-Grade Compaction	CW 3110-R10	m²	820		
E.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	510		
E.4	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	65		
E.5	Grading of Boulevards	CW 3110-R10	m²	100		
E.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	820		
E.7	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	100		
	ROADWORKS - RENEWALS					
E.8	Partial Slab Patches	CW 3230-R5				
	i) 150 mm Concrete Pavement (Type B)		m²	25		
	ii) 150 mm Concrete Pavement (Type C)		m²	20		
E.9	Drilled Dowels	CW 3230-R5				
	i) 19.1 mm Diameter		each	20		
E.10	Drilled Tie Bars	CW 3230-R5				
	i) 20 M Deformed Tie Bar		each	50		
E.11	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i) Tie-ins and Approaches					
	а) Туре IA		tonne	5		
	ROADWORKS - NEW CONSTRUCTION					
E.12	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians i) Construction of 150 mm Concrete Pavement	CW 3310-R11	m²	COF		
	(Reinforced)		m²	685		
	ii) Construction of Lip Curb (75mm ht, Integral)	SD-202A	m	10		

JNIT PR ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.13	Manhole	CW 2130-R11				
	i) SD-010					
	a) 1200mm diameter base		vert. m	2.5		
E.14	New Manhole on existing sewer	CW 2130-R11				
	i) SD-010					
	a) 1200mm diameter base		vert. m	4.2		
E.15	Catch Basin	CW 2130-R11				
	i) SD-025		each	3		
E.16	Drainage Connection Pipe	CW 2130-R11	m	180		
E.17	Installation of Subdrains	CW 3120-R1	m	36		
	ADJUSTMENTS					
E.18	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast concrete risers		vert. m	1.0		
	LANDSCAPING					
E.19	Sodding	CW 3510-R9				
	i) width < 600mm		m²	25		
	ii) width > or = 600mm		m²	75		
Е	VIVIAN/ESSEX LANE		1		Subtotal:	

	050					
UNIT PRI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	CLONARD/STRANMILLIS LANE				Subtotal:	
В	GUIBAULT/ARCHIBALD LANE				Subtotal:	
С	HORACE/EUGENIE LANE				Subtotal:	
D	ROSS/ELGIN LANE				Subtotal:	
Е	VIVIAN/ESSEX LANE				Subtotal:	
TOTAL BID PRICE (GST extra)			(i	n figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 344-2007

2007 LOCAL IMPROVEMENT PROGRAM - LANES

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of		
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	
	(Name of Surety) By:(Attorney-in-Fact)	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 344-2007

2007 LOCAL IMPROVEMENT PROGRAM - LANES

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 344-2007

2007 LOCAL IMPROVEMENT PROGRAM - LANES

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 18, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)