FORM A: BID (See B7)

1.	Contract Title		OUS OVERLAY PROGRAM – AIR AND VARIOUS OTHER LOCATION	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ι	nder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact posts of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall ha e General Conditions.	ave the meanings
5.	Offer		fers to perform the Work in ac Bid Price, in Canadian funds, s eto.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

NIT PRI	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A	2007 THIN BITUMINOUS OVERLAY PROGI	REF. RAM - AIKINS S	T, BURL	QUANTITY AND AVE		
A	AND VARIOUS OTHER LOCATIONS					
	EARTH AND BASE WORKS					
1	Excavation	CW 3110-R10	m³	5		
2	Sub-Grade Compaction	CW 3110-R10	m²	10		
3	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	5		
4	Supplying and Placing Base Course Material	CW 3110-R10, E10	m³	5		
5	Grading of Boulevards	CW 3110-R10	m²	10		
6	Imported Fill Material	CW 3110-R10	m³	5		
	ROADWORKS - RENEWALS					
7	Slab Replacement	CW 3230-R5				
i)	200 mm Concrete Pavement (Reinforced)		m²	30		
ii)	150 mm Concrete Pavement (Reinforced)		m²	30		
8	Partial Slab Patches	CW 3230-R5				
i)	200 mm Concrete Pavement (Type A)		m²	190		
ii)	200 mm Concrete Pavement (Type B)		m²	340		
iii)	200 mm Concrete Pavement (Type C)		m²	6		
iv)	200 mm Concrete Pavement (Type D)		m²	80		
v)	150 mm Concrete Pavement (Type A)		m²	38		
vi)	150 mm Concrete Pavement (Type B)		m²	270		
vii)	150 mm Concrete Pavement (Type C)		m²	25		
viii)	150 mm Concrete Pavement (Type D)		m²	40		
9	Drilled Dowels	CW 3230-R5				
i)	19.1 mm Diameter		each	1000		
10	Drilled Tie Bars	CW 3230-R5				
i)	20 M Deformed Tie Bar		each	1025		

JNIT P			0050		400000		****
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
11		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
		a) Less than 5 sq.m.		m²	105		
		b) 5 sq.m. to 20 sq.m.		m²	295		
12		Concrete Curb Renewal	CW 3240-R6				
	i)	Barrier (180mm ht, Dowelled)	SD-205, SD206A				
		a) Less than 3 m		m	100		
		b) 3 m to 30 m		m	185		
	ii)	Modified Barrier 180mm ht, Dowelled)	SD-203B	m	17		
	iii)	Mountable Curb (120mm ht, Integral)	SD-201	m	40		
	iv)	Curb Ramp (10mm ht, type)	SD-229 E	m	220		
13		Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	45		
14		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		a) Type IA		tonne	8700		
	ii)	Tie-ins and Approaches					
		a) Type II		tonne	390		
15		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	1715		
	ii)	0 - 50 mm Depth (Concrete)		m²	10		
16		Pavement Repair Fabric	E9	m²	450		
		JOINT AND CRACK SEALING					
17		Longitudinal Joint & Crack Filling (> 25mm in width)	CW 3250-R6	m	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
18	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	10		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	10		
v)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
	ADJUSTMENTS					
19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	20		
20	Lifter Rings	CW 3210-R7				
i)	38mm		each	20		
ii)	51mm		each	26		
iii)	64mm		each	4		
iv)	76mm		each	1		
21	Adjustment of Valve Boxes	CW 3210-R7	each	12		
22	Valve Box Extensions	CW 3210-R7	each	2		
23	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	60		
	LANDSCAPING					
24	Sodding	CW 3510-R9				
i)	width < 600mm		m²	30		
ii)	width > or = 600mm		m²	30		
25	Seeding	CW 3520-R7	m²	30		
Α	2007 THIN BITUMINOUS OVERLAY PROGI	I RAM - AIKINS S	T, BURL	AND AVE		
- •	AND VARIOUS OTHER LOCATIONS				Subtotal:	

NIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	2007 THIN BITUMINOUS OVERLAY PROG AND JOHN FORSYTH ROAD	RAM - DE LA SI	EIGNEU	RIE BOUL		
	ROADWORKS - RENEWALS					
1	Partial Slab Patches	CW 3230-R5				
ij	200 mm Concrete Pavement (Type A)		m²	60		
ii)	200 mm Concrete Pavement (Type B)		m²	130		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	45		
2	Drilled Dowels	CW 3230-R5				
ij	19.1 mm Diameter		each	250		
3	Drilled Tie Bars	CW 3230-R5				
ij	20 M Deformed Tie Bar		each	275		
4	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
ij	Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	15		
	b) 5 sq.m. to 20 sq.m.		m²	115		
5	Concrete Curb Renewal	CW 3240-R6				
ij	Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m	OBLOOM	m	20		
	b) 3 m to 30 m		m	40		
ii)	Curb Ramp (10mm ht, type)	SD-229 E	m	40		
6	Regrading Existing Interlocking Paving Stones	CW 3330-R3	m²	50		
7	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
ij	Main Line Paving					
	a) Type IA		tonne	2300		

IIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
	b) Type II		tonne	65		
8	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	150		
9	Pavement Repair Fabric	E9	m²	180		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
10	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	1		
	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
11	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
12	Lifter Rings	CW 3210-R7				
i)	38mm		each	4		
ii)	51mm		each	2		
iii)	64mm		each	1		
iv)	76mm		each	1		
13	Adjustment of Valve Boxes	CW 3210-R7	each	2		
14	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	12		
В	2007 THIN BITUMINOUS OVERLAY PROGRAND JOHN FORSYTH ROAD	I RAM - DE LA SI	EIGNEUI	RIE BOUL	Subtotal:	

FORM B: PRICES

(SEE B8)

UNIT	PRIC	CES

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMA	RY					
Α	2007 THIN BITUMINOUS OVERLAY PROGRAM - AIKINS ST, BURLAND AVE AND VARIOUS OTHER LOCATIONS				Subtotal:		
В	2007 THIN BITUMINOUS OVERLAY PROGRAM - DE LA SEIGNEURIE BOUL AND JOHN FORSYTH ROAD					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)				(in figures)			
(in words)				,			
(

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto THE CITY OF WINNIPE reent (10%) of the Total Bid Price set out in the the Principal and Surety bind themselves, their hently and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a B	id to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 412 - 2007		
2007 THIN BITUMINOUS OVERLAY PROC OTHER LOCATIONS	GRAM – AIKINS STREET, BURLAND AVENUE A	ND VARIOUS
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	a Contract with ul performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	(Seal)
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 412 - 2007 2007 THIN BITUMINOUS OVERLAY PROGRAM - AIKINS STREET, BURLAND AVENUE AND VARIOUS OTHER LOCATIONS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpor Materia 185 Kir	ty of Winnipeg ate Finance Department als Management Branch ng Street, Main Floor leg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 412 - 2007
VARIO	2007 THIN BITUMINOUS OVERLAY PROGRAM – AIKINS STREET, BURLAND AVENUE AND OUS OTHER LOCATIONS
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
deman Letter of payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 11, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)