



- GENERAL NOTES:**
- THE CONTRACTOR SHALL VERIFY ALL EXISTING GEOMETRY AS WELL AS PROPOSED DIMENSIONS, ELEVATIONS AND LAYOUT IN THE FIELD PRIOR TO FABRICATION AND INSTALLATION, AND NOTIFY THE CONTRACT ADMINISTRATOR OF ANY INCONSISTENCIES.
 - ANY DAMAGE TO EXISTING STRUCTURE BY THE CONTRACTOR'S OPERATIONS SHALL BE REPAIRED BY THE CONTRACTOR AT HIS OWN COST.
 - ALL REFERENCES TO CODES, STANDARDS, SPECIFICATIONS, GUIDELINES, ETC. SHALL MEAN THE LATEST EDITION.
 - ALL STAINLESS STEEL SHALL BE GRADE 316L UNLESS OTHERWISE NOTED.
 - ALL WELDS SHALL CONFORM TO CSA STANDARD W59 AND AMERICAN WELDS SOCIETY STANDARD AWS D1-5.
- ITEMS OF WORK:**
- REMOVAL OF EXISTING CHIMNEYS, INCLUDING ALL ITEMS INCIDENTAL TO THE WORK.
 - REMOVAL AND ON-SITE STORAGE OF ROOF SLAB AND REINSTALLATION AFTER NEW CHIMNEYS HAVE BEEN INSTALLED.
 - REMOVAL OF SECTIONS OF BREACHING CONNECTION/FLUE AS DIRECTED BY CONTRACT ADMINISTRATOR.
 - CUT EXISTING ANCHOR BOLTS 40 BELOW TOP OF NEW CONCRETE PAD.
 - SUPPLY AND INSTALL NEW CHIMNEYS, INCLUDING ALL ITEMS INCIDENTAL TO THE WORK.
 - SITE RESTORATION AND CLEAN UP.

NOTE:
These design documents are prepared solely for the use by the party with whom the design professional has entered into a contract and there are no representations of any kind made by the design professional to any party with whom the design professional has not entered into a contract.

A-B
C
A = DETAIL/SECTION No.
B = DRAWING WHERE SHOWN
C = DRAWING WHERE TAKEN

APEGM
Certificate of Authorization
ND LEA Inc.
No. 4317 Date: 07.05.08

METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

| | | | |
|---------------------|------------------------------------|--------------------------------------|----|
| DESIGNED BY GK | | CHECKED BY JPL | |
| DRAWN BY ELD | | APPROVED BY MH | |
| HOR. SCALE AS SHOWN | | RELEASED FOR TENDER AND CONSTRUCTION | |
| VERTICAL AS SHOWN | | RELEASED FOR TENDER AND CONSTRUCTION | |
| 1 | RELEASED FOR TENDER & CONSTRUCTION | 07 05 17 | GK |
| NO. | REVISIONS | DATE | BY |
| | | 07 04 12 | |
| | | 07 05 17 | |

ENGINEER'S SEAL
M.A. HATCH
REGISTERED PROFESSIONAL ENGINEER

THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT

NORTH END WATER POLLUTION CONTROL CENTER
REPLACEMENT OF 4 CHIMNEYS
BOILER BUILDING - WEST WALL

CONSULTANT DRAWING NUMBER
41777-01-S1
SHEET 1 OF 1
CITY DRAWING NUMBER
NEP-2553



May 16, 2007 - 4:56pm
 P: 41700 - 41798 V1777 City of Winnipeg Water & Waste Department Pt. Rehabilitation/ND Lea Design/41777-01-S1 070517.dwg - tab: Layout