FORM A: BID (See B8)

1.	Contract Title	2007 WATERMAIN RENEWAL CONTRACT NO. 13	.S, SEWER RENEWALS AND F	REPAIRS,
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the B	the following contact person to Bid.	represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the l Conditions.	meanings
5.	Offer		perform the Work in accordanc e, in Canadian funds, set out o	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
	UNIT PRICES								
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT			
A	HINDLEY STREET - 1ST MH E. OF ST. MARY'S RD	MARY'S RD	томн	@ ST.					
A. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	122.0					
A. 2	Sewer Services	CW 2130							
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	78.0					
A. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	7					
A. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	2.7					
A. 5 a) i)	New Manhole on Existing Sewer SD-010 1200mm diameter base	CW 2130	vert. m	4.5					
A. 6 a)	Connecting to Existing Manhole 300mm	CW 2130	each	1					
A. 7	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	8.6					
A. 8 a) A. 9	Sewer Inspection 300mm Partial Slab Patches	CW 2145 E6	m	122					
a)	200mm reinforced concrete pavement		m²	11.0					
a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	27.0					
i) A. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0					
A	HINDLEY STREET - 1ST MH E. OF ST. MARY'S RD	MARY'S RD	TO MH (@ ST.	Subtotal:				

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
UNIT P	UNIT PRICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
B	HINDLEY STREET - MH @ FITZPATRIC FITZPATRICK RD	CK RD TO 1S	T MH E (OF					
B. 1 a) i)	Wastewater Sewers 250mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	98.0					
B. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	92.0					
B. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	12					
B. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	4.5					
B. 5 a)	Connecting to Existing Manhole 250mm	CW 2130	each	2					
B. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	Plug					
B. 7 a)	Sewer Inspection 250mm	CW 2145	m	98					
B. 8 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	9.0					
B. 9 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	27.0					
B. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0					
<u>B</u>	HINDLEY STREET - MH @ FITZPATRIC FITZPATRICK RD	OF	Subtotal:						

	FORM B: PRICES (UNIT PRICE) (SEE B9)									
UNIT P	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13 UNIT PRICES									
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
<u>c</u>	HUMBOLDT AVENUE - MH @ EGERTO EGERTON RD	ON RD TO 2N	D MH W	OF						
C. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	118.0						
C. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	67.0						
C. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9						
C. 4 a) i)	New Manhole on Existing Sewer SD-010 1200mm diameter base	CW 2130	vert. m	7.2						
C. 5 a)	Connecting to Existing Manhole 300mm	CW 2130	each	2						
C. 6	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	8.3						
C. 7	Abandoning Existing Manholes	CW 2130	each	1						
C. 8 a) C. 9	Sewer Inspection 300mm Replacing Standard Frames and Covers	CW 2145 CW 2130	m	118						
a) b)	AP-004 Standard Frame for Manhole and Catch Basin AP-005 Standard Solid Cover		each each	1 1						
C. 10	Replacing Existing Manhole Rungs	CW 2130	each	2.0						
C. 11 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	70.0						

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEW	ALS AND REF	PAIRS - (CONTRACT	13				
UNIT P	RICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
C. 12 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235							
i)	Less than 5 m ²		m²	41.0					
C. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	9.0					
<u>c</u>	HUMBOLDT AVENUE - MH @ EGERT(EGERTON RD	Subtotal:							

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D	KENWOOD PLACE - 1ST MH W OF KE KENWOOD PL (E LEG)	NWOOD PL	(E LEG)	ТО МН @				
D. 1 a) i)	Combined Sewers 300mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	81.0				
D. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	80.0				
D. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9				
D. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	8.5				
D. 5	Abandoning Existing Manholes	CW 2130	each	1				
D. 6 a) D. 7	Connecting to Existing Manhole 300mm Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130 CW 2130	each m³	1 5.7				
D. 8 a)	Sewer Inspection 300mm	CW 2145	m	81				
D. 9 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	4.5				
D. 10 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	41.0				
D. 11	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	0.5				
D	KENWOOD PLACE - 1ST MH W OF KE KENWOOD PL (E LEG)	NWOOD PL	(E LEG)	TO MH @	Subtotal:			

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
UNIT P	RICES DESCRIPTION	APPROX. QUANTITY	UNIT PRICE	AMOUNT					
Ē	KENWOOD PLACE - MH @ KENWOOD VITAL RD) PL (E LEG)	томн	@ ST.					
E. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	104.0					
E. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill	CW 2130	m	19.0					
E. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	4					
E. 4 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	6.3					
a)	New Manhole on Existing Sewer SD-010	CW 2130							
i) E. 6	1200mm diameter base Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	vert. m m ³	2.3 7.4					
E. 7 a)	Sewer Inspection 300mm	CW 2145	m	1					
E. 8 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	9.0					
E. 9 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	18.0					
E. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1					
Ē	KENWOOD PLACE - MH @ KENWOOD VITAL RD	PL (E LEG)	ТОМН	@ ST.	Subtotal:				

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
UNIT P	UNIT PRICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
E	REGAL AVENUE - MH @ ST. THOMAS THOMAS RD	RD WPL TO	1ST MH	W OF ST.					
F. 1 a) i)	Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	70.0					
F. 2 a) i)	Sewer Services 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	95.0					
F. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	9					
F. 4 a)	Manhole SD-010	CW 2130							
i)	1200mm diameter base		vert. m	7.5					
F. 5	Abandoning Existing Sewers with Cement-Stabilized Flowable Fill	CW 2130	m³	4.9					
F. 6 a)	Sewer Inspection 300mm	CW 2145	m	70					
F. 7 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	54.0					
F. 8 a) i)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ²	CW 3235	m²	41.0					
Ē	REGAL AVENUE - MH @ ST. THOMAS THOMAS RD	RD WPL TO			Subtotal:				

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	RICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
G	BELIVEAU ROAD - 1ST MH E OF DAK	OTA ST TO N	ih @ Da	KOTA ST				
G. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130						
a)	200mm							
i)	Class 3 backfill		each	1				
G. 2	Sewer Inspection	CW 2145						
a)	200mm		m	95				
G. 3	Partial Slab Patches	E6						
a)	200mm reinforced concrete pavement		m²	9.0				
G. 4	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1				
<u>G</u>								

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
UNIT P	RICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
H	CLAYTON DRIVE - MH @ WINGHAM A	VE TO MH @	BAYFI	ELD AVE					
H. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130							
a)	250mm								
i)	Class 3 backfill		each	1					
H. 2 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	1					
,									
H. 3 a)	Sewer Inspection 250mm	CW 2145	m	104					
H. 4	Partial Slab Patches	E6							
a)	150mm reinforced concrete pavement		m²	4.5					
H. 5	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	0.5					
H	CLAYTON DRIVE - MH @ WINGHAM A	ELD AVE	Subtotal:						

	FORM B: PRICES (UNIT PRICE) (SEE B9)								
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13								
UNIT P	UNIT PRICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
ī	HAVELOCK AVENUE - 1ST MH W OF S GEORGE RD	MH @ ST.							
I. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130							
a)	250mm								
i)	Class 3 backfill		each	2					
I. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130							
a)	250mm								
i)	Class 3 backfill		m	28					
I. 3	Connecting New Sewer Service to Existing Sewer Service	CW 2130							
a)	150mm		each	5					
I. 4	Sewer Inspection	CW 2145		405					
a)	250mm		m	185					
I. 5 a)	New Manhole on Existing Sewer SD-010	CW 2130							
i)	1200mm diameter base		vert. m	3.5					
I. 6	Partial Slab Patches	E6							
a)	150mm reinforced concrete pavement		m²	22.0					
I. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.6					
ī	HAVELOCK AVENUE - 1ST MH W OF ST. GEORGE RD TO MH @ ST.								

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	JNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
J	VICTORIA AVENUE E - MH @ KANATA ST	A ST TO 1ST	MH E OF	F KANATA				
J. 1	Sewer Repair - Up to 3.0 metres Long (SD-022A)	CW 2130						
a)	200mm							
i)	Class 3 backfill		each	4				
J. 2	Sewer Repair - In Addition to First 3.0 metres (SD-022A)	CW 2130						
a) i)	200mm Class 3 backfill		m	10				
J. 3 a)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	6				
,		0141 04 45						
J. 4 a)	Sewer Inspection 200mm	CW 2145	m	86				
J. 5 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	28.0				
J. 6	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.4				
J	VICTORIA AVENUE E - MH @ KANATA ST TO 1ST MH E OF KANATA							

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	INIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
<u>ĸ</u>	VICTORIA AVENUE E - 1ST MH W OF ROANOKE ST	ROANOKE S	т то мн	I @				
K. 1 a)	Sewer Repair - Up to 3.0 metres Long (SD-022A) 200mm	CW 2130						
i)			each	2				
K. 2 a)	Sewer Inspection 200mm	CW 2145	m	161				
К. З а)	Connecting New Sewer Service to Existing Sewer Service 150mm	CW 2130	each	3				
K. 4	Removal of Existing Manholes	CW 2130	each	1				
K. 5 a) i)	Manhole SD-010 1200mm diameter base	CW 2130	vert. m	2.6				
K. 6 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	9.0				
K. 7	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.1				
ĸ	VICTORIA AVENUE E - 1ST MH W OF ROANOKE ST TO MH @							

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	RICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT		
	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AWOUNT		
Ŀ	VICTORIA AVENUE E KANATA ST TO WABASHA ST							
L. 1	Watermain Renewal	CW 2110						
a)	150mm							
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	144.0				
L. 2	Hydrant Assembly	CW 2110						
a)	SD-006		each	1				
L. 3	Watermain Valve	CW 2110						
a)	150mm		each	2				
L. 4	Fittings	CW 2110						
a)	Bends (SD-004)							
i)	150mm - 45°		each	2				
L. 5	Corporation Stops	CW 2110						
a)	25mm		each	26				
L. 6	Connecting Existing Copper Water	CW 2110						
	Services to New Watermains							
a)	25mm		each	22				
L. 7	Connecting to Existing Watermains and	CW 2110						
2)	Large Diameter Water Services							
a) i)	In-line connection - no plug existing 150mm		each	2				
L. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110						
L. 0 a)	On Metallic Watermains	0002110	each	1.0				
b)	On Water Services		each	31.0				
L. 9	Continuity Bonding	CW 2110	each	27				
L. 10	Curb Stops	CW 2110						
a)	19mm		each	4				
L. 11	Curb Stop Boxes	CW 2110						
a)	19mm		each	4				

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	UNIT PRICES							
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT		
		REF.	ONIT	QUANTITY	PRICE	/ 1000111		
L. 12	Water Services	CW 2110						
a)	19mm							
i)	trenchless installation, Class B sand bedding, Class 5 backfill		m	24.0				
L VICTORIA AVENUE E KANATA ST TO WABASHA ST					Subtotal:			

FORM B: PRICES (UNIT PRICE) (SEE B9)								
UNIT P	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13 JNIT PRICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
M	PROVISIONAL ITEMS							
M. 1 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240						
i) b)	Lip curb & gutter		m	50.0				
i) c) i)	Ramp curb		m m	50.0 20.0				
M. 2	Change in Backfill Class III to Class I		m ³	20.0				
M. 3 a) b)	Street Light Cable Trenching trenching coring		m m	30.0 30.0				
M. 4 M. 5	Sodding Replacing Standard Frames and Covers	CW 3510 CW 2130	m²	100.0				
a) b)	AP-004 Standard Frame for Manhole and Catch Basin AP-005 Standard Solid Cover		each each	2 2				
M. 6	Replacing Existing Catch Basin Hoods	CW 2130	each	4.0				
M. 7 a)	Sewer Service Inspection 150mm	CW 2145	m	70.0				
M. 8	Manhole Inspection Watermain and Water Service	CW 2145		4.0				
M. 9 a) i)	Insulation In a trench (SD - 018) 50mm thick	CW 2110	m	10				
M. 10	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110						
a)	150mm	0101 04 4 0	each	3				
M. 11	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110		10				
a)	150mm		m	10				

	FORM B: PRICES (UNIT PRICE) (SEE B9)							
	2007 SEWER RENEWALS AND REPAIRS - CONTRACT 13							
UNIT P	RICES							
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
M. 12 a)	Curb Stops - Replace Existing 19mm	CW 2110	each	5				
M. 13 a)	Curb Stop Boxes - Replace Existing 19mm	CW 2110	each	5				
M PROVISIONAL ITEMS					Subtotal:			

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)_

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 422-2007

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____day of ______, 20_____.
SIGNED AND SEALED
in the presence of:
(Name of Principal)
Per: ______(Witness)
Per: ______(Seal)
Per: ______(Name of Surety)
By: _____(Attorney-in-Fact)
(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , or _____, compared to you on ______, compared to you on _______, compared to you on ______, compared to you on _______, compared to you on ______, compared to you on _______, compared to you on ______, compared to you on _______, compared to

BID OPPORTUNITY NO. 422-2007

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-fiveforty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By:

(Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 422-2007

2007 WATERMAIN RENEWALS, SEWER RENEWALS AND REPAIRS, CONTRACT NO. 13

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 27, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)