FORM A: BID (See B8)

| 1. | Contract Title | 2007 SEWER RENEWALS - C | ONTRACT 16 | |
|----|--------------------------------|--|--|-------------|
| 2. | Bidder | | | |
| | | Name of Bidder | | |
| | | Street | | |
| | | City | Province | Postal Code |
| | | Facsimile Number | | |
| | (Mailing address if different) | Street or P.O. Box | | |
| | | City | Province | Postal Code |
| | | The Bidder is: | | |
| | (Choose one) | a sole proprietor | | |
| | | a partnership | | |
| | | a corporation | | |
| | | carrying on business under the | above name. | |
| 3. | Contact Person | The Bidder hereby authorizes the Bidder for purposes of the | the following contact person to Bid. | o represent |
| | | Contact Person | Title | |
| | | Telephone Number | Facsimile Number | |
| 4. | Definitions | All capitalized terms used in ascribed to them in the Genera | the Contract shall have the I Conditions. | meanings |
| 5. | Offer | | perform the Work in accordance, in Canadian funds, set out o | |

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
|-----|-----------------------------|--|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline. |

SEAL

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
|------------|---|---------------|------|---------------------|---------------|--------|--|
| A | ASSINIBOINE AVENUE: S-MA20002963 | | | | | | |
| A. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | | |
| a) | 200mm | | | | | | |
| i) | Class 3 backfill | | each | 1 | | | |
| A. 2 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | 0 | | | |
| a) | 150mm | | each | 2 | | | |
| A. 3 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 29.1 | | | |
| A. 4 | Partial Slab Patches | E8 | | | | | |
| a) | 150mm reinforced concrete pavement | | m² | 5.0 | | | |
| | | | | Sub | total Part A: | | |
| <u>B</u> | BELCOURT BAY: S-MA20002881 | | | | | | |
| B. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | | |
| a) | 200mm | | | | | | |
| i) | Class 3 backfill | | each | 1 | | | |
| B. 2 | Watermain Repair - Up To 3.0 metres Long | CW 2110 | | | | | |
| a) | 150mm | | | | | | |
| i) | Class 3 backfill | | each | 1 | | | |
| B. 3 | Sewer Inspection | CW 2145 | | | | | |
| a) | 250mm to 900mm | | m | 84.0 | | | |
| B. 4 | Partial Slab Patches | E8 | | | | | |
| a) | 150mm reinforced concrete pavement | | m² | 5.0 | | | |
| B. 5 | Concrete Curb Renewal | CW 3240 | | | | | |
| a) | Barrier curb (SD-204) Less than 3 m | | ~ | 2.0 | | | |
| i) | | | m | 3.0 | | | |
| | Subtotal Part B: | | | | | | |

2007 SEWER RENEWALS - CONTRACT 16

| | | SPEC. | | APPROX. | UNIT | |
|------------|---|---------|-------|----------|---------------|--------|
| ITEM | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| | | NET . | | QUANTIT | TRIOE | |
| <u>c</u> | BOURKEWOOD PLACE: S-MA20006332 | | | | | |
| C. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 2 | | |
| C. 2 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 109.0 | | |
| C. 3 | Partial Slab Patches | E8 | | | | |
| a) | 150mm reinforced concrete pavement | 20 | m² | 15.0 | | |
| C. 4 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | | | | Sub | total Part C: | |
| D | COOK ROAD: S-MA20003036 | | | | | |
| D. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| D. 2 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 101.0 | | |
| D. 3 | Regrading Existing Interlocking Paving Stone Installations | CW 3330 | m² | 10.0 | | |
| | | | - | Sub | total Part D: | |
| E | COUNTRY CLUB BOULEVARD: S-MA20002785 | | | | | |
| E. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 300mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| E. 2 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 95.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------|---|---------------|------------|---------------------|----------------|--------|
| E. 3 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 5.0 | | |
| E. 4 a) | Concrete Curb Renewal Barrier curb (SD-204) | CW 3240 | | | | |
| i) E. 5 | Less than 3 m Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | m tonne | 3.0 1.0 | | |
| | | | | Sub | total Part E: | |
| Ē | GOODRIDGE CRESCENT: S-MA20002466 | | | | | |
| F. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| F. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) i) | 200mm Class 3 backfill | | m | 2.0 | | |
| F. 3 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 95.0 | | |
| F. 4 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 5.0 | | |
| F. 5 a) | Concrete Curb Renewal Barrier curb (SD-204) | CW 3240 | | | | |
| i) | Less than 3 m | | m | 3.0 | | |
| | | | | Sub | ototal Part F: | |
| G | HARVEST LANE: S-MA20000206 | | | | | |
| G. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) i) | 200mm Class 3 backfill | | each | 1 | | |
| ., | | | | | | |

2007 SEWER RENEWALS - CONTRACT 16

| | RICES | 0050 | | | | |
|-----------------|--|---------------|------|---------------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| G. 2 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 1 | | |
| G. 3 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 93.0 | | |
| | | | | Sub | total Part G: | |
| H | MORAY STREET: S-MA20005712 | | | | | |
| H. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) i) | 200mm Class 3 backfill | | each | 1 | | |
| , Н. 2 а) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 1 | | |
| H. 3 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 74.0 | | |
| H. 4 a) | Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours) | E8 | m² | 10.0 | | |
| | | | | Sub | total Part H: | |
| Ī | NESS AVENUE: S-MA20006533 | | | | | |
| I. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 375mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| I. 2 a) | Connecting New Sewer Service to Existing Sewer Service (drop-pipe) 200mm | CW 2130 | each | 1 | | |
| I. 3 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 58.0 | | |
| , I. 4 a) | Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours) | E8 | m² | 10.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|----------|--|---------|---------|----------|----------------|--------|
| | | REF. | | QUANTITY | PRICE | |
| I. 5 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | | | | Su | btotal Part I: | |
| J | NESS AVENUE: S-MA20006268 | | | | | |
| J. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| J. 2 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 110.0 | | |
| J. 3 | Partial Slab Patches | E8 | | | | |
| a) | 200mm reinforced concrete pavement for early opening (24 hours) | Eo | m² | 10.0 | | |
| J. 4 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | - | | - | Sub | ototal Part J: | |
| <u>ĸ</u> | RAQUETTE STREET: S-MA20003533 | | | | | |
| K. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | Class 3 backfill | | each | 2 | | |
| K. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | Class 3 backfill | | m | 8.0 | | |
| K. 3 | Connecting New Sewer Service to | | | | | |
| | Existing Sewer Service | CW 2130 | a c - b | <u> </u> | | |
| a) | 150mm | | each | 2 | | |
| K. 4 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 81.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| | | SPEC. | UNIT | APPROX. | UNIT | |
|------------|---|----------|-------|----------|----------------|--------|
| ITEM | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| K. 5 | Miscellaneous Concrete Slab Renewal | CW 3235 | | | | |
| a) | Sidewalk (SD-228A) | 011 0200 | | | | |
| i) | | | m² | 10.0 | | |
| , | | 1 | | | total Part K: | |
| _ | | | | | | |
| Ŀ | RITA STREET: S-MA20006066 | | | | | |
| L. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| L. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | m | 1.0 | | |
| L. 3 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 1 | | |
| L. 4 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 100.0 | | |
| L. 5 | Partial Slab Patches | E8 | | | | |
| L. 5 a) | 150mm reinforced concrete pavement | EO | m² | 10.0 | | |
| aj | | | | 10.0 | | |
| L. 6 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | | 1 | | Sub | ototal Part L: | |
| M | RITA STREET: S-MA20005493 | | | | | |
| M. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 2 | | |
| M. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | m | 3.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------|--|---------------|---------|---------------------|---------------|--------|
| M. 3 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 1 | | |
| M. 4 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 101.0 | | |
| M. 5 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 15.0 | | |
| M. 6 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 3.0 | | |
| | | | • | Sub | total Part M: | |
| <u>N</u> | SINAWIK BAY: S-MA20006065 | | | | | |
| N. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 5 backfill | | each | 1 | | |
| N. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) i) | 250mm Class 3 backfill | | m | 7.0 | | |
| N. 3 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | e e e b | 1 | | |
| a) | 150mm | | each | 1 | | |
| N. 4 | Sewer Inspection | CW 2145 | | | | |
| a) | 250mm to 900mm | | m | 89.0 Such | total Part N: | |
| | | | | Sub | total Part N: | |
| <u>o</u> | THOMPSON DRIVE: S-MA20005730 | | | | | |
| O. 1 | Abandonment of Existing Sewers and Sewer Services Smaller Than 300mm | E9 | | | | |
| a) | 250mm | | each | 1 | | |
| | | | | Sub | total Part O: | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------|--|---------------|-------|---------------------|----------------|--------|
| <u>P</u> | THOMSON DRIVE: S-MA20005733 | | | | | |
| P. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| P. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | m | 1.0 | | |
| P. 3 | Connecting New Sewer Service to | 014/04/00 | | | | |
| a) | Existing Sewer Service 150mm | CW 2130 | each | 2 | | |
| | | . | | | | |
| P. 4 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 116.0 | | |
| u) | | | | 110.0 | | |
| P. 5 | Partial Slab Patches | E8 | 0 | | | |
| a) | 150mm reinforced concrete pavement | | m² | 10.0 | | |
| P. 6 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | | | 1 | Sub | ototal Part P: | |
| <u>Q</u> | WALLASEY STREET: S-MA20005779 | | | | | |
| Q. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 250mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| Q. 2 | Connecting New Sewer Service to | 014/04/00 | | | | |
| a) | Existing Sewer Service 150mm | CW 2130 | each | 1 | | |
| | | | 20011 | | | |
| Q. 3 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 97.0 | | |
| <i>a)</i> | | | | 57.0 | | |
| Q. 4 | Partial Slab Patches | E8 | | | | |
| a) | 150mm reinforced concrete pavement | | m² | 5.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| - | RICES | | | | | - |
|------------|--|---------------|-------|---------------------|---------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| Q. 5 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 1.0 | | |
| | | | | Sub | total Part Q: | |
| <u>R</u> | WALLASEY STREET: S-MA20005788 | | | | | |
| R. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) i) | 250mm Class 3 backfill | | each | 3 | | |
| | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) i) | 250mm Class 3 backfill | | m | 8.0 | | |
| R. 3 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 5 | | |
| R. 4 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 96.0 | | |
| R. 5 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 30.0 | | |
| , R. 6 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 8.0 | | |
| | | | | LSub | total Part R: | |
| | WORDSWORTH PLACE: S- MA20003286 | | | | | |
| S. 1 | Sewer Repair - Up to 3.0 metres Long (SD-022B) | CW 2130 | | | | |
| a) i) | 200mm Class 3 backfill | | each | 1 | | |
| S. 2 | Sewer Repair - In Addition to First 3.0 metres (SD-022B) | CW 2130 | | | | |
| a) | 200mm | | | | | |
| i) | Class 3 backfill | | m | 9.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------------|--|---------------|------|---------------------|---------------|--------|
| S. 3 a) | Remove and Replace Existing Catch Pit SD-023 | CW 2130 | each | 1 | | |
| S. 4 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 76.0 | | |
| S. 5 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 12.0 | | |
| S. 6 a) i) | Concrete Curb Renewal Barrier curb (SD-204) Less than 3 m | CW 3240 | m | 5.0 | | |
| | | | | | total Part S: | |
| I | ASSINIBOINE CRESCENT: S- MA20005680 | | | | | |
| T. 1 a) i) | Wastewater Sewers 300mm trenchless installation, Class B sand bedding, Class 3 backfill | CW 2130, E3 | m | 26.0 | | |
| T. 2 a) i) | Sewer Services 150mm trenchless installation, Class B sand bedding, Class 5 backfill | CW 2130 | m | 12.0 | | |
| Т. 3 а) | Connecting to Existing Manhole 300mm | CW 2130 | each | 1 | | |
| T. 4 a) | Connecting to Existing Sewer 300mm PVC to 300mm PVC | CW 2130 | each | 1 | | |
| T. 5 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 2 | | |
| T. 6 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 50 | | |
| T. 7 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 30.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | | |
|------------|--|---------------|---------|---------------------|---------------|--------|--|--|
| T. 8 | Concrete Curb Renewal | CW 3240 | | | | | | |
| r. o a) | Lip curb (SD-202A) | 011 3240 | m | | | | | |
| a) i) | Less than 3 m | | m | 10.0 | | | | |
| " | | | | 10.0 | | | | |
| T. 9 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 7.0 | | | | |
| | Subtotal Part T: | | | | | | | |
| <u>U</u> | LEPINE AVENUE: S-MA20004894 | | | | | | | |
| U. 1 | Wastewater Sewers | CW 2130, E3 | | | | | | |
| a) | 250mm | | | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 30.0 | | | | |
| ii) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 43.0 | | | | |
| U. 2 | Manhole | CW 2130 | | | | | | |
| a) | SD-010 | | | | | | | |
| í) | 1200mm diameter base | | vert. m | 4.0 | | | | |
| | | | | | | | | |
| | New Manhole on Existing Sewer | CW 2130 | | | | | | |
| a) | SD-010 | | | | | | | |
| i) | 1200mm diameter base | | vert. m | 4.3 | | | | |
| U. 4 | Sewer Services | CW 2130 | | | | | | |
| a) | 150mm | 011 2100 | | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 5 backfill | | m | 50.0 | | | | |
| U. 5 | Sewer Service Risers | CW 2130 | | | | | | |
| a) | SD-014 | | | | | | | |
| i) | 150mm | | vert. m | 2.0 | | | | |
| | | | | - | | | | |
| U. 6 | Connecting New Sewer Service to Existing Sewer Service | CW 2130 | | | | | | |
| a) | 150mm | | each | 5 | | | | |
| u) | | | Cuon | U U | | | | |
| U. 7 | Plugging Existing Sewers and Sewer Services Smaller Than 300mm | CW 2130 | | | | | | |
| a) | 200mm | | each | 2 | | | | |
| U. 8 | Abandoning Existing Manholes | CW 2130 | each | 1 | | | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------|---|---------------|---------|---------------------|---------------|--------|
| U. 9 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 73.0 | | |
| U. 10 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 40.0 | | |
| U. 11 a) i) | Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) Less than 5 m ² | CW 3235 | m² | 10.0 | | |
| U. 12 a) | Concrete Curb Renewal Lip curb (SD-202A) | CW 3240 | m | | | |
| i) | Less than 3 m | | m | 10.0 | | |
| U. 13 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 2.0 | | |
| | | 1 | | Sub | total Part U: | |
| ⊻ | SHERBURN STREET: S-MA20017790 | | | | | |
| V. 1 | Combined Sewers | CW 2130, E3 | | | | |
| a) i) | 375mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 85.0 | | |
| V. 2 a) | Manhole SD-010 | CW 2130 | | | | |
| i) | 1200mm diameter base | | vert. m | 5.6 | | |
| V. 3 a) | New Manhole on Existing Sewer SD-010 | CW 2130 | | | | |
| i) | 1500mm diameter base | | vert. m | 6.5 | | |
| V. 4 a) | Catch Basin SD-024 | CW 2130 | each | 2 | | |
| V. 5 | Sewer Services | CW 2130 | | | | |
| a) i) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 80.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| b) 200mm 1000000000000000000000000000000000000 | ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|-------|---------------------------------------|---------------|----------------|---------------------|---------------|--------|
| i)trenchless installation, Class B sand bedding, Class 3 backfillm25.0c)250mm it renchless installation, Class B sand bedding, Class 3 backfillm15.0i)250mm it renchless installation, Class B sand bedding, Class 3 backfillm15.0vert. m5.015vert. m15.0ii)150mm 200mmvert. m15.0vert. miii)200mn250mmvert. m8.0V. 7Connecting to Existing Manhole 375mmCW 2130 250mm PVC to 2150 Conc. SRSeach1V. 8Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSCW 2130 | b) | 200mm | | | QUANTIT | TRIOL | |
| i)trenchless installation, Class B sand bedding, Class 3 backfillm15.0V. 6Sewer Service Risers 3D-015CW 2130vert. m15.0i)150mmvert. m15.0ii)200mmCW 2130vert. m5.0iii)250mmCW 2130each1V. 7Connecting to Existing Manhole 375mmCW 2130each1vert. m375mmCW 2130each2V. 9Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSCW 2130each2V. 9Connecting New Sewre Service to Existing Sewer Service to Existing Sewer Service to Existing Sewer ServiceCW 2130each700mm200mmCW 2130each22V. 10Abandoning Existing Catch BasinsCW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0v. 13Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m² m²90.0v. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235iii | | trenchless installation, Class B sand | | m | 25.0 | | |
| a)SD-015 150mm 200mm 250mmSD-015 150mm 200mm 250mmSD-015 150mm 200mmSD-015 150mm 200mmSD-015 150mm 250mmSD-015 150mm 250mmSD-015 150mmSD-015 150mm vert. m 260mmSD-015 200mmSD-010 200mmSD-01000 200mmSD-0100000 2000mSD-010000000 2000mSD-01000000000 2000mSD-0100000000000 2000mSD-01000000000000 2000mSD-0100000000000000000000000000000000000 | | trenchless installation, Class B sand | | m | 15.0 | | |
| i)150mm 200mm 250mm150mm 200mm 250mm150mm vert.m15.0 5.0 vert.mV. 7 a)Connecting to Existing Manhole 375mmCW 2130 250mm PVC to 2150 Conc. SRSeach1V. 8 a)Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSSCW 2130 CW 2130 Existing Sewer Serviceeach2V. 9 Existing Sewer Service Existing Sewer ServiceCW 2130 Existing Sewer Serviceeach7a)150mm 200mmCW 2130each2V. 10Abandoning Existing Catch BasinsCW 2130 CW 2130m³9.0V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130 CW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145 E8 mm85.0V. 13 a)Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)E8 CW 3235m² a90.0 m²V. 14 a)Miscellaneous Concrete Slab Renewal a)CW 3235m³90.0 m²20.0 | | | CW 2130 | | | | |
| iii)250mmvert. m8.0V. 7 a)Connecting to Existing Manhole 375mmCW 2130 250mm PVC to 2150 Conc. SRSeach1V. 8 a)Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSCW 2130 CW 2130 200mmeach2V. 9 b)Connecting New Sewer Service to Existing Sewer ServiceCW 2130 CW 2130each7a)150mm 200mmCW 2130each7b)200mmCW 2130each2V. 10Abandoning Existing Catch BasinsCW 2130m³9.0V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13 a)Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m² m² 20.090.0 20.0V. 14 a)Miscellaneous Concrete Slab Renewal a)CW 3235CW 3235i | , | | | vert. m | 15.0 | | |
| V. 7 a)Connecting to Existing Manhole 375mmCW 2130 eacheach1V. 8 a)Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSCW 2130 Existing Sewer Service to Existing Sewer Service to Existing Sewer ServiceCW 2130 Existing Sewer Serviceeach2V. 9 b)Connecting to Existing Catch BasinsCW 2130 Emert-Stabilized Flowable Filleach7 each2V. 10 b)Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130 CW 2130m³9.0V. 12 a)Sewer Inspection 250mm to 900mmCW 2145 Fillm85.0V. 13 a)Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8 CW 3235m² m² 20.0V. 14 b)Miscellaneous Concrete Slab Renewal a)CW 3235EW 3235EW m² | ii) | 200mm | | vert. m | 5.0 | | |
| a)375mmeach1V. 8Connecting to Existing Sewer (SD-009) 250mm PVC to 2150 Conc. SRSCW 2130 eacheach2V. 9Connecting New Sewer Service to Existing Sewer ServiceCW 2130 eacheach7a)150mm 200mmCW 2130each2V. 10Abandoning Existing Catch BasinsCW 2130 CW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130 CW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145 mm85.0V. 13Partial Slab Patches a) 150mm reinforced concrete pavement b) 200mm reinforced concrete pavement for early opening (24 hours)CW 3235 m90.0 m²90.0 m²V. 14Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A)CW 3235 cW 3235Sidewalk (SD-228A)CW 3235 | iii) | 250mm | | vert. m | 8.0 | | |
| a)250mm PVC to 2150 Conc. SRSeach2V. 9Connecting New Sewer Service to Existing Sewer ServiceCW 2130each7a)150mmeach7each2V. 10Abandoning Existing Catch BasinsCW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches to rearly opening (24 hours)E8m² m²90.0 m²V. 14Miscellaneous Concrete Slab Renewal a)CW 3235CW 3235L | | 5 5 | CW 2130 | each | 1 | | |
| Existing Sewer ServiceCW 2130a)150mmeach7b)200mmeach2V. 10Abandoning Existing Catch BasinsCW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement concrete pavement tor early opening (24 hours)E8m² m² 20.090.0V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235LL | | | CW 2130 | each | 2 | | |
| b)200mmeach2V. 10Abandoning Existing Catch BasinsCW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m² m²90.0 m²V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235ii | V. 9 | • | CW 2130 | | | | |
| V. 10Abandoning Existing Catch BasinsCW 2130each2V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m² m²90.0 m²V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235II | a) | 150mm | | each | 7 | | |
| V. 11Abandoning Existing Sewers with Cement-Stabilized Flowable FillCW 2130m³9.0V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m² m²90.0V. 14Miscellaneous Concrete Slab Renewal a)CW 3235II | b) | 200mm | | each | 2 | | |
| V. 12Sewer Inspection 250mm to 900mmCW 2145m85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours)E8m²90.0V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235II | V. 10 | Abandoning Existing Catch Basins | CW 2130 | each | 2 | | |
| a)250mm to 900mmm85.0V. 13Partial Slab Patches 150mm reinforced concrete pavement b)E8m² m² 200mm reinforced concrete pavement for early opening (24 hours)m² c90.0 m²V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235LL | V. 11 | | CW 2130 | m³ | 9.0 | | |
| V. 13Partial Slab PatchesE8a)150mm reinforced concrete pavementm²b)200mm reinforced concrete pavementm²for early opening (24 hours)m²V. 14Miscellaneous Concrete Slab RenewalCW 3235a)Sidewalk (SD-228A) | V. 12 | Sewer Inspection | CW 2145 | | | | |
| a) 150mm reinforced concrete pavement 200mm reinforced concrete pavement for early opening (24 hours) V. 14 Miscellaneous Concrete Slab Renewal a) Sidewalk (SD-228A) CW 3235 CW 3235 | a) | 250mm to 900mm | | m | 85.0 | | |
| b)200mm reinforced concrete pavement for early opening (24 hours)m²20.0V. 14Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)CW 3235Image: CW 3235 | V. 13 | Partial Slab Patches | E8 | | | | |
| for early opening (24 hours)V. 14Miscellaneous Concrete Slab RenewalCW 3235a)Sidewalk (SD-228A) | a) | 150mm reinforced concrete pavement | | m² | 90.0 | | |
| a) Sidewalk (SD-228A) | b) | • | | m² | 20.0 | | |
| | | | CW 3235 | | | | |
| | · · | | | m ² | 80.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|----------|--|-------------|---------|----------|---------------|--------|
| | | REF. | ONIT | QUANTITY | PRICE | AWOONT |
| V. 15 | Concrete Curb Renewal | CW 3240 | | | | |
| a) | Barrier curb (SD-204) | | | | | |
| i) | Less than 3 m | | m | 10.0 | | |
| V. 16 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 25.0 | | |
| | | | | Sub | total Part V: | |
| <u>w</u> | SPRAGUE STREET: S-MA20010923 | | | | | |
| W. 1 | Combined Sewers | CW 2130, E3 | | | | |
| a) | 300mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 140.0 | | |
| W. 2 | Manhole | CW 2130 | | | | |
| a) | SD-010 | 0112130 | | | | |
| i) | 1200mm diameter base | | vert. m | 8.0 | | |
| " | | | ven. m | 0.0 | | |
| W. 3 | Catch Basin | CW 2130 | | | | |
| a) | SD-024 | | each | 2 | | |
| W. 4 | Sewer Services | CW 2130 | | | | |
| a) | 150mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 225.0 | | |
| b) | 250mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 15.0 | | |
| W. 5 | Connecting to Existing Manhole | CW 2130 | | | | |
| a) | 300mm | 011 2100 | each | 2 | | |
| W. 6 | Connecting New Sewer Service to | | | | | |
| vv. U | Existing Sewer Service | CW 2130 | | | | |
| a) | 150mm | | each | 19 | | |
| W. 7 | Abandoning Existing Sewers with Cement-Stabilized Flowable Fill | CW 2130 | m³ | 8.0 | | |
| W. 8 | Abandoning Existing Flush Tanks | E10 | each | 1 | | |
| W. 9 | Abandoning Existing Catch Basins | CW 2130 | each | 2 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------|--|---------------|---------|---------------------|---------------|--------|
| W. 10 a) | Sewer Inspection 250mm to 900mm | CW 2145 | m | 135.0 | | |
| W. 11 a) | Partial Slab Patches 150mm reinforced concrete pavement | E8 | m² | 70.0 | | |
| a) | Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) | CW 3235 | 2 | 100.0 | | |
| i) W. 13 a) | Less than 5 m ² Concrete Curb Renewal Barrier curb (SD-204) | CW 3240 | m² | 120.0 | | |
| i) | Less than 3 m | | m | 20.0 | | |
| W. 14 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 12.0 | | |
| | | | | Subt | otal Part W: | |
| <u>×</u> | WALLASEY STREET: S-MA20006468, S-MA20006460 | | | | | |
| X. 1 | Wastewater Sewers | CW 2130, E3 | | | | |
| a) i) | 250mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 205.0 | | |
| b) i) | 375mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 20.0 | | |
| X. 2 a) | Manhole SD-010 | CW 2130 | | | | |
| i) | 1200mm diameter base | | vert. m | 7.5 | | |
| X. 3 a) | New Manhole on Existing Sewer SD-010 | CW 2130 | | | | |
| i) | 1200mm diameter base | | vert. m | 5.0 | | |
| X. 4 | Sewer Services | CW 2130 | | | | |
| a) i) | 150mm trenchless installation, Class B sand bedding, Class 3 backfill | | m | 200.0 | | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------|--|---------------|----------------|---------------------|---------------|--------|
| X. 5 a) | Connecting to Existing Manhole 250mm | CW 2130 | each | 1 | | |
| X. 6 a) | Connecting to Existing Sewer 375mm PVC to 375mm clay | CW 2130 | each | 1 | | |
| X. 7 a) | Connecting New Sewer Service to Existing Sewer Service 150mm | CW 2130 | each | 19 | | |
| X. 8 | Plugging Existing Sewers and Sewer Services Smaller Than 300mm | CW 2130 | | | | |
| a) | 250mm | | each | 1 | | |
| X. 9 | Abandoning Existing Manholes | CW 2130 | each | 1 | | |
| X. 10 | Removal of Existing Manholes | CW 2130 | each | 1 | | |
| X. 11 | Sewer Repair - Up to 3.0 metres Long (SD-022A) | CW 2130 | | | | |
| a) | 375mm | | | | | |
| i) | Class 3 backfill | | each | 1 | | |
| X. 12 | Sewer Inspection | CW 2145 | ~ | 405.0 | | |
| a) | 250mm to 900mm | | m | 405.0 | | |
| X. 13 | Partial Slab Patches | E8 | | | | |
| a) | 150mm reinforced concrete pavement | | m ² | 175.0 | | |
| b) | 200mm reinforced concrete pavement | | m ² | 20.0 | | |
| c) | 200mm reinforced concrete pavement for early opening (24 hours) | | m² | 20.0 | | |
| X. 14 a) | Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A) | CW 3235 | | | | |
| i) | | | m² | 100.0 | | |
| X. 15 a) | Concrete Curb Renewal Barrier curb (SD-204) | CW 3240 | | | | |
| i) | Less than 3 m | | m | 20.0 | | |
| X. 16 | Construction of Asphaltic Concrete Overlays Type 1A | CW 3410 | tonne | 50.0 | | |
| | | | | Sub | total Part X: | |

2007 SEWER RENEWALS - CONTRACT 16

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-----------|--|---------------|----------------|---------------------|---------------|--------|
| Y | PROVISIONAL ITEMS | | | | | |
| Y 1 | Temporary Surface Restoration | E6, E7 | | | | |
| a) | Street pavement | | m² | 400.0 | | |
| b) | Sidewalk | | m² | 300.0 | | |
| Y 2 a) | Partial Slab Patches 150mm reinforced concrete pavement for early opening (24 hours) | E8 | m² | 25.0 | | |
| Y 3 | Cement Stabilized Fill | CW 2030 | m ³ | 100.0 | | |
| Y 4 | Watermain Repair - Up To 3.0 metres Long | CW 2110 | | | | |
| a) i) | 150mm Class 3 backfill | | each | 2 | | |
| Y 5 | Fittings | CW 2110 | | | | |
| a) | Bends (SD-005) | | | | | |
| i) | 150mm - 45° | | each | 8 | | |
| Y 6 | Water Services | CW 2110 | | | | |
| a) | 19mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 10.0 | | |
| b) | 38mm | | | | | |
| i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 10.0 | | |
| Y 7 | Corporation Stops | CW 2110 | | | | |
| a) | 19mm | | each | 1 | | |
| b) | 38mm | | each | 1 | | |
| Y 8 | Curb Stops | CW 2110 | | | | |
| a) | 19mm | | each | 1 | | |
| b) | 38mm | | each | 1 | | |
| Y 9 | Curb Stop Boxes | CW 2110 | | | | |
| a) | 19mm | | each | 1 | | |
| b) | 38mm | | each | 1 | | |

2007 SEWER RENEWALS - CONTRACT 16

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
|------------|--|---------------|------|---------------------|---------------|--------|--|
| Y 10 a) | 10.9 Kilogram Sacrificial Zinc Anodes On Water Services | CW 2110 | each | 2 | TRIOL | | |
| | Remove and Replace Existing Catch Basin SD-025 | CW 2130 | each | 2 | | | |
| , | Drainage Connection Pipe 250mm | CW 2130 | m | 5.0 | | | |
| | Connecting to Existing Catch Basin 250mm | CW 2130 | each | 1 | | | |
| Y 14 a) | Connecting to Existing Catch Pit 250mm | CW 2130 | each | 1 | | | |
| Y 15 a) | Connecting New Sewer Service to Existing Sewer Service 250mm | CW 2130 | each | 4 | | | |
| Y 16 | Sodding | CW 3510 | m² | 100.0 | | | |
| | Subtotal Part Y: | | | | | | |

TOTAL BID PRICE (GST extra)

(in figures)\$

(in words)_____

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

| dav of | . 20 | for |
|--------|------|-----|
| | | |

BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

1

SIGNED AND SEALED in the presence of:

(Witness)

| (Name of Principal) | |
|----------------------|------|
| Per: | (Sea |
| Per: | |
| | |
| | |
| | |
| (Name of Surety) | |
| (Name of Surety) By: | (Sea |

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 653-2007

2007 SEWER RENEWALS - CONTRACT 16

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on November 12, 2007

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name of bank or financial institution) | |
|---|--|
| | |

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)