



NOTES:
 THIS DRAWING MUST BE SCALED.
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DETAILS AND LEVELS PRIOR TO COMMENCEMENT OF WORK. ALL DIMENSIONS AND LEVELS TO BE REFERRED TO THE CONTRACT ADMINISTRATOR BEFORE PROCEEDING.
 THIS DRAWING IS THE EXCLUSIVE PROPERTY OF NUMBER TEN ARCHITECTURAL GROUP AND THE COPYRIGHT IN THE SAME BEING RESERVED TO THEM. IT MAY BE REPRODUCED ONLY WITH THE PERMISSION OF THE CITY OF WINNIPEG.

ROOF TYPES:
TYPICAL ROOF CONSTRUCTION (R30)
 -3 TORCHABLE PROTECTION BOARD
 -150 RIGID INSULATION (RS1 3.5, R30)
 -AIR/VAPOUR BARRIER
 -13 EXTERIOR GWB
 -38 STEEL DECK
 -OPEN WEB STEEL JOISTS
 NOTE: (1) INDICATES 38 ACUSTIC STEEL DECK
 C/W INSULATION, REFER TO STRUCTURAL FOR EXACT EXTENT AND LOCATION
OTHER ROOF CONSTRUCTION (R30)
 -3 TORCHABLE PROTECTION BOARD
 -150 RIGID INSULATION (RS1 3.5, R30)
 -AIR/VAPOUR BARRIER
 -13 EXTERIOR GWB
 -38x140 TAG FIR DECKING, PRE-FIN CLEAR
 -STEEL CHANNEL JOISTS
 NOTE: REFER TO STRUCTURAL FOR EXACT EXTENT AND LOCATION

PARAPET & SOFFIT TYPES:
PARAPET CONSTRUCTION OVER MASONRY
 P1 -CLAY MASONRY
 C/W ANTI-GRAFFITI COATING FULL HEIGHT
 -25 AIR SPACE
 -100 RIGID INSULATION (RS1 3.5, R20)
 -13 EXTERIOR GWB
 -150 STL STUDS @ 400 O/C
 -BATT INSULATION (RS1 3.5, R20)
 -13 PLYWOOD
 -2-PLY TORCH-ON MEMBRANE
PARAPET CONSTRUCTION OVER STUCCO
 P2 -25 CEMENT STUCCO W/ ACRYLIC FINISH
 -EXPOSED METAL MESH
 -AIR BARRIER
 -13 EXTERIOR GWB
 -150 STL STUDS @ 400 O/C
 -BATT INSULATION (RS1 3.5, R20)
 -13 PLYWOOD
 -2-PLY TORCH-ON MEMBRANE
PARAPET CONSTRUCTION OVER STUCCO
 P3 -AS ABOVE W/ STRUCT STEEL SUPPORT - REFER TO STRUCTURAL
 NOTE: ENSURE THAT ALL STL STD CAVITIES ARE PACKED TIGHT W/ BATT INSULATION
PARAPET CONSTRUCTION OVER CEMENT FIBRE
 P4 -CEMENT-FIBRE HORIZONTAL LAP SIDING
 -100 RIGID INSULATION (RS1 3.5, R20)
 -13 EXTERIOR GWB
 -150 STL STUDS @ 400 O/C
 -BATT INSULATION (RS1 3.5, R20)
 -13 PLYWOOD
 -2-PLY TORCH-ON MEMBRANE
SOFFIT CONSTRUCTION
 S1 -PRE-FIN CEMENT-FIBRE HORIZONTAL LAP SIDING
 -13 U.S. PLYWOOD
 -22 STL HAT TRACK @ 305 O/C
 -64 STL SUPPORT CHANNELS @ 1220 O/C
 -ROOF CONSTRUCTION
 NOTE: REFER TO MAIN FLOOR REFLECTED CEILING PLAN & WALL SECTIONS FOR VENTILATION

FLOOR TYPES:
TYPICAL MAIN FLOOR CONSTRUCTION
 F1 -FLOOR FINISH AS SCHEDULED
 -BEN STRUCTURAL CONC SLAB - SEE STRUCT
 -VOID FORM - SEE STRUCT
 NOTE: REFER TO STRUCTURAL/ MECHANICAL FOR EXTENT OF RADIANT IN-FLOOR HEATING
TYPICAL MEZZ FLOOR CONSTRUCTION
 F2 -FLOOR FINISH AS SCHEDULED
 -50 CONC TOPPING
 -200 PRE-CAST CONC HOLLOW-CORE
 -CEILING FINISH AS SCHEDULED
 NOTE: REFER TO STRUCTURAL/ MECHANICAL FOR EXTENT OF RAISED HOUSEKEEPING PADS

GRADE BEAM TYPES:
TYPICAL GRADE BEAM
 G1 -400 DEEP 18 GA GALVANIZED PLATE
 -400 DEEP 13 PLY PLYWOOD
 -5 TORCHABLE PROTECTION BOARD
 -75 EXTRUDED RIGID INSULATION
 -DAMP-PROOFING
 -REINFORCED CONC. GRADE BEAM
 NOTE:
 FOR WALL TYPE LEGEND REFER TO DRAWING A1.3

numberTEN architectural group
 204 942.0981 victoria BC 250 360.2106
 architecture • interior design • graphic design

| NO. | REVISION/DESCRIPTION | DATE |
|-----|--|-------------|
| 1 | ISSUED FOR 40% REVIEW | 26-OCT-2007 |
| 2 | ISSUED FOR CLASS 'A' OPINION OF PROBABLE COSTS | 28-NOV-2007 |
| 3 | ISSUED FOR 80% REVIEW | 7-DEC-2007 |
| 4 | ISSUED FOR 100% REVIEW | 11-JAN-2008 |
| 5 | ISSUED FOR TENDER | 18-JAN-2008 |

DRAWN BY JMG CHECKED BY DJM APPROVED
 DATE 18-JUN-2008 USER APPROVAL

CITY OF WINNIPEG
 PLANNING, PROPERTY & DEVELOPMENT DEPARTMENT
 CIVIC ACCOMMODATIONS DIVISION
 300 - 85 GARRY ST. R3C 4K4

PROJECT
 BRONX PARK COMMUNITY CENTRE
 HOME OF
 GOOD NEIGHBOURS SENIOR CENTRE
 WINNIPEG, MANITOBA

SHEET TITLE
 WALL SECTIONS

SCALE AS SHOWN PROJECT NO. PP&D 2006-065 SHEET NO. A-4.1
 DRAWING SHEET SIZE: A0 (1189mm x 841mm) PLOT 1:1