FORM A: BID (See B7)

1.	Contract Title	SUPPLY & DELIVERY OF FC	RK LIFT MACHINES	
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	e above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the		son to represent
		Contact Person	Title	
			THO .	
		Telephone Number	Facsimile Number	E-mail Address
4.	Definitions	All capitalized terms used in ascribed to them in the Generation		e the meanings
5.	Offer	The Bidder hereby offers to Contract for the price(s), in C appended hereto.		
6.	Commencement of the Work	The Bidder agrees that no Wo a notice of award from commencement of the Work.		

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF FORK LIFT MACHINES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1. 2.	3000 lbs. Capacity Propane Fork Lift Machine	07107	Each	(1)	\$	\$
2.	8000 lbs. Capacity Propane Fork Lift Machines	07108	Each	(1)	\$	\$
TOTAL BID PRICE (GST and MRST extra) (in figures) \$						
(in words)						

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 07108

8000 LBS. CAPACITY PROPANE FORK LIFT MACHINE

(Public Works Stores)

1.0 TYPE/ INTENT-

- 1.1 Shall be a nominal approx. 8000 lbs. capacity fork lift machines supplied by the Successful Bidder. The completed fork lift machine shall be furnished complete and ready for use with all features and auxiliary equipment as described herein. The fork lift machine shall be able to perform inside the City the Public Works Stores Building 1277 Pacific Avenue Winnipeg Manitoba. The 8000 lbs. capacity fork lift machine shall be also used outside in the Public Works Stores yards during winter and summer months. The Supply & Delivery of the fork lift shall be a 2008 or 2009 model year. The fork lift machine shall be furnished complete and ready for use by the Contractor. All parts not specifically mentioned but which are required to complete and place the machine into successful operation shall be furnished as though specifically mentioned in these specifications.
- 1.2 State make and model being bid:

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The equipment shall adhere to all City of Winnipeg, Provincial and Federal Safety Regulations & Standards.

3.0 SERVICE FACILITY-

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.
- 3.1.1 If a suitable warranty facility is not available within 10 km of the boundaries of the City of Winnipeg, the Bidder may propose that the City of Winnipeg Repair Facility perform warranty work. Any Work performed by the City of Winnipeg Repair Facility shall be charged to the Contractor at the Facility's shop rate in effect at the time the work is performed (for example, shop rate for 2008: \$82.00/hour and \$112.00/hour for overtime and callout).

3.2. Location of the service facility located within 10 km of the boundaries of the City of Winnipeg.

The Bidder shall choose and fill in one of the Clauses listed below. --- 3.2.1) OR 3.2.2)

3.2.1 Bidder's own facility location. State the location of the service facility below.

3.2.2 Bidder elects to have warranty work be performed by the City of Winnipeg.

4.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS-

- 4.1 Where requested to do so, all items in these specifications must be answered indicating compliance or non-compliance. <u>Bidders shall state "yes" for compliance or state deviation</u>, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. <u>Failure to do so may be used as a basis for</u> rejection of bid.

5.0 SPECIFICATIONS-

5.1	Capacity-	8000 lbs. capacity	
5.2	Power-	6 cylinder, to accommodate (33) lbs. Propane tanks, holder and straps to be included	
5.3	Tire Type-	Pneumatic tires	
5.4	Front Tire Size-	State size-	
5.5	Rear Tire Size-	State size-	
5.6	Side Shifting & Fork Positioner-	Model Cascade Side Shifting & Fork & Fork Positioner	
5.7	ROPS-	Roll Over Protection system required	
5.8	Cab-	Harris Cab required, cab to have heater, wipers & washer system, slider windows & auxiliary cab fan	
5.9	Drivers Seat-	Adjustable, with cloth upholstery	
5.10	Steering-	Tilt steering required	
5.11	Emissions-	Engine must meet current EPA standards	
5.12	Safety Beacon-	Required, state location-	
5.13	Spot Lights-	(4) required, two facing forward to facing rear	
5.14	Noise levels-	Not to exceed 80 db(A), state-	
5.15	Fork lift height-	State-	
5.16	Forks Dimensions-	Drum Forks" (1-cut out), state dimensions-	
5.17	Tilt-	Forward & backward tilt required	

5.18	Turning Radius-	State outside turning radius-		
5.19	Overall Height-	State-		
5.20	Lighting-	Stop tail brake, back up lights & turn		
5.21	Pre-production meet-	Required before production		
5.22	Fire Extinguisher-	5 lbs, ABC type mounted and secured as per Manufacture recommendation		
5.23	Back up Alarm-	Required		
6.0	MANUALS & DIAGNO	OSTIC SOFTWARE-		
6.1	The Contractor shall su of the vehicles:	upply the following manuals (in English) upon delivery		
6.2	Operator's manual – or	ne (1) per vehicle.		
6.3	Parts and Technical Service manuals- one (1) set.			
6.4	Data Collections Sheets- Data collections sheets to be completely fill out. See Clause D.6 (PM)			
7.0	WARRANTY-			
7.1	defects of workmanshi replace without cost to proven to have been ca	arrant the Forklift Machine and all parts thereof, against any p, construction and materials, and agrees to repair or the City any article that has become defective and not aused by negligence on the part of the user for a period burs and all associated equipment, "bumper to		
7.2	In the event of a failure on the part of the Contractor to repair or replace any article during the warranty period within five (5) business days from the date of notification, the City may have the work performed by others and offset the cost against any money due, or that may become due to the Contractor, or if there is money due, the Contractor agrees to pay the City such cost.			
7.3	The responsibility for the design of the complete equipment, its performance and reliability shall rest upon the Contractor.			
7.4	as used herein is defin or assembly develops rendering the apparatu service and/or replacer component, subassem adjustments are not ind failures", as well as oth misuse or lack of proper	lures" as determined by the Contract Administrator, ed to mean that the same component, subassembly, repeated defects, breakdowns and/or malfunctions is inoperative, or requiring repeated shop correction, ment during the warranty period applicable for said bly, or assembly. Minor items or ordinary service cluded, or considered under the scope of "repeated her factors, such as operational damage due to accidents, er maintenance, service and lubrication attention by not urer's preventative maintenance schedule.		

7.5 Where the vehicle develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance, at no cost to the City, including all incidental costs, with a reapplied, full warranty as described in clause 7.4.

8.0 TRAINING-

- 8.1 The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel. The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.
- 8.2 The training shall be conducted within one (1) calendar week from the date of delivery and shall be coordinated through the Contract Administrator.
- 8.3 The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.
- 8.4 Pricing should be based on one half (1/2) business day for maintenance personnel and on one half (1/2) business day for operating personnel.
- 8.5 Training Aides-
- 8.6 Training aids to be included if available. State-
- 8.7 On the type of equipment being offered, state if VHS videotape or CD Rom training aides are available.
- 8.8 **<u>Please state-</u>** The manufactures recommended training time for the complete equipment.

9.0 DELIVERY DATE-

- 9.1 The equipment shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid to the City of Winnipeg, Fleet Management Agency Office, 185 Tecumseh Street, Winnipeg, Manitoba within twelve (12) calendar weeks from the date of official notification of award of Contract. The Contractor shall contact the Contract Administrator prior to delivery of the equipment.
- 9.2 The Contractor shall fax all vehicle serial numbers, hours/mileage to the Contract Administrator one (1) calendar week prior to delivery. A pre-delivery inspection shall be performed by the Contractor on all equipment.

10.0 STANDARD REPAIR TIMES (SRT)-

10.1 Please provide Standard Repair Times for the equipment being bid if available-

FORM N: DETAILED SPECIFICATIONS 07107

3000 LBS. CAPACITY PROPANE FORK LIFT MACHINE

(City of Winnipeg Transit)

1.0 TYPE/ INTENT-

- 1.1 Shall be a nominal approx. 3000 lbs. capacity fork lift machine supplied by the Successful Bidder. The fork lift machine shall be furnished complete and ready for use with all features and auxiliary equipment as described herein. The fork lift machine shall be able to perform inside the City of Winnipeg Transit building 421Osborne Street Winnipeg Manitoba. The Supply & Delivery of the fork lift machine shall be a 2008 or 2009 model year. The fork lift machine shall be furnished complete and ready for use by the Contractor. All parts not specifically mentioned but which are required to complete and place the machine into successful operation shall be furnished as though specifically mentioned in these specifications.
- 1.2 Note: Max Height with the forks resting on the floor of 83 Inches. This will allow the operator to enter the lowest doorway in the shop which is 85 inches in height (floor to top of the door opening)
- 1.3 State make and model being bid:

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The equipment shall adhere to all City of Winnipeg, Provincial and Federal Safety Regulations & Standards.

3.0 SERVICE FACILITY-

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.
- 3.1.1 If a suitable warranty facility is not available within 10 km of the boundaries of the City of Winnipeg, the Bidder may propose that the City of Winnipeg Repair Facility perform warranty work. Any Work performed by the City of Winnipeg Repair Facility shall be charged to the Contractor at the Facility's shop rate in effect at the time the work is performed (for example, shop rate for 2008: \$82.00/hour and \$112.00/hour for overtime and callout).

3.2. Location of the service facility located within 10 km of the boundaries of the City of <u>Winnipeg.</u>

The Bidder shall choose and fill in one of the Clauses listed below. --- 3.2.1) OR 3.2.2)

3.2.1 Bidder's own facility location. State the location of the service facility below.

3.2.2 Bidder elects to have warranty work be performed by the City of Winnipeg.

4.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS-

- 4.1 Where requested to do so, all items in these specifications must be answered indicating compliance or non-compliance. <u>Bidders shall state "yes" for compliance or state deviation</u>, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. <u>Failure to do so may be used as a basis for</u> rejection of bid.

5.0 SPECIFICATIONS-

5.1	Capacity-	3000 lbs. capacity
5.2	Power-	State engine size-
5.3	Tire Type-	Pneumatic tires
5.4	Front Tire Size-	State size-
5.5	Rear Tire Size-	State size-
5.6	Side Shifting & Fork Positioner-	Model Cascade Side Shifting & Fork & Fork Positioner
5.7	ROPS-	Roll Over Protection system required
5.8	Drivers Seat-	Adjustable, with cloth upholstery
5.9	Steering-	Tilt steering required
5.10	Emissions-	Engine must meet current EPA standards
5.11	Safety Beacon-	Required, state location-
5.12	Spot Lights-	(4) required, two facing forward to facing rear
5.13	Noise levels-	Not to exceed 80 db(A), state-
5.14	Fork lift height-	State-
5.15	Forks Dimensions-	State Dimensions-
5.16	Tilt-	Forward & backward tilt required
5.17	Turning Radius-	State outside turning radius-
5.18	Overall Height-	State-
5.20	Lighting-	Stop tail brake, back up lights & turn signals required.

5.21	Pre-production meet-	Required before production	
5.22	Fire Extinguisher-	5 lbs, ABC type mounted and secured as per Manufacture recommendation	
5.23	Back up Alarm-	Required	
6.0	MANUALS & DIAGNO	STIC SOFTWARE-	
6.1	The Contractor shall su of the vehicles:	pply the following manuals (in English) upon delivery	
6.2	Operator's manual – or	ne (1) per vehicle.	
6.3	Parts and Technical Se	ervice manuals- one (1) set.	
6.4	Data Collections Sheet See Clause D.6 (PM)	s- Data collections sheets to be completely fill out.	
7.0	WARRANTY-		
7.1	defects of workmanship replace without cost to proven to have been ca	arrant the Forklift Machine and all parts thereof, against a b, construction and materials, and agrees to repair or the City any article that has become defective and not aused by negligence on the part of the user for a period burs and all associated equipment, "bumper to	any
7.2	any article during the w the date of notification, and offset the cost aga	on the part of the Contractor to repair or replace varranty period within five (5) business days from the City may have the work performed by others inst any money due, or that may become due to the s money due, the Contractor agrees to pay the City	
7.3	The responsibility for th and reliability shall rest	ne design of the complete equipment, its performance upon the Contractor.	
7.4	as used herein is define or assembly develops in rendering the apparatu service and/or replacer component, subassemi adjustments are not inc failures", as well as oth misuse or lack of proper	ures" as determined by the Contract Administrator, ed to mean that the same component, subassembly, repeated defects, breakdowns and/or malfunctions s inoperative, or requiring repeated shop correction, nent during the warranty period applicable for said bly, or assembly. Minor items or ordinary service cluded, or considered under the scope of "repeated er factors, such as operational damage due to accidents, er maintenance, service and lubrication attention by not urer's preventative maintenance schedule.	
7.5	shall make any necess modifications in order to	elops "repeated failures" in service, the Contractor ary engineering changes, repairs, alterations or o guarantee reliability of performance, at no cost to icidental costs, with a reapplied, full warranty as	
~ ~			

8.1	The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel. The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.	
8.2	The training shall be conducted within one (1) calendar week from the date of delivery and shall be coordinated through the Contract Administrator.	
8.3	The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.	
8.4	Pricing should be based on one half (1/2) business day for maintenance personnel and on one half (1/2) business day for operating personnel.	
8.5	Training Aides-	
8.6	Training aids to be included if available. State-	
8.7	On the type of equipment being offered, state if VHS videotape or CD Rom training aides are available.	
8.8	Please state- The manufactures recommended training time for the complete equipment.	
9.0	DELIVERY DATE-	
9.1	The equipment shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid to the City of Winnipeg, Fleet Management Agency Office, 185 Tecumseh Street, Winnipeg, Manitoba within twelve (12) calendar weeks from the date of official notification of award of Contract. The Contractor shall contact the Contract Administrator prior to delivery of the equipment.	
9.2	The Contractor shall fax all vehicle serial numbers, hours/mileage to the Contract Administrator one (1) calendar week prior to delivery. A pre-delivery inspection shall be performed by the Contractor on all equipment.	
10.0	STANDARD REPAIR TIMES (SRT)-	

10.1 Please provide Standard Repair Times for the equipment being bid if available-