



868-2007 ADDENDUM 3

CITY HALL ADMINISTRATION BUILDING
MAIN FLOOR LOBBY RENOVATIONS – 510 MAIN STREET

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: February 12, 2008
BY: Jeff Dibley
TELEPHONE NO. (204) 986-2889

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART B - BIDDING PROCEDURES

Revise B2.1 to read The Submission Deadline is 12:00 noon Winnipeg time, February 15, 2008.

PART E - SPECIFICATIONS

Section 21 13 13

Revise 1.4.5.1 to read: Locate heads in relation to ceiling and spacing of sprinkler heads not to exceed that permitted by NFPA 13 for light hazard occupancy.

Section 23 34 00

Add: 2.3.6 Fan F-1 to be Loren Cook 18 AFB-C, 5000 CFM @ 2" W.G., 3086 RPM, 3.863 BHP, 5 HP.