FORM A: BID (See B8)

1.	Contract Title	WINNIPEG WATER TR SITE UTILITIES	EATMENT PROGRAM – CON	NSTRUCTION OF
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby autl the Bidder for purposes	norizes the following contact p of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall h General Conditions and D3.	ave the meanings
5.	Offer		ers to perform the Work in a Bid Price, in Canadian funds, o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES

Page 1 of 8 (See B9)

WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF SITE UTILITIES

ITEN NO.	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>		Watermains and Firemains					
A.	1.	Watermain	02511				
	a) .\	150mm			00.0		
	i)	in open trench, Class B sand bedding, Class 2 backfill		m	60.0		
	ii)	in open trench, Class B sand		m	80.0		
	")	bedding, Class 4 backfill		""	00.0		
	b)	200mm					
	i)	in open trench, Class B sand		m	50.0		
		bedding, Class 2 backfill					
	ii)	trenchless installation, Class B		m	8		
	,	sand bedding, Class 3 backfill			40.0		
	iii)	in open trench, Class B sand bedding, Class 4 backfill		m	10.0		
	iv)	trenchless installation, Class B		m	23		
	17)	sand bedding, Class 5 backfill			20		
	c)	250mm					
	i)	in open trench, Class B sand		m	425.0		
		bedding, Class 2 backfill					
	ii)	in open trench, Class B sand		m	310.0		
	:::\	bedding, Class 4 backfill			5.0		
	iii)	in open trench, Class B sand bedding, Class 5 backfill		m	5.0		
	iv)	trenchless installation		m	10.0		
	.,,	ti oriorinoco iriotanatiori			10.0		
A.	2.	Watermains Installed in Casing	02511				
		Pipe					
	a)	150mm		m	12.0		
	b)	200mm 250mm		m	25.0 26.0		
	c)	25011111		m	26.0		
Α.	3.	Hydrant Assembly	02511				
	a)	SD-006		each	9		
	,						
A.	4.	Watermain Valve	02511				
	a)	150mm		each	1		
	b)	200mm		each	2		
	c)	250mm		each	7		
Α.	5.	Fittings	02511				
/7.	э. a)	Tees	02011				
	i)	250mm x 250mm x 250 mm		each	3		
	b)	Bends (SD-004)					
	i)	150mm - 11 1/4°		each	1		

FORM B: PRICES Page 2 of 8

ITEM NO.		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A5b(cc	ont'd)						
	ii)	150mm - 90°		each	3		
	iii)	200mm - 11 1/4°		each	4		
	iv)	200mm - 45°		each	2		
	v)	200mm - 90°		each	1		
	vi)	250mm - 11 1/4°		each	2		
	vii)	250mm - 22 1/2°		each	1		
	viii)	250mm - 45°		each	5		
	ix)	250mm - 90°		each	2		
	c)	Bends (SD-005)					
	i)	150mm - 11 1/4°		each	2		
	ii)	150mm - 22 1/2°		each	3		
	iii)	200mm - 11 1/4°		each	2		
	iv)	200mm - 22 1/2°		each	1		
	v)	250mm - 11 1/4°		each	2		
	vi)	250mm - 22 1/2°		each	3		
	vii)	250mm - 45°		each	2		
	d)	Reducers					
	i)	250mm - 150mm		each	2		
A.	6.	Watermain and Water Service Insulation	02511				
	a)	In a trench (SD - 018)					
	i)	100mm thick		m	19		
A.	7.	Connection to Existing Watermains Piping at Building	02511				
	a)	150mm		each	2		
	b)	200mm		each	2		
	c)	250mm		each	1		
A.	8.	Abandoning 900mm Steel Watermain	02511	each	4		
<u>B</u>		Wastewater Sewers					
B.	1.	Wastewater Sewers	02530				
	a)	250mm					
	i)	in open trench, 0-4.5m deep, Class B sand bedding, Class 2 backfill		m	265.0		
	ii)	in open trench, 0-4.5m deep, Class B sand bedding, Class 4 backfill		m	25.0		
1			l	l	I	l	

FORM B: PRICES Page 3 of 8

NO.	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.	2. a)	Manhole SD-010	02530				
	i)	1200mm diameter base		vert. m	16.0		
B.	3. a)	New Manhole on Existing Sewer SD-010	02530				
	i)	1200mm diameter base		vert. m	4.0		
B.	4. a)	Sewer Services 100mm	02530		40.0		
	i)	in open trench, Class B sand bedding, Class 2 backfill		m			
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	10.0		
	b) i)	150mm in open trench, Class B sand bedding, Class 2 backfill		m	35.0		
B.	5. a)	Sewer Service Risers SD-015	02530				
	i) ii)	100mm 150mm		vert. m vert. m	2.5 1.0		
B.	6. a)	Sewer Inspection 250mm	02530	m	290		
B.	7. a)	Connecting to Existing Manhole 150mm	02530	each	1		
B.	8. a)	Connecting to Existing Sewer 150mm PVC SDR35 to 200mm Clay tile	02530	each	1		
B.	9.	Connection to Existing Wastewater Sewer Piping at Building	02530	and	4		
	a) b) c)	100mm 150mm 250mm		each each each	1 2 1		
B.	10.	Backfill for Parallel Pipes	02530		30.0		

FORM B: PRICES Page 4 of 8

ITEN NO.	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>C</u>		Land Drainage Sewers					
C.	1. a)	Land Drainage Sewers 750mm	02630				
	i)	in open trench, Class B sand bedding, Class 2 backfill		m	100.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	6.0		
	b) i)	600mm in open trench, Class B sand bedding, Class 2 backfill		m	155.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	25.0		
	c) i)	300mm in open trench, Class B sand		m	20.0		
	iii)	bedding, Class 2 backfill in open trench, Class B sand bedding, Class 4 backfill		m	70.0		
C.	2.	Manhole SD-010	02630				
	a) i)	1200mm diameter base		vert. m	3.0		
	ii)	1500mm diameter base		vert. m	6.0		
	iii)	1800mm diameter base		vert. m	4.0		
	b) i)	SD-011 1200mm diameter base		vert. m	3.0		
C.	3.	Catch Basin	02630				
	a)	SD-024 1800 depth		each	11		
	p)	SD-024 2700 depth		each	1		
	c) d)	SD-025 1800 depth Insulated SD-025		each each	5 1		
C.	4.	Sewer Services	02630				
	a) i)	250mm in open trench, Class B sand bedding, Class 2 backfill		m	110.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	75.0		
	b)	200mm					
	i)	in open trench, Class B sand bedding, Class 2 backfill		m	30.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	10.0		

FORM B: PRICES Page 5 of 8

ITEN NO.	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C4 (cc	ont'd)						
. (0.	c)	150mm					
	i)	in open trench, Class B sand bedding, Class 2 backfill		m	11.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	5.0		
	d) i)	100mm in open trench, Class B sand bedding, Class 2 backfill		m	27.0		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	13.0		
C.	5. a)	Connecting to Existing Sewer 250mm PVC SDR 35 to 2100 Concrete Overflow Pipe by Concrete Coring	02630	each	1		
C.	6.	Connection to Existing Land Drainage Sewer Piping at Building	02630				
	a)	250mm		each	4		
	b)	200mm		each	1		
	c)	150mm		each	1		
	d)	100mm		each	1		
C.	7.	750mm LDS Sewer Plug	02630	each	1		
C.	8.	Sewer Inspection	02630				
	a)	750mm		m	106		
	b)	600mm		m	180		
	c)	400mm Forcemain		m	10		
	d)	300mm		m	90		
C.	9.	Trench Insulation (SD - 018)	02511		20		
	a)	100mm thick		m	20		
<u>D</u>		Forcemains					
D.	1.	Forcemains	02531				
	a)	400mm					
	i)	in open trench, Class B sand		m	10.0		
		bedding, Class 2 backfill					
	p)	150mm			450		
	i) 	in open trench, Class B sand bedding, Class 2 backfill		m	150		
	ii)	in open trench, Class B sand bedding, Class 4 backfill		m	115		
	c)	Steel Pipe inside Concrete Beam 100mm		m	6		

FORM B: PRICES Page 6 of 8

ITEN NO.	Л	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D1c(c	ont'd) i)	in 375 Casing Pipe in open trench, Class B sand bedding, Class 2 backfill		m	2.0		
	d) i)	50mm trenchless installation		m	110.0		
D.	2.	Aqueduct Under-Crossing	02531	m	15.0		
D.	3. a) i)	Forcemain Fittings Bends (SD-004) 150mm - 11 1/4°	02531	each	2		
	ii)	150mm - 22 1/2°		each	2		
	iii)	150mm - 45°		each	3		
	iv)	150mm - 90°		each	4		
	v)	Steel 150mm - 90°		each	1		
	b)	Bends (SD-005)					
	i)	150mm - 22 1/2°		each	4		
	ii)	150mm - 45°		each	1		
D.	<i>4.</i> a)	Corporation Stops 50mm	02531	each	1		
D.	<i>5.</i> a)	Curb Stops 50mm	02531	each	1		
D.	6. a)	Trench Insulation (SD - 018) 100mm thick	02511	m	10		
D.	7. a)	Connecting to Existing Forcemain Inline connection - plug existing	02531				
	i) b)	150mm Connection to Existing		each	2		
	:\	Forcemain Piping at Building			4		
	i) ii)	150mm New PVC Pipe 150mm New Steel Pipe		each each	1 1		
	" <i>)</i>	Toomini New Older Lipe		Caon			
D.	8.	Air Release Valve Manhole	02531	Lump Sum	1		
D.	9.	Packaged Sewage Pump Station	11391	Lump Sum	1		
D.	10.	Cement Stabilized Fill	02215	m3	10.0		

FORM B: PRICES Page 7 of 8

ITEN NO.	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>E</u>		Supernatant Forcemain					
E.	1.	750 mm Supernatant Forcemain, Open Trench Installation	02511A				
	a)	PVC C905 DR25					
	i)	Class B sand bedding, Class 4 Backfill		m	55		
	ii)	Class B sand bedding, Class 2 Backfill		m	15		
	b)	PCCP C301					
	i)	Class B sand bedding, Class 4 Backfill		m	13		
	ii)	Class B sand bedding, Class 2 Backfill		m	4		
E.	2.	Supernatant Forcemain: Supply Only	02511A				
	a)	750mm PCCP C301		m	2.5		
E.	3.	Valve Chamber Construction	02511A				
	a)	Valve Chamber No. 1		lump	1		
	b)	Valve Chamber No. 2		sum lump	1		
	D)	valvo chambol (vo. 2		sum			
E.	4.	Fittings	02511A				
	a) i)	Bends (Vert.) 750mm - 22.5 Bend PVC		each	1		
	ii)	750mm - 22.5 Bend PVC		each	1		
	b)	Bends (Horz.)			·		
	i)	750mm - 20.5 Bend PVC		each	1		
	c)	750mm Night Cap for PCCP		each	2		
E.	5.	Trench Insulation	02511A	m	24		
E.	6.	Supply and Installation of Aqueduct Saddle Connection	05500	each	1		
E.	7.	Connection to Existing 750 mm Piping at WTP	02511A	lump sum	1		
E.	8.	Bollards	02511A	each	8		

FORM B: PRICES Page 8 of 8

neous Items nd Install Natural Gas nd Install Gox Piping	15406	Lump			
	15406	Lump			1
nd Install Cay Pining		Sum	1.0		
na instali dox Fipling	15200-00A	Lump Sum	1.0		
nd Install Dewatering chanical Equipment	D2.2 (d) and D2.2 (e)	Lump Sum	1.0		
nd Install Dewatering octrical Equipment	D2.2 (f), D2.2 (g) and D2.2 (h)	Lump Sum	1.0		
		a) (in figures	s) \$		
((chanical Equipment and Install Dewatering ctrical Equipment GST extra and applicable	chanical Equipment and D2.2 (e) and Install Dewatering D2.2 (f), D2.2 (g) and D2.2 (h)	chanical Equipment and D2.2 (e) Sum and Install Dewatering D2.2 (f), D2.2 Lump (g) and D2.2 (h) Sum GST extra and applicable MRST extra) (in figures	chanical Equipment and D2.2 (e) Sum and Install Dewatering (g) and D2.2 Sum D2.2 (f), D2.2 Lump Sum ctrical Equipment (h) Sum GST extra and applicable MRST extra) (in figures) \$	chanical Equipment and D2.2 (e) Sum and Install Dewatering D2.2 (f), D2.2 Lump trical Equipment (g) and D2.2 Sum GST extra and applicable MRST extra) (in figures) \$

Name of Bidder	

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL M	IEN BY THESE PRESENTS THAT	
(hereinaf	fter called the "Principal") and	
called the "Obligee") in the sum of ten per described, for the payment of which sum the administrators, successors and a	and firmly bound unto THE CITY OF WINNIPEG (recent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heirs assigns, jointly and severally, firmly by these preser has submitted a Bid to the Obligee dated the	hereinafter s, executors,
day of	, 20 for	
BID OF	PPORTUNITY NO. 94-2007	
WINNIPEG WATER TREATMENT	F PROGRAM – CONSTRUCTION OF SITE UTILIT	TES
as more full	ly set out in the Bid Opportunity.	
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be	oligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful be void, but otherwise shall remain in full force and cipal and Surety have signed and sealed this bond	Contract with performance effect.
		uie
SIGNED AND SEALED in the presence of: (Witness)	(Name of Principal) Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 94-2007 WINNIPEG WATER TREATMENT PROGRAM - CONSTRUCTION OF SITE UTILITIES in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: ____(Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
(Date)	
	City of Winnipeg
	prate Finance Department
	rials Management Branch
	King Street, Main Floor ipeg MB R3B 1J1
V V II II II	peg Mid 100 101
RE:	BID SECURITY - BID OPPORTUNITY NO. 94-2007
	WINNIPEG WATER TREATMENT PROGRAM – CONSTRUCTION OF SITE UTILITIES
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
(Addre	ss of Bidder)
WE H	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
	aggregate
	Canadian dollars.
This	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written
	nd for payment made upon us by you. It is understood that we are obligated under this Standby
	of Credit for the payment of monies only and we hereby agree that we shall honour your demand for
	ent without inquiring whether you have a right as between yourself and our customer to make such
dema	and and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon
it by y made	ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	al drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addre	ss)
,	

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 23, 2007.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	