FORM A: BID (See B7)

1.	Contract Title	BUFFALO PLACE – WAVE STREET RECONSTRUCTIO	RLEY STREET TO OTTER S DN	STREET,
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under t	he above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of th	es the following contact pers ne Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used ascribed to them in the Gene	in the Contract shall have eral Conditions.	e the meanings
5.	Offer		o perform the Work in acco rice, in Canadian funds, set	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

JNIT PRI	ICES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	BUFFALO PLACE RECONSTRUCTION - Of	ter Street to Wa	verley S	<u>Street</u>		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m³	5,200		
A.2	Sub-Grade Compaction	CW 3110-R10	m²	8,750		
A.3	Crushed Sub-base Material	CW 3110-R10				
i) 50 mm - Limestone		tonne	6,900		
A.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	725		
A.5	Grading of Boulevards	CW 3110-R10	m²	5,600		
A.6	Removal of Existing Concrete Bases	CW 3110-R10				
i) 600mm Diameter or Less		each	10		
A.7	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	8,750		
A.8	Supply and Install Geogrid	E10.	m²	85		
A.9	Fill Material	CW 3170-R3				
i) Placing Suitable Site Material		M3	450		
	ROADWORKS - RENEWALS					
A.10	Pavement Removal	CW 3110-R10				
i) Concrete Pavement		M2	5,750		
i) Asphalt Pavement		m²	550		
A.11	Drilled Dowels	CW 3230-R6				
i) 28.6 mm Diameter		each	150		
A.12	Drilled Tie Bars	CW 3230-R6				
i) 20 M Deformed Tie Bar		each	200		

JNIT PRIC	7FS	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Sidewalk		m²	50		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Median Slab	SD-227A	M2	30		
ii)	Bullnose	SD-227C	M2	1.0		
A.15	Removal of Precast Sidewalk Blocks	CW 3235-R6	M2	40		
A.16	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Integral)		m	125		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Tie-ins and Approaches					
a)	Туре IA		tonne	20		
A.18	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	100		
	ROADWORKS - NEW CONSTRUCTION					
A.19	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled), Slip Form Paving		m²	5,325		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	410		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	415		
A.20	Concrete Pavements for Early Opening	CW 3310-R12				
i)	Construction of 230 mm Concrete Pavement for Early Opening (72 hour) (Plain-Dowelled)		m²	650		
ii)	Construction of 230 mm Concrete Pavement for Early Opening (24 hour) (Plain-Dowelled)		m²	150		
iii)	Construction of 200 mm Concrete Pavement for Early Opening (72 hour) (Reinforced)		M2	255		
iv)	Construction of 200 mm Concrete Pavement for Early Opening (24 hour) (Reinforced)		m²	155		

UNIT PRI	CES	(SEE B8)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R12				
i) Construction of Barrier (180 mm ht, Dowelled, Slip Form Paving)	SD-205	m	100		
ii) Construction of Barrier (180 mm ht, Separate, Slip Form Paving)	SD-203A	m	1,000		
iii) Construction of Barrier (180 mm ht, Separate)	SD-203A	m	50		
iv	Construction of Modified Barrier (180mm ht, Integral)	SD-203B	m	45		
V) Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	60		
vi) Splash Strip (180mm ht, Monolithic Barrier Curb, 750mm width)	SD-223A	m	40		
A.22	Supply and Installation of Dowel Assemblies (28.6 mm dowels)	CW 3310-R12	m	1,380		
A.23	100 mm Concrete Sidewalk	CW 3325-R2	M2	120		
	JOINT AND CRACK SEALING					
4.24	Reflective Crack Maintenance	CW 3250-R6	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.25	Catch Basin	CW 2130-R11				
i) SD-024 (1800 mm deep)		each	5		
ii) SD-024 (1200 mm deep)		each	3		
iii) SD-025		each	1		
A.26	Catch Pit	CW 2130-R11				
i) SD-023		each	4		
A.27	Sewer Service	CW 2130-R11				
i) 250mm					
а) in a Trench, Class B bedding with sand, Class 3 Backfill		m	20		
b			m	50		
ii) 300mm					
а) in a Trench, Class B bedding with sand, Class 3 Backfill		m	15		
b) Trenchless Installation, Class B bedding with sand, Class 3 Backfill		m	17		

יסס דוואו	CES	(SEE B8)				
UNIT PRI ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.28	Drainage Connection Pipe	CW 2130-R11	m	8		
A.29	Connecting to Existing Sewer	CW 2130-R11				
i) 250 mm sewer service pipe c/w connection video					
а) Connecting to 300 mm Land Drainage Sewer		each	2		
b) Connecting to 450 mm Land Drainage Sewer		each	1		
ii) 300 mm sewer service pipe c/w connection video					
а) Connecting to 450 mm Land Drainage Sewer		each	2		
b	Sewer		each	2		
A.30	Removal of Existing Catch Basins	CW 2130-R11	each	9		
A.31	Abandoning Existing Drainage Inlets	CW 2130-R11	each	3		
A.32	Abandoning Existing Sewer Services Under Pavement c/w Video Inspection	CW2130-R11 SD-021				
i) Existing Catch Basin Leads (250 mm or smaller)		each	9		
A.33	Installation of Subdrains	CW 3120-R2	m	1,170		
A.34	Removal of Existing Pipes	E13.	m	15		
A.35	Backfill Material	CW2030-R7				
i) Sand		m³	5		
	ADJUSTMENTS					
A.36	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	11		
A.37	Replacing Existing Risers	CW 2130-R11				
i) Pre-cast Concrete Risers		vert. m	0.3		
A.38	Patching Existing Manholes	CW 2130-R11	vert. m	0.6		
A.39	Lifter Rings	CW 3210-R7				
i) 51mm		each	1		
A.40	Adjustment of Valve Boxes	CW 3210-R7	each	18		
A.41	Adjustment of Sprinkler Head	E12.	each	20		
A.42	Replace Existing Sprinkler Pipe	E12.	m	50		

	ES DESCRIPTION	0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
A.43	Sodding	CW 3510-R9				
i)	width < 600mm		m²	100		
ii)	width > or = 600mm		m²	5,500		
Α	BUFFALO PLACE RECONSTRUCTIO	ON - Otter Street to Wa	verley S	<u>Street</u>	Subtotal:	
TOTAL BII	D PRICE (GST extra)		(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ for

BID OPPORTUNITY NO. 159-2008

BUFFALO PLACE – WAVERLEY STREET TO OTTER STREET, STREET RECONSTRUCTION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	(Seal)
	(Name of Surety) By:	(Seal)

of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 159-2008

BUFFALO PLACE – WAVERLEY STREET TO OTTER STREET, STREET RECONSTRUCTION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 159-2008

BUFFALO PLACE – WAVERLEY STREET TO OTTER STREET, STREET RECONSTRUCTION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

__ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 15, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)					
Per:						
	(Authorized Signing Officer)					
_						

Per: ____

(Authorized Signing Officer)