# FORM A: BID (See B7)

1.	Contract Title	SUPPLY AND DELIVERY OF LUBRICANTS
2.	Bidder	
		Name of Bidder
		Street
		City Province Postal Code
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices appended hereto.
5.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a notice of award authorizing the commencement of the Work.
6.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

7.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
8.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of ninety (90) Calendar Days following the Submission Deadline.
9.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

SEAL

# FORM B: PRICES

(See B8)

#### SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

# **ENGINE OIL – HEAVY DUTY SINGLE GRADE**

Item No.		1.	2 to 3.	4.	
Description		Engine oil - heavy duty 10W	Engine oil - heavy duty 30	Engine oil - heavy duty 40	
SAE Viscosity 0	Grade	10W	30	40	
API	CF-2		•	•	
	CF	•	•	•	
	SJ		•	•	
Allison	C-4	•	•		
Caterpillar	SEBU 6385		•		
	TO-2	•	•		
Detroit Diesel	7SE270 2-stroke			•	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price	
1.	Engine oil - heavy duty 10W - 1 L container	130 L		\$ /	/L
2.	Engine oil - heavy duty 30 - 1 L container	30 L		/	′L
3.	Engine oil - heavy duty 30 - 20 L container	760 L		/	′L
4.	Engine oil - heavy duty 40 - bulk	103,000 L		/	′L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### **ENGINE OIL – HEAVY DUTY MULTI-GRADE**

Item No.		5.	6. to 7.	8. to 12.	
Description	Description		Engine oil - heavy duty 10W 30	Engine oil - heavy duty 15W 40	
SAE Viscosity 0	Grade	0W 30	10W 30	15W 40	
API	CI-4		•	•	
	CH-4	<b>*</b>			
	CF		•	•	
	SL		•	•	
Allison	C-4	<b>*</b>	•	•	
Caterpillar	SEBU 6385	<b>*</b>	•	•	
	TO-2	<b>*</b>	•	•	
Cummins	CES 20078		•	•	
Detroit Diesel	7SE270 4-stroke	<b>*</b>		•	
	7SE273 Category I & II			•	
Mack	EO-M Plus	<b>*</b>	•	•	

Item No.	Description	Approx. Annu Quantity	ual	Product Offered	Unit Price	
_	Engine oil - heavy duty 0W 30					//
5.	- 20 L container	52	L		\$	/L
	Engine oil - heavy duty 10W 30					
6.	- 1 L container	320	L			/L
	Engine oil - heavy duty 10W 30					
7.	- 20 L container	20	L			/L
	Engine oil - heavy duty 15W 40					
8.	- 1 L container	724	L			/L
	Engine oil - heavy duty 15W 40					
9.	- 4 L container	70	L			/L
	Engine oil - heavy duty 15W 40					
10.	- 20 L container	28	L			/L
	Engine oil - heavy duty 15W 40					
11.	- 205 L container	280	L			/L
	Engine oil - heavy duty 15W 40					
12.	- bulk	26,500	L			/L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### **ENGINE OIL - GASOLINE ENGINES**

Item No.		13.	14. to 16.	17. to 19.	20. to 22.
Description		Engine oil - gasoline engine 0W 30	Engine oil - gasoline engine 5W 20	Engine oil - gasoline engine 5W 30	Engine oil - gasoline engine 10W 30
SAE Viscosity G	Grade	0W 30	5W 20	5W 30	10W 30
API	SL	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
ILSAC	GF-3	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
13.	Engine oil - gasoline engine 0W 30 - 1 L container	10 L		\$ /L
14.	Engine oil - gasoline engine 5W 20 - 1 L container	492 L		/L
15.	Engine oil - gasoline engine 5W 20 - 205 L container	360 L		/L
16.	Engine oil – gasoline engine 5W 20 - bulk	3500 L		/L
17.	Engine oil - gasoline engine 5W 30 - 1 L container	684 L		/L
18.	Engine oil - gasoline engine 5W 30 - 205 L container	205 L		/L
19.	Engine oil - gasoline engine 5W 30 - bulk	9000 L		/L
20.	Engine oil - gasoline engine 10W 30 - 1 L container	32 L		/L
21.	Engine oil - gasoline engine 10W 30 - 20 L container	60 L		/L
22.	Engine oil - gasoline engine 10W 30 - 205 L container	84 L		/L

**ENGINE OIL – NATURAL GAS ENGINES (NON-AUTOMOTIVE)** 

Item No.	23.	24.	
Description	Engine oil - natural gas engine 40	Engine oil - natural gas engine 15W 40	
SAE Viscosity Grade	40	15W 40	
Sulphated Ash (% weight)	0.4 to 0.5	0.4 to 0.5	
Total Base No. (min.)	5.0	5.0	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price	
23.	Engine oil - natural gas engine 40 - 205 L container	500 L		\$ /!	L
24.	Engine oil - natural gas engine 15W 40 - 205 L container	500 L		/	L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

# **GEAR OIL – AUTOMOTIVE**

		0=:::: 0:= ::	<del></del>		
Item No.		25 to 26.	27. to 29.	30.	
Description		Gear oil 75W 90	Gear oil 80W 90	Gear oil 80W 140 EP	
SAE Viscos	ity Grade	75W 90	80W 90	80W 140	
API	GL-5	•	<b>*</b>	<b>*</b>	
	MT-1	•	•	•	
Mack	GO-J	•	•	•	
Eaton	PS 163			•	

Item	Description	Approx. Annual	Product Offered	Unit Price
No.		Quantity		
	Gear oil 75W 90			
25.	- 60 L container	180 L		\$ /L
	Gear oil 75W 90			
26.	- 205 L container	25 L		/L
	Gear oil 80W 90			
27.	- 20 L container	187 L		/L
	Gear oil 80W 90			
28.	- 60 L container	212 L		/L
	Gear oil 80W 90			
29.	- 205 L container	3,895 L		/L
	Gear oil 80W 140 EP			
30.	- 60 L container	520 L		/L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### **AUTOMATIC TRANSMISSION FLUID**

		AUTUMATIO TRAITO	MICCICIT I ECIL	4	
Item No.		31. to 34.	35.		
Description		Dexron III / Mercon	Mercon V		
Ford	WSP M2C185-A	•	•		
	WSE M2C202-B		<b>*</b>		
GM	6297M	•			
Allison	C-4	•			
	V730D	•			

Item	Description	Approx. Annual	Product Offered	Unit Price
No.		Quantity		
	Dexron III / Mercon			
31.	- 1 L container	560 L		\$ /L
	Dexron III / Mercon			
32.	- 20 L container	850 L		/L
	Dexron III / Mercon			
33.	- 205 L container	650 L		/L
	Dexron III / Mercon			
34.	- bulk	29250 L		/L
	Mercon V			
35.	- 205 L container	820 L		/L

#### TRACTOR TRANSMISSION / HYDRAULIC FLUID

Item No.		36 to 37.	
Description		Tractor transmission / hydraulic fluid	
Viscosity (cSt @ 40°C)		55 to 65	
Viscosity Index (min.)		140	
Pour Point (ma	ax.)	-42°C	
API	GL-4	•	
Allison	C-4	•	
Caterpillar	TO-2	•	
John Deere	J20C	•	
	J20D		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price	
36.	Tractor transmission / hydraulic fluid - 20 L container	220 L		\$	/L
37.	Tractor transmission / hydraulic fluid - 205 L container	800 L			/L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### **HYDRAULIC FLUID**

1115101021012015					
Item No.	38.	39.			
Description	Hydraulic fluid 32	Hydraulic fluid 46			
ISO Viscosity Grade	32	46			
Viscosity Index (min.)	95	95			
Pour Point (max.)	-39°C	-36°C			
Oxidation Stability (min.)	6500 h	6500 h			
Dennison HF-O	•	<b>*</b>			
Vickers 35VQ 25	<b>*</b>	<b>*</b>			

Item	Description	Approx. Annual	Product Offered	Unit Price	
No.		Quantity			
	Hydraulic fluid 32				
38.	- 205 L container	3690 L		\$	/L
	Hydraulic fluid 46				
39.	- 205 L container	410 L			/L

#### **HYDRAULIC FLUID - WIDE TEMPERATURE RANGE / ALL SEASON**

Item No.	40.	41 to 42.	43.	
Description	Hydraulic fluid 15 wide temperature range	Hydraulic fluid 22 wide temperature range	Hydraulic fluid 46 all season	
ISO Viscosity Grade	15 22 46		46	
Viscosity Index (min.)	380	160	240	
Operating temperature range (min.)	-45 to +23°C	-25 to +57°C	-18 to +75°C	
Pour Point (max.)	-57°C	-51°C	-48°C	
Oxidation Stability (min.)	3000 h	6500 h	6500 h	
Dennison HF-O		<b>*</b>		
Vickers 35VQ 25		<b>*</b>		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
40.	Hydraulic fluid 15 wide temperature range - 205 L container	846 L		\$ /L
41.	Hydraulic fluid 22 wide temperature range - 20 L container	450 L		/L
42.	Hydraulic fluid 22 wide temperature range - 205 L container	5400 L		/L
43	Hydraulic oil 46 all season - 20 L container	950 L		/L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

# **GREASE - MULTIPURPOSE EP LITHIUM**

Item No.	44.		
Description	Grease EP1 lithium		
NLGI Grade	1		
Timken OK Load (min.)	18 kg		
Dropping Point (min.)	190°C		

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price	
44.	Grease EP1 lithium - 175 KG container	138 KG		\$	/KG

#### **GREASE – MULTIPURPOSE EP LITHIUM COMPLEX**

Item No.		45.	46. to 47.	48.		
Description		Grease EP00 lithium complex	Grease EP2 lithium complex	Grease EP2 lithium complex w/ moly		
NLGI	Grade	2	2			
	GC-LB	•				
Timken OK	Load (min.)	18 kg	27 kg	27 kg		
Dropping Point (min.)		290°C	300°C	300°C		
Molybdenum disulphide (% weight)				3 to 5		

Item	Description	Approx. An	nual	Product Offered	Unit Price
No.	·	Quantity			
	Grease EP1 lithium complex				
45.	- 400 G container	50	KG		/KG
	Grease EP2 lithium complex				
46.	- 400 G container	525	KG		/KG
	Grease EP2 lithium complex				
47.	- 54 KG container	95	KG		/KG
	Grease EP2 lithium complex w/				
48.	moly - 175 KG container	1,575	KG		/KG

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### GREASE - MULTIPURPOSE EP CALCIUM SULPHONATE COMPLEX

	ONLAGE	MOLINI OINI OOL LI OA	EGIGIN GGET TIGHT	TIE OOMII EEX	
Item No.		49.			
Description		Grease EP2 calcium sulphonate complex			
NLGI	Grade	2			
	GC-LB	•			
Timken OK L	oad (min.)	27 kg			
Dropping Poi	int (min.)	300°C			
Colour		White / cream			

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
49.	Grease EP2 calcium sulphonate complex - 17 KG container	6,611 KG		/KG

#### **ENGINE OIL – TWO-CYCLE GASOLINE ENGINES**

Item No.		50.	51.	
Description		2-cycle engine oil - air-cooled	2-cycle engine oil - water-cooled	
API	TC	•		
NMMA	TC-W 3		•	
SAE Fluidity /	Miscibility	F/M 4 @ -40°C	F/M 3 @ -25°C	
Fuel/oil ratio		to 50:1	to 100:1	

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price
50.	2-cycle engine oil - air-cooled - 1 L container	30 L		<b>¢</b> /I
50.	2-cycle engine oil - water-cooled	30 L		φ /L
51.	- 1 L container	30 L		/L

# FORM B: PRICES (See B8)

# SUPPLY AND DELIVERY OF LUBRICANTS

# **UNIT PRICES**

#### **CHAIN SAW BAR OIL**

**************************************						
Item No.	52.	53.				
Description	Chain saw bar oil - winter	Chain saw bar oil - summer				
Viscosity (cSt @ 40°C)	30 to 60	100 to 200				
Pour Point (max.)	-30°C	-9°C				
Flash Point (min.)	140°C	200°C				

Item	Description	Approx. Annual	Product Offered	Unit Price	
No.		Quantity			
	Chain saw bar oil - winter				
52.	- 4 L container	20 L		\$	/L
	Chain saw bar oil - summer				
53.	- 4 L container	20 L			/L

#### STODDART SOLVENT

STODDAKT SOLVENT					
Item No.	54.				
Description	Stoddart solvent (1)				
Flash Point (min.)	40°C				
Aniline Point (max.)	54°C				
Kauri Butanol Value (min.)	39				
General purpose, aliphatic.	<b>*</b>				
(1) ESSO Varsol 3139, PETRO-CANADA PetroSol 3139, or equal					

Item No.	Description	Approx. Annual Quantity	Product Offered	Unit Price	
54.	Stoddart solvent	13 L		\$	/I

#### **REFUNDABLE CONTAINER DEPOSIT**

	REI ONDABLE CONTAINER DEI CON					
Item No.	Description	Unit Price				
55.	205 L container	\$ /EACH				

Name of Bidder		