FORM A: BID (See B7)

1. Contract Title

SUPPLY & DELIVERY OF COMBINATION ROLLERS

2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	er the above name.	
3.	Contact Person	The Bidder hereby authorithe Bidder for purposes of	orizes the following contact po of the Bid.	erson to represent
		Contact Person	Title	······································
		Telephone Number	Facsimile Number	E-mail Address
4.	Definitions		ed in the Contract shall hateneral Conditions and D3.	ive the meanings
5.	Offer		s to perform the Work in ac in Canadian funds, set out c	
6.	Commencement of the Work		o Work shall commence until rom the Award Authority ork.	

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (See B8)

SUPPLY & DELIVERY OF COMBINATION ROLLERS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
1.	5000 lbs. Combination Roller	08029	Each	(1)	\$	\$
2.	15,000 lbs. Combination Roller	08030	Each	(1)	\$	\$
	L BID PRICE (GST and MRST extra) (,	\$			
				Name of Bio	lder	

FORM N: DETAILED SPECIFICATIONS 08029 & 08030

(Streets)

1.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 The **Supply & Delivery of 5000 lbs. Combination Roller shall be a 2008 or 2009 model year.**The equipment shall be furnished complete and ready for use by the Contractor. All parts not specifically mentioned but which are required to complete and place the vehicle into successful operation shall be furnished as though specifically mentioned in these specifications.
- 1.2 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the vehicle.
- 1.3 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.4 Each bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.
- 1.5 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 1.6 The completed equipment and all its components shall comply with all City of Winnipeg, Provincial and Federal Safety Regulations for the equipment being bid.

2.0 SERVICE FACILITY

- 2.1 For the purpose of warranty repairs, the supplier shall have an authorized service facility located within 10 kilometres of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.
- 2.2 If a suitable warranty facility is not available within 10 km of the boundaries of the City of Winnipeg, the Bidder may propose that the City of Winnipeg Repair Facility perform warranty work. Any Work performed by the City of Winnipeg Repair Facility shall be charged to the Contractor at the Facility's shop rate in effect at the time the work is performed (for example, shop rate for 2008: \$82.00/hour and \$112.00/hour for overtime and callout).
- 2.3 <u>Location of the service facility located within 10 km of the boundaries of the City of</u> Winnipeg.

The B	idder shall choose and fill in one (1) of the Clauses listed below 2.3.1) OR 2.3.2)
2.3.1	Bidder's own facility location. State the location of the service facility below.

2.3	2 Bidder elects to have wa	arranty work be performed by the City of Winnipeg	Repair Facility.
3.0	SPECIFICATIONS- (5000 LB 08029)	S. COMBINATION ROLLER- DETAILED SPECIF	ICATIONS
4.0	OPERATING WEIGHT/SPEE	<u>D</u> -	
4.1	Operating weight-	Minimum 5000 lbs.	
4.2	Drum mass-	State-	
4.3	Speed Range-	State-	
5.0	TYPE-		
5.1	Combination Roller-	Front Drum, (4) Rear Pneumatic tires	
5.2	Drum Vibration-	Required lever operated	
6.0	ENGINE-		
6.1	Diesel Engine-	Diesel engine, must meet current emission Requirements, state make & model	
6.2	Engine HP-	23 hp, state-	
7.0	WATER TANK/CONTROLS-		
7.1	Water Tank-	Corrosion free water tank with strainer	
7.2	Water Control-	Automatic Water Control (AWC)	
7.3	Filters-	Required for Sprinkler System & Sprinkler Nozzles.	
7.4	Sprinkler Timer-	Required	
8.0	SCRAPERS-		
8.1	Scrapers-	Drum Scrapers requires, state type-	
9.0	SAFETY-		
9.1	Parking/ Brake Emergency	Required	
9.2	Brake Release-	Required for towing	
9.3	Emergency Stop-	Required	
9.4	Safety Horn-	Required	
9.5	(SMV) Sign-	Slow Moving Vehicle Sign required	

9.6	ROPS-	Foldable Roll Over Protection System With seatbelt	
9.7	Lights-	Warning light brakes, Driving Lights Front & Rear, Front & Rear Working Lights, Rotating Beacon, state location-	
9.8	Mirrors-	Rear view mirrors required	
9.9	Back-up Alarm-	Required	
9.10	First Aid Kit/ Fire Extinguisher	Required, located as per manufacture Requirements	
9.11	Noise (dba) Level	Noise reduction provisions	
0.0	GAUGES-		
10.1	Gauges/ Warning Lights-	Hour-meter, Fuel gauge, warning light Brakes, warning light charging, warning Light engine temperature.	
11.0	FUEL TANK-		
11.1	Fuel Tank Capacity	50 litres	
12.0	BATTERIES-		
12.1	Batteries-	Heavy duty, state battery CCA-	
13.0	DRIVER SEAT-		
13.1	Seat-	Deluxe seat with dual armrests, adjustable, slide-able	
4.0	MISCELLANEOUS		
	MISCELLANEOUS-		
14.1	Plate Holder-	Registration plate holder with light	
		Registration plate holder with light State location-	
14.1	Plate Holder-		
14.1 14.2	Plate Holder- Tool Box- TRAINING The Contractor shall provide op by qualified staff for City of Win be conducted in separate sessi Each session shall be approxim provide adequate familiarization	State location- perational and maintenance training nipeg personnel. The training shall ons for each group of personnel. The training shall on and orientation on the unit, to the ninistrator. The training shall be	
14.1 14.2 1 5.0	Plate Holder- Tool Box- TRAINING The Contractor shall provide op by qualified staff for City of Win be conducted in separate sessi Each session shall be approxim provide adequate familiarization satisfaction of the Contract Adn conducted in Winnipeg at a local	Derational and maintenance training nipeg personnel. The training shall ons for each group of personnel. Inately ½ day in duration and shall on and orientation on the unit, to the ninistrator. The training shall be ation to be designated by the	
14.1 14.2 1 5.0 15.1	Plate Holder- Tool Box- TRAINING The Contractor shall provide op by qualified staff for City of Win be conducted in separate sessi Each session shall be approxim provide adequate familiarization satisfaction of the Contract Adn conducted in Winnipeg at a local Contract Administrator. State if other training aids (vide)	Derational and maintenance training nipeg personnel. The training shall ons for each group of personnel. Inately ½ day in duration and shall on and orientation on the unit, to the ninistrator. The training shall be ation to be designated by the	

15.5	Please state- the manufactures nature of the equipment.	s recommended training time for the		
16.0	WARRANTY-			
16.1	complete equipment, and all pa workmanship, construction and than (2) two years unlimited h to bumper". Any article that ha warranty period and has not pro on the part of the user shall be	ion Packer Roller shall cover the rts thereof against any defects of a materials, for a period of not less cours on the entire unit "bumper as become defective during said oven to have been caused by negligence repaired or replaced at no cost to the City. from the date the equipment is put into	_	
17.0	DELIVERY-			
17.1	<u>DELIVERY POINT</u> - The Combinant delivered F.O.B. with the from to the WFMA 185 Tecumseh St		eady for o	operation
17.2		(8) calendar weeks from the date of offici . Equipment shall be delivered between ess Days.	ial -	
17.3	DELIVERY CONTACT - The Coprior to delivery of the equipmen	ontractor shall contact the Contract Adminis	strator -	
17.4		shall be performed by the Contractor on the tion including completed check list	ne -	
18.0	<u>SPECIFICATIONS</u> - (15,000 LB 08030)	S. COMBINATION ROLLER -DETAILED	SPECIFI	CATIONS
19.0	OPERATING WEIGHT/SPEED	-		
19.1	Operating weight-	Minimum 15,000 lbs.		
19.2	Drum mass-	State-		
19.3	Speed Range-	State-		
20.0	TYPE-			
20.1	Combination Roller-	Front Drum, (4) Rear Pneumatic tires		
20.2	Drum Vibration-	Required lever operated		
21.0	ENGINE-			
21.1	Diesel Engine-	Diesel engine, must meet current emissic Requirements, state make & model	on	
21.2	Engine HP-	60 hp, state-		

22.0	WATER TANK/CONTROLS-		
22.1	Water Tank-	Corrosion free water tank with strainer	
22.2	Water Control-	Automatic Water Control (AWC)	
22.3	Filters-	Required for Sprinkler System & Sprinkler Nozzles.	
22.4	Sprinkler Timer-	Required	
22.5	Water Tank Covers	Lockable water tank covers	
23.0	SCRAPERS-		
23.1	Scrapers-	Drum Scrapers requires, state type-	
24.0	SAFETY-		
24.1	Parking/ Brake Emergency	Required	
24.2	Brake Release-	Required for towing	
24.3	Emergency Stop-	Required	
24.4	Safety Horn-	Required	
24.5	(SMV) Sign-	Slow Moving Vehicle Sign required	
24.6	ROPS-	Foldable Roll Over Protection System With seatbelt	
24.7	Lights-	Warning light brakes, Driving Lights Front & Rear, Front & Rear Working Lights, side directional light, Rotating Beacon, state location-	
24.8	Mirrors-	Rear view mirrors required	
24.9	Back-up Alarm-	Required	
24.10	First Aid Kit/ Fire Extinguisher	Required, located as per manufacture Requirements	
24.11	Noise (dba) Level	Noise reduction provisions	
25.0	GAUGES-		
25.1	Gauges/ Warning Lights-	Hour-meter, Fuel gauge, warning light Brakes, warning light charging, warning Light engine temperature, Hydraulic oil Temperature, Engine temperature, volt Meter, Tachometer	

26.0	FUEL TANK-		
26.1	Fuel Tank Capacity	120 litres	
27.0	BATTERIES-		
27.1	Batteries-	Heavy duty, state battery CCA-	
28.0	CANOPY		
28.1	Canopy-	Air filtering system, Fan, fresh air (3-speed), Interior light, Noise reduction External/internal Rear view mirrors, Safety belt, Safety glass, tinted, Side windows, open-able, Sunscreen, front Heater, Wiper with washer, front/rea Working lights, front/rear, Automatic Clim Control (ACC), Radio/ CD-player, Roof Rotating beacon, Tachograph for distant velocity etc.	nate hatch
29.0	DRIVER SEAT-		
29.1	Seat-	Deluxe seat with dual armrests, adjustable, slide-able	
30.0	MISCELLANEOUS-		
30.1	Plate Holder-	Registration plate holder with light	
30.2	Tool Box-	State location-	
30.3	Hydraulic Oil	Biological degradable hydraulic oil	
30.4	Floor Mat-	Driver Floor Mat	
30.5	Towing-	Towing eyelet required	
31.0	TRAINING		
31.1	by qualified staff for City of Windberg conducted in separate session shall be approximate provide adequate familiarization	nerational and maintenance training nipeg personnel. The training shall ons for each group of personnel. Nately ½ day in duration and shall on and orientation on the unit, to the ninistrator. The training shall be ation to be designated by the	
31.2	State if other training aids (vide	os, CDs) are available.	
31.3	One (1) Set of Technical Parts,	Service & Operator Manual is required	
31.4	Please state- the manufactures nature of the equipment.	s recommended training time for the	

33.3

33.4

32.0	۷	۷	Δ	١F	R	₹.	ΑI	V	T'	Υ-

8:00 am and 3:00 pm on Business Days.

prior to delivery of the equipment.

32.1 The warranty for the Combination Packer Roller shall cover the complete equipment, and all parts thereof against any defects of workmanship, construction and materials, for a period of not less than (2) two years unlimited hours on the entire unit "bumper to bumper". Any article that has become defective during said warranty period and has not proven to have been caused by negligence on the part of the user shall be repaired or replaced at no cost to the City. The warranty shall be effective from the date the equipment is put into service by the City of Winnipeg. 33.0 **DELIVERY-**33.1 **<u>DELIVERY POINT-</u>** The **Combination Packer Roller** shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice to the WFMA 185 Tecumseh Street, Winnipeg MB. 33.2 **DELIVERY TIME-** Within **eight (8) calendar weeks** from the date of official notification of award of contract. Equipment shall be delivered between

DELIVERY CONTACT- The Contractor shall contact the Contract Administrator

P.D.I- A pre-delivery inspection shall be performed by the Contractor on the

equipment. Proof upon inspection including completed check list