FORM A: BID (See B7)

1.	Contract Title		ty of Winnipeg 2008 Local Stree essie Avenue and Yale Avenue enue	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby authors the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		ers to perform the Work in account of the second of the se	

5.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

11.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK					
Α	JESSIE AVENUE RECONSTRUCTION (GUE STREET)	LPH STREET T	O HARF	<u>ROW</u>		
	EARTH AND BASE WORKS					
4 .1	Excavation	CW 3110-R10	m³	400		
4 .2	Sub-Grade Compaction	CW 3110-R10	m²	1390		
A .3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	650		
A. 4	Supplying and Placing Base Course Material	CW 3110-R10, E12	m³	110		
A .5	Grading of Boulevards	CW 3110-R10	m²	810		
A .6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1390		
	ROADWORKS - RENEWALS					
A .7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	1350		
A. 8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
k	5 sq.m. to 20 sq.m.		m²	60		
	ROADWORKS - NEW CONSTRUCTION					
۸.9	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R12				
	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1350		
i	i) Construction of Barrier (180mm ht, Separate)	SD-203A	m	290		
ii	i) Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	45		
iv	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.10	Catch Basin	CW 2130-R11				
i)	SD-024		each	2		
A.11	Drainage Connection Pipe	CW 2130-R11	m	7		
A.12	Removal of Existing Catch Basins	CW 2130-R11	each	2		
A.13	Installation of Subdrains	CW 3120-R2	m	24		
	ADJUSTMENTS					
A.14	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
	LANDSCAPING					
A.15	Sodding	CW 3510-R9				
i)	width < 600mm		m²	55		
ii)	width > or = 600mm		m²	80		
	MISCELLANEOUS					
A.16	Plugging Existing Sewers and Sewer Services Smaller Than 300 Millimetres	CW 2130-R11	each	2		
A.17	Geogrid	E13	m²	700		
A.18	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm PVC connecting pipe					
a)	Connecting to 900mm x 1200mm Concrete Sewer	E16	each	2		
Α	JESSIE AVENUE RECONSTRUCTION (GUE STREET)	LPH STREET T	O HARF	<u>ROW</u>	Subtotal:	

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	YALE AVENUE RECONSTRUCTION (WILTO	N STREET TO	<u>GUELPI</u>	H STREET)		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R10	m³	560		
B.2	Supplying and Placing Base Course Material	CW 3110-R10, E12	m³	120		
B.3	Grading of Boulevards	CW 3110-R10	m²	760		
B.4	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1490		
	ROADWORKS - RENEWALS					
B.5	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	1395		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	10		
	b) 5 sq.m. to 20 sq.m.		m²	60		
	ROADWORKS - NEW CONSTRUCTION					
B.7	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R12				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	1395		
	ii) Construction of Barrier (180mm ht, Separate)	SD-203A	m	280		
	iii) Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	60		
i	iv) Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	16		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.8	Catch Basin	CW 2130-R11				
i)	SD-024		each	4		
B.9	Drainage Connection Pipe	CW 2130-R11	m	24		
B.10	Connecting to Existing Sewer	CW 2130-R11				
ij	250mm PVC connecting pipe					
b)	Connecting to 375mm Concrete Sewer		each	4		
B.11	Removal of Existing Catch Basins	CW 2130-R11	each	8		
B.12	Installation of Subdrains	CW 3120-R2	m	204		
	ADJUSTMENTS					
B.13	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
	LANDSCAPING					
B.14	Sodding	CW 3510-R9				
i)	width < 600mm		m²	55		
ii)	width > or = 600mm		m²	700		
	MISCELLANEOUS					
B.15	Crushed Sub-base Material	CW 3110-R10				
i)	100 mm	E17	tonne	1030		
B.16	Geogrid	E13	m²	1490		
В	YALE AVENUE RECONSTRUCTION (WILTO	ON STREET TO	GUELPI	H STREET)	Subtotal:	

FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	ROSEDALE AVENUE (NASSAU STREET TO	O OSBORNE ST	REET)			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m³	710		
C.2	Sub-Grade Compaction	CW 3110-R10	m²	2555		
C.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	1180		
C.4	Supplying and Placing Base Course Material	CW 3110-R10, E12	m³	200		
C.5	Grading of Boulevards	CW 3110-R10	m²	1660		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	2555		
	ROADWORKS - RENEWALS					
C.7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	2270		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	48		
	ROADWORKS - NEW CONSTRUCTION					
C.9	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R12				
	Construction of 150 mm Concrete Pavement (Reinforced)		m²	2270		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii)	Construction of Barrier (180mm ht, Separate)	SD-203A	m	520		
	iii)	Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	60		
	iv)	Construction of Curb Ramp (10mm ht, Integral)	SD-229C	m	16		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.10		Catch Basin	CW 2130-R11				
	i)	SD-024		each	4		
C.11		Drainage Connection Pipe	CW 2130-R11	m	33		
C.12		Removal of Existing Catch Basins	CW 2130-R11	each	4		
C.13		Installation of Subdrains	CW 3120-R2	m	48		
		ADJUSTMENTS					
C.14		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5		
C.15		Lifter Rings	CW 3210-R7				
	i)	38mm		each	5		
		LANDSCAPING					
C.16		Sodding	CW 3510-R9				
	i)	width < 600mm		m²	60		
	ii)	width > or = 600mm		m²	1600		
		MISCELLANEOUS					
C.17		Geogrid	E13	m²	900		
C.18		Connecting to Existing Sewer	CW 2130-R11				
	i)	250mm PVC connecting pipe					
	a)	Connecting to 1350mm Concrete Sewer	E15	each	4		
С		ROSEDALE AVENUE (NASSAU STREET TO	O OSBORNE ST	REET)		Subtotal:	

JNII PRIO ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 2	PROVINCIALLY FUNDED WORK (S	See D2)				
D	RUE ST.PIERRE MAJOR REHABILITATION AVENUE DU COUVENT)	(AVENUE ST.T.	HERESE	<u> TO</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R10	m³	60		
0.2	Supplying and Placing Base Course Material	CW 3110-R10, E12	m³	100		
0.3	Grading of Boulevards	CW 3110-R10	m²	1080		
	ROADWORKS - RENEWALS					
0.4	Pavement Removal	CW 3110-R10				
i)	Asphalt Pavement		m²	2100		
0.5	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type D)		m²	100		
0.6	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Type D)		m²	25		
).7	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	55		
0.8	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (180mm ht, Dowelled)	SD-205,				
a)	3 m to 30 m	SD-206A	m	35		
ii)	Curb and Gutter (180mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				

ITE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	a)	Greater than 30 m		m	460		
	iii)	Curb and Gutter (180mm ht, Modified Barrier, Integral, - 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B				
	a)	3 m to 30 m		m	95		
		Curb and Gutter (10mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
	a)	Less than 3 m		m	14		
	b)	3 m to 30 m		m	40		
D.9		Regrading Existing Interlocking Paving Stones	CW 3330-R4	m²	10		
D.10		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	565		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	90		
		JOINT AND CRACK SEALING					
D.11		Reflective Crack Maintenance	CW 3250-R6	m	300		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.12		Catch Pit	CW 2130-R11				
	i)	SD-023		each	4		
D.13		Remove and Replace Existing Catch Basin	CW 2130-R11				
	i)	SD-025		each	2		
D.14		Drainage Connection Pipe	CW 2130-R11	m	16		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.15		Replacing Standard Frames & Covers	CW 2130-R11		<u> </u>		
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	4		
	iii)	AP-011 - Mountable Curb and Gutter Inlet		each	1		
D.16		Connecting to Existing Catch Basin	CW 2130-R11				
	i)	250mm Drainage Connection Pipe		each	4		
D.17		Abandoning Existing Drainage Inlets	CW 2130-R11	each	4		
D.18		Installation of Subdrains	CW 3120-R2	m	24		
		ADJUSTMENTS					
D.19		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
D.20		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	1		
D.21		Lifter Rings	CW 3210-R7				
	i)	38mm		each	1		
D.22		Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	2		
		LANDSCAPING					
D.23		Sodding	CW 3510-R9				
	i)	width < 600mm		m²	80		
	ii)	width > or = 600mm		m²	1000		
D.24		Seeding	CW 3520-R7	m²	20		
D		RUE ST.PIERRE MAJOR REHABILITATION AVENUE DU COUVENT)	(AVENUE ST.T	HERESE	<u>TO</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	BALMORAL AVENUE MAJOR REHABILITA ELLICE AVENUE)	UE TO				
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R10, E12	m³	20		
	ROADWORKS - RENEWALS					
E.2	Slab Replacement	CW 3230-R6				
i) 200 mm Concrete Pavement (Reinforced)		m²	210		
E.3	Partial Slab Patches	CW 3230-R6				
i) 200 mm Concrete Pavement (Type A)		m²	10		
ii) 200 mm Concrete Pavement (Type B)		m²	140		
iii) 200 mm Concrete Pavement (Type C)		m²	10		
iv) 200 mm Concrete Pavement (Type D)		m²	140		
E.4	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i) 200 mm Concrete Pavement (Reinforced)		m²	140		
E.5	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i) 200 mm Concrete Pavement (Type A)		m²	5		
ii) 200 mm Concrete Pavement (Type B)		m²	10		
iii) 200 mm Concrete Pavement (Type C)		m²	5		
iv) 200 mm Concrete Pavement (Type D)		m²	10		

ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.6		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	450		
E.7		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	360		
≣.8		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	20		
	b)	5 sq.m. to 20 sq.m.		m²	50		
	c)	Greater than 20 sq.m.		m²	20		
≣.9		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (180mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	35		
	b)	3 m to 30 m		m	115		
	c)	Greater than 30 m		m	30		
	ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	10		
	iii)	Curb Ramp (10mm ht, Monolithic)	SD-229C,D	m	20		
E.10		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	415		
	ii)	Tie-ins and Approaches					
	a)	Type II		tonne	25		
E.11		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	30		
		JOINT AND CRACK SEALING					
.12		Reflective Crack Maintenance	CW 3250-R6	m	700		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.13		Catch Basin	CW 2130-R11				
	i)	SD-024		each	3		
E.14		Remove and Replace Existing Catch Basin	CW 2130-R11				
	i)	SD-024		each	3		
E.15		Drainage Connection Pipe	CW 2130-R11	m	10		
E.16		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	,	AP-005 - Standard Solid Cover for Standard Frame		each	2		
		AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
		ADJUSTMENTS					
E.17		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
E.18		Lifter Rings	CW 3210-R7				
	i)	38mm		each	1		
	ii)	51mm		each	6		
	iii)	64mm		each	1		
	iv)	76mm		each	1		
E.19		Adjustment of Valve Boxes	CW 3210-R7	each	1		
E.20		Valve Box Extensions	CW 3210-R7	each	3		
E.21		Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
E		BALMORAL AVENUE MAJOR REHABILITA ELLICE AVENUE)	TION (PORTAG	E AVEN	<u>IUE TO</u>	Subtotal:	

The City of Winnipeg Bid Opportunity 291-2008

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	SUMMARY						
PART 1	PART 1 CITY FUNDED WORK						
Α	JESSIE AVENUE RECONSTRUCTION (GUELPH STREET TO HARROW STREET) Subtotal:						
В	YALE AVENUE RECONSTRUCTION (WILTON STREET TO GUELPH STREET) Subtotal:						
С	ROSEDALE AVENUE (NASSAU STREET TO OSBORNE STREET)				Subtotal:		
(total price) PART 1							
PART 2	PROVINCIALLY FUNDED WORK (S						
D	RUE ST.PIERRE MAJOR REHABILITATION DU COUVENT)				Subtotal:		
E	BALMORAL AVENUE MAJOR REHABILITA ELLICE AVENUE)	TION (PORTAG	E AVEN	<u>UE TO</u>	Subtotal:		
	(total price) PART 2						
TOTAL BID PRICE (GST extra) (in figures)							
(in words)							

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS 1	HAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum t administrators, successors and assigns, join	cent (10%) of the Total Bid Price set on the Principal and Surety bind themselves	ut in the Bid hereinafter s, their heirs, executors,
WHEREAS the Principal has submitted a B	d to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 291-2008		
Province of Manitoba/City of Winnipeg 2008 Avenue and Yale Avenue, Part 2 – Rue St. as more fully set out in the Bid Opportunity.		ale Avenue, Jessie
NOW THEREFORE the condition of this obif said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be void.	accordance with the terms of the Bid, en performance security for guaranteeing but otherwise shall remain in full force a	ters into a Contract with the faithful performance nd effect.
IN WITNESS WHEREOF the Principal and		the .
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness)	Per:	
	(Name of Surety)	(Seal)

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 291-2008 Province of Manitoba/City of Winnipeg 2008 Local Street Renewals, Part 1 - Rosedale Avenue, Jessie Avenue and Yale Avenue, Part 2 - Rue St. Pierre and Balmoral Avenue in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______, (Name of Surety) (Seal) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 291-2008
Province of Manitoba/City of Winnipeg 2008 Local Street Renewals, Part 1 – Rosedale Avenue, Jessie Avenue and Yale Avenue, Part 2 – Rue St. Pierre and Balmoral Avenue
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writte demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make suc demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upo it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it b made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 24, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)