FORM A: BID (See B7)

1.	Contract Title	2008 Alley Renewal Program -	North Area Contract 1	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the E		represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the General		meanings
5.	Offer	The Bidder hereby offers to p Contract for the Total Bid Price Prices, appended hereto.		

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEN	PRICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	SELKIRK AVENUE / PRITCHARD AVENUE	REF.	NDREM	QUANTITY /S STREET		
Α	TO POWER STREET					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m³	540		
A.2	Sub-Grade Compaction	CW 3110-R10	m²	1015		
A.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	700		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E11	m³	80		
A.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1215		
A.6	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	75		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	1000		
A.8	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	5		
A.9	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	45		
A.10	Partial Slab Patches	CW 3230-R6				
	i) 200 mm Concrete Pavement (Type D)		m²	50		
A.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	18		
A.12	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205,				
	a) 3 m to 30 m	SD-206A	m	29		
	ii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	8		

	~EQ	(SEE B9)				
UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.	U.I.I	QUANTITY	on in the	
	ROADWORK - NEW CONSTRUCTION					
A.13	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	1015		
A.14	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.15	Installation of Subdrains	CW 3120-R2	m	24		
	ADJUSTMENTS					
A.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
A.17	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
	LANDSCAPING					
A.18	Seeding	CW 3520-R7	m²	45		
	MISCELLANEOUS					
A.19	Geogrid	CW 3520-R7	m²	100		
A.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12, E13				
i)	Construction of 150 mm Concrete Pavement (Plain)		m²	110		
Α	<u>SELKIRK AVENUE / PRITCHARD AVENUE</u> TO POWER STREET	ALLEY FROM A	NDREW	<u>/S STREET</u>	Subtotal:	

ITEN	N	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		BOYD AVENUE / COLLEGE AVENUE ALLE	REF.		QUANTITY		
В		STREET			ANLLS		
		EARTH AND BASE WORKS					
B.1		Excavation	CW 3110-R10	m³	510		
B.2		Sub-Grade Compaction	CW 3110-R10	m²	930		
B.3		Crushed Sub-base Material	CW 3110-R10				
	i)	50 mm - Limestone		tonne	640		
B.4		Supplying and Placing Base Course Material	CW 3110-R10, E11	m³	70		
B.5		Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1110		
B.6		Surfacing Material	CW 3150-R4				
	i)	Limestone		tonne	5		
		ROADWORK - REMOVALS/RENEWALS					
B.7		Pavement Removal	CW 3110-R10				
	i)	Asphalt Pavement		m²	800		
B.8		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	5		
B.9		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	50		
B.10		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	6		
	b)	5 sq.m. to 20 sq.m.		m²	12		
B.11		Adjustment of Precast Sidewalk Blocks	CW 3235-R6	m²	5		
B.12		Concrete Curb Removal	CW 3240-R7				
	i)	Curb and Gutter		m	365		
B.13		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (180mm ht, Dowelled)	SD-205, SD-206A				

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ä	a) 3 m to 30 m		m	30		
i	ii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	8		
	ROADWORK - NEW CONSTRUCTION					
3.14	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i) Construction of 150 mm Concrete Pavement (Reinforced)		m²	930		
B.15	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i) Tie-ins and Approaches					
ć	a) Type IA		tonne	5		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.16	Installation of Subdrains	CW 3120-R2	m	12		
	ADJUSTMENTS					
3.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
	LANDSCAPING					
3.18	Seeding	CW 3520-R7	m²	200		
	MISCELLANEOUS					
3.19	Geogrid	CW 3520-R7	m²	200		
B.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12, E13				
	i) Construction of 150 mm Concrete Pavement (Plain)		M2	210		
В	BOYD AVENUE / COLLEGE AVENUE ALLE	Y FROM AIKIN	s то сн	ARLES	Subtotal:	

UNIT PR					<u>.</u>	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	INKSTER BOULEVARD SOUTH ALLEY FR		R STREE			
Ŭ	ANDREWS STREET	1	1			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m³	530		
C.2	Sub-Grade Compaction	CW 3110-R10	m²	950		
C.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	660		
C.4	Supplying and Placing Base Course Material	CW 3110-R10, E11	m³	75		
C.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	1140		
C.6	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	15		
	ROADWORK - REMOVALS/RENEWALS					
C.7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	950		
C.8	Partial Slab Patches	CW 3230-R6				
	i) 200 mm Concrete Pavement (Type B)		m²	6		
C.9	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	5		
C.10	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	50		
C.11	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
:	a) 5 sq.m. to 20 sq.m.		m²	30		
I	b) Greater than 20 sq.m.		m²	30		
C.12	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205,				
;	a) 3 m to 30 m	SD-206A	m	35		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Curb Ramp (10mm ht, Integral)	SD-229C,D	m	8		
	ROADWORK - NEW CONSTRUCTION					
C.13	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	950		
C.14	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	45		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.15	Installation of Subdrains	CW 3120-R2	m	24		
	ADJUSTMENTS					
C.16	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
C.17	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R7	each	1		
C.18	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	1		
	LANDSCAPING					
C.19	Seeding	CW 3520-R7	m²	200		
	MISCELLANEOUS					
C.20	Geogrid	CW 3520-R7	m²	200		
C.21	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12, E13				
i)	Construction of 150 mm Concrete Pavement (Plain)		m²	140		
с	INKSTER BOULEVARD SOUTH ALLEY FR ANDREWS STREET	OM MCGREGOR	R STREE	<u>T TO</u>	Subtotal:	

ITEM	RICES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
ΠΕΜ	DESCRIPTION	REF.		QUANTITY	UNIT PRICE	AWOUNT
D	MAIN STREET EAST ALLEY FROM INKST	ER BOULEVARD	D TO LAI			
	<u>AVENUE</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R10	m³	280		
D.2	Sub-Grade Compaction	CW 3110-R10	m²	510		
D.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	355		
D.4	Supplying and Placing Base Course Material	CW 3110-R10, E11	m³	40		
D.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	610		
D.6	Surfacing Material	CW 3150-R4				
	i) Limestone		tonne	12		
	ROADWORK - REMOVALS/RENEWALS					
D.7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m²	510		
D.8	Drilled Dowels	CW 3230-R6				
	i) 19.1 mm Diameter		each	5		
D.9	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	50		
D.10	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m²	8		
	b) 5 sq.m. to 20 sq.m.		m²	12		
D.11	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205,				
	a) 3 m to 30 m	SD-206A	m	30		
	ii) Curb and Gutter (180mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
	a) 3 m to 30 m		m	8		

UNIT P	RIC	ES	(SEE B9)				
ITEM	Λ	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	iii)	Curb Ramp (10mm ht, Integral)	REF. SD-229C,D	m	QUANTITY 8		
		ROADWORK - NEW CONSTRUCTION					
D.12		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
	i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	510		
D.13		Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i)	Tie-ins and Approaches					
	a)	Туре ІА		tonne	55		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.14		Installation of Subdrains	CW 3120-R2	m	6		
		ADJUSTMENTS					
D.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
		LANDSCAPING					
D.16		Seeding	CW 3520-R7	m²	75		
		MISCELLANEOUS					
D.17		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12, E13				
	i)	Construction of 150 mm Concrete Pavement (Plain)		m²	12		
D		MAIN STREET EAST ALLEY FROM INKSTE AVENUE	ER BOULEVARI	D TO LAI	NSDOWNE	Subtotal:	

		(SEE B9)				
UNIT PRIC ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	SELKIRK AVENUE / PRITCHARD AVENUE / TO POWER STREET	ALLEY FROM A	ANDREW	<u>IS STREET</u>	Subtotal:	
В	BOYD AVENUE / COLLEGE AVENUE ALLE STREET	Y FROM AIKIN	S TO CH	ARLES	Subtotal:	
С	INKSTER BOULEVARD SOUTH ALLEY FRO ANDREWS STREET		R STREE	<u>T TO</u>	Subtotal:	
D	MAIN STREET EAST ALLEY FROM INKSTE AVENUE	R BOULEVARI	D TO LAN	NSDOWNE	Subtotal:	
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of ______ , 20_____ , 20_____ for

BID OPPORTUNITY NO. 354-2008

2008 Alley Renewal Program - North Area Contract 1

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness)	Per: Per:	
	(Name of Surety) By:	(Seal)

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

BID OPPORTUNITY NO. 354-2008

2008 Alley Renewal Program – North Area Contract 1

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 354-2008

2008 Alley Renewal Program – North Area Contract 1

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 13, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)