

FORM A: BID
(See B7)

1. Contract Title
McGILLIVRAY BOULEVARD 120 m WEST OF KENASTON
BOULEVARD TO WAVERLEY STREET, WIDENING AND
REHABILITATION

2. Bidder

Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent
the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings
ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the
Contract for the Total Bid Price, in Canadian funds, set out on Form B:
Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

| No. | | Dated | |
|-------|--|-------|-------|
| _____ | | _____ | _____ |
| _____ | | _____ | _____ |
| _____ | | _____ | _____ |

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------------------|---|------------------|----------------|------------------|------------|--------|
| A ROADWORKS | | | | | | |
| EARTH AND BASE WORKS | | | | | | |
| A.1 | Clearing and Grubbing | CW 3010-R4 | ha | 0.100 | | |
| A.2 | Sub-Grade Compaction | CW 3110-R10 | m ² | 35,600 | | |
| A.3 | Crushed Sub-base Material | CW 3110-R10 | | | | |
| | i) 50 mm - Limestone | | tonne | 17,500 | | |
| | ii) 150 mm - Limestone | | tonne | 49,000 | | |
| A.4 | Supplying and Placing Base Course Material | CW 3110-R10, E10 | m ³ | 4,500 | | |
| A.5 | Grading of Boulevards | CW 3110-R10 | m ² | 3,000 | | |
| A.6 | Ditch Grading | CW 3110-R10 | m ² | 12,000 | | |
| A.7 | Removal of Existing Concrete Bases | CW 3110-R10 | | | | |
| | i) 600mm Diameter or Less | | each | 25 | | |
| | ii) Greater than 600 mm Diameter | | each | 2 | | |
| A.8 | Separation/Reinforcement Geotextile Fabric | CW 3130-R1 | m ² | 35,600 | | |
| A.9 | Topsoil Excavation | CW 3170-R3 | m ³ | 700 | | |
| A.10 | Common Excavation- Suitable Site Material | CW 3170-R3 | m ³ | 17,600 | | |
| A.11 | Common Excavation- Unsuitable Site Material | CW 3170-R3 | m ³ | 7,800 | | |
| A.12 | Fill Material | CW 3170-R3 | | | | |
| | i) Placing Suitable Site Material | | m ³ | 16,000 | | |
| ROADWORK - REMOVALS/RENEWALS | | | | | | |
| A.13 | Pavement Removal | CW 3110-R10 | | | | |
| | i) Concrete Pavement | | m ² | 3,750 | | |
| | ii) Asphalt Pavement | | m ² | 11,200 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|------------|----------------|------------------|------------|--------|
| A.14 | Slab Replacement | CW 3230-R6 | | | | |
| | i) 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 20 | | |
| | ii) 200 mm Concrete Pavement (Reinforced) | | m ² | 80 | | |
| A.15 | Partial Slab Patches | CW 3230-R6 | | | | |
| | i) 200 mm Concrete Pavement (Type A) | | m ² | 40 | | |
| | ii) 200 mm Concrete Pavement (Type B) | | m ² | 800 | | |
| | iii) 200 mm Concrete Pavement (Type C) | | m ² | 20 | | |
| | iv) 200 mm Concrete Pavement (Type D) | | m ² | 80 | | |
| A.16 | Slab Replacement - Early Opening (24 hour) | CW 3230-R6 | | | | |
| | i) 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 20 | | |
| | ii) 200 mm Concrete Pavement (Reinforced) | | m ² | 20 | | |
| A.17 | Partial Slab Patches - Early Opening (24 hour) | CW 3230-R6 | | | | |
| | i) 230 mm Concrete Pavement (Type A) | | m ² | 5 | | |
| | ii) 230 mm Concrete Pavement (Type B) | | m ² | 10 | | |
| | iii) 230 mm Concrete Pavement (Type C) | | m ² | 10 | | |
| | iv) 230 mm Concrete Pavement (Type D) | | m ² | 10 | | |
| | v) 200 mm Concrete Pavement (Type A) | | m ² | 10 | | |
| | vi) 200 mm Concrete Pavement (Type B) | | m ² | 50 | | |
| | vii) 200 mm Concrete Pavement (Type C) | | m ² | 10 | | |
| | viii) 200 mm Concrete Pavement (Type D) | | m ² | 10 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|------------|----------------|------------------|------------|--------|
| A.18 | Partial Slab Patches - Early Opening (72 hour) | CW 3230-R6 | | | | |
| | i) 230 mm Concrete Pavement (Type A) | | m ² | 15 | | |
| | ii) 230 mm Concrete Pavement (Type B) | | m ² | 30 | | |
| | iii) 230 mm Concrete Pavement (Type C) | | m ² | 10 | | |
| | iv) 230 mm Concrete Pavement (Type D) | | m ² | 10 | | |
| | v) 200 mm Concrete Pavement (Type A) | | m ² | 20 | | |
| | vi) 200 mm Concrete Pavement (Type B) | | m ² | 400 | | |
| | vii) 200 mm Concrete Pavement (Type C) | | m ² | 10 | | |
| | viii) 200 mm Concrete Pavement (Type D) | | m ² | 30 | | |
| A.19 | Drilled Dowels | CW 3230-R6 | | | | |
| | i) 19.1 mm Diameter | | each | 1,600 | | |
| | ii) 28.6 mm Diameter | | each | 200 | | |
| A.20 | Drilled Tie Bars | CW 3230-R6 | | | | |
| | i) 20 M Deformed Tie Bar | | each | 3,900 | | |
| | ii) 25 M Deformed Tie Bar | | each | 1,800 | | |
| A.21 | Miscellaneous Concrete Slab Removal | CW 3235-R6 | | | | |
| | i) Median Slab | | m ² | 840 | | |
| | ii) Monolithic Median Slab | | m ² | 730 | | |
| | iii) Sidewalk | | m ² | 185 | | |
| | iv) Bullnose | | m ² | 35 | | |

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|--------------------|----------------|------------------|------------|--------|
| A.22 | Miscellaneous Concrete Slab Renewal | CW 3235-R6 | | | | |
| | i) Median Slab | SD-227A | m ² | 30 | | |
| | ii) Monolithic Median Slab | SD-226A | m ² | 25 | | |
| | iii) Sidewalk | SD-228A | | | | |
| | a) Less than 5 sq.m. | | m ² | 15 | | |
| | b) 5 sq.m. to 20 sq.m. | | m ² | 30 | | |
| | iv) Bullnose | SD-227C | m ² | 10 | | |
| A.23 | Concrete Curb Removal | CW 3240-R7 | | | | |
| | i) Barrier- Separate | | m | 1,980 | | |
| | ii) Curb and Gutter | | m | 825 | | |
| | iii) Curb Ramp | | m | 50 | | |
| | iv) Splash Curb- Monolithic | | m | 190 | | |
| A.24 | Concrete Curb Renewal | CW 3240-R7 | | | | |
| | i) Barrier (180mm ht, Dowelled) | SD-205, SD-206A | | | | |
| | a) Less than 3 m | | m | 15 | | |
| | b) 3 m to 30 m | | m | 25 | | |
| | ii) Modified Barrier (180mm ht, Dowelled) | SD-203B | m | 30 | | |
| | iii) Curb Ramp (10mm ht, Integral) | SD-229C,D | m | 20 | | |
| A.25 | Construction of Asphaltic Concrete Overlay | CW 3410-R7 | | | | |
| | i) Main Line Paving | | | | | |
| | a) Type IA | | tonne | 4,100 | | |
| | ii) Tie-ins and Approaches | | | | | |
| | a) Type IA | | tonne | 180 | | |

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------------------------------------|--|------------------|----------------|------------------|------------|--------|
| A.26 | Construction of Asphaltic Concrete Base Course (Type III) | CW 3410-R7 | tonne | 2,360 | | |
| A.27 | Planing of Pavement | CW 3450-R5 | | | | |
| | i) 0 - 50 mm Depth (Asphalt) | | m ² | 8,500 | | |
| | ii) 50 - 100 mm Depth (Asphalt) | | m ² | 2,900 | | |
| | iii) 0 - 50 mm Depth (Concrete) | | m ² | 80 | | |
| ROADWORK - NEW CONSTRUCTION | | | | | | |
| A.28 | Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians | CW 3310-R12, E16 | | | | |
| | i) Construction of 250 mm Concrete Pavement (Plain-Dowelled Slip Form Paving) | | m ² | 14,800 | | |
| | ii) Construction of 250 mm Concrete Pavement (Plain-Dowelled) | | m ² | 4,470 | | |
| | iii) Construction of 230 mm Concrete Pavement (Plain-Dowelled, Slip Form Paving) | | m ² | 450 | | |
| | iv) Construction of 230 mm Concrete Pavement (Plain-Dowelled) | | m ² | 4,080 | | |
| | v) Construction of 200 mm Concrete Pavement (Reinforced) | | m ² | 170 | | |
| | vi) Construction of Concrete Median Slabs | SD-227A | m ² | 60 | | |
| | vii) Construction of Monolithic Concrete Median Slabs | SD-226A | m ² | 300 | | |
| | viii) Construction of Monolithic Concrete Bull-noses | SD-227C | m ² | 45 | | |
| A.29 | Concrete Pavements - Early Opening | CW 3310-R12, E16 | | | | |
| | i) Construction of 250 mm Concrete Pavement for Early Opening - 72 hour (Plain-Dowelled) | | m ² | 2,500 | | |
| | ii) Construction of 250 mm Concrete Pavement for Early Opening - 24 hour (Plain-Dowelled) | | m ² | 300 | | |
| | iii) Construction of 230 mm Concrete Pavement for Early Opening - 72 hour (Plain-Dowelled) | | m ² | 1,500 | | |
| | iv) Construction of 230 mm Concrete Pavement for Early Opening - 24 hour (Plain-Dowelled) | | m ² | 250 | | |
| | v) Construction of 200 mm Concrete Pavement for Early Opening - 72 hour (Reinforced) | | m ² | 100 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|------------------|----------------|------------------|------------|--------|
| A.30 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R12 | | | | |
| | i) Construction of Barrier (180mm ht, Dowelled) | SD-205 | m | 60 | | |
| | ii) Construction of Barrier (150 mm ht, Separate) | SD-203A | m | 70 | | |
| | iii) Construction of Barrier (180 mm ht, Separate) | SD-203A | m | 200 | | |
| | iv) Construction of Curb Ramp (10mm ht, Integral) | SD-229C | m | 215 | | |
| | v) Splash Strip (150mm ht, Monolithic Barrier Curb, 750mm width, Dowelled) | SD-223A | m | 70 | | |
| | vi) Splash Strip (150mm ht, Monolithic Barrier Curb, Slip Form Paving, 750mm width, Dowelled) | SD-223A | m | 800 | | |
| | vii) Splash Strip (150mm ht, Monolithic Barrier Curb, Slip Form Paving, 750mm width, Separate) | | m | 1,540 | | |
| | viii) Splash Strip (180mm ht, Monolithic Barrier Curb, 750mm width, Dowelled) | SD-223A | m | 30 | | |
| | ix) Splash Strip (180mm ht, Monolithic Barrier Curb, Slip Form Paving, 750mm width, Dowelled) | SD-223A | m | 120 | | |
| | x) Splash Strip (180mm ht, Monolithic Barrier Curb, Slip Form Paving, 750mm width, Separate) | | m | 2,100 | | |
| | xi) Splash Strip (180mm ht, Monolithic Modified Barrier Curb, 750mm width, Dowelled) | SD-223A | m | 80 | | |
| | xii) Splash Strip (180mm ht, Monolithic Modified Barrier Curb, 750mm width, Separate) | | m | 100 | | |
| A.31 | Supply and Installation of Dowel Assemblies | CW 3310-R12, E16 | | | | |
| | i) 28.6 mm Diameter Dowels | | m | 1,300 | | |
| | ii) 31.8 mm Diameter Dowels | | m | 4,320 | | |
| | iii) 31.8 mm Diameter Dowels (6:1 skew) | | m | 200 | | |
| A.32 | 100 mm Concrete Sidewalk | CW 3325-R2 | m ² | 960 | | |
| A.33 | Interlocking Paving Stones | CW 3330-R4, E17 | m ² | 660 | | |
| A.34 | Lean Concrete Base | CW 3335-R3 | m ² | 660 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|----------------|------------------|------------|--------|
| A.35 | Construction of Asphaltic Concrete Pavements | CW 3410-R7 | | | | |
| | i) Main Line Paving | | | | | |
| | a) Type IA | | tonne | 1,700 | | |
| | ii) Tie-ins and Approaches | | | | | |
| | a) Type IA | | tonne | 50 | | |
| A.36 | Supply and Install Asphalt Reinforcement | E15 | m ² | 930 | | |
| | JOINT AND CRACK SEALING | | | | | |
| A.37 | Longitudinal Joint & Crack Filling (> 25mm in width) | CW 3250-R6 | m | 620 | | |
| A.38 | Reflective Crack Maintenance | CW 3250-R6 | m | 8,000 | | |
| A | <u>ROADWORKS</u> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|---------------------|---------|------------------|------------|--------|
| B | <u>UNDERGROUND WORKS</u> | | | | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.1 | Manholes | CW 2130-R11 | | | | |
| | i) SD-010 | | | | | |
| | a) 1500 mm base | | vert. m | 5.5 | | |
| B.2 | Catch Basin | CW 2130-R11, E14 | | | | |
| | i) SD-024 | | | | | |
| | a) 1200 deep | | each | 3 | | |
| | b) 1800 deep | | each | 1 | | |
| | ii) SD-025 | | | | | |
| | a) 1200 deep | | each | 1 | | |
| | iii) SD-025 c/w Ditch Inlet Gate | | | | | |
| | a) 1200 deep | | each | 18 | | |
| | b) 1800 deep | | each | 1 | | |
| B.3 | Catch Pit | CW 2130-R11, E14 | | | | |
| | i) SD-023 | | each | 6 | | |
| | ii) SD-023 c/w Ditch Inlet Gate | | each | 1 | | |
| B.4 | Sewer Service | CW 2130-R11 | | | | |
| | i) 250 mm | | | | | |
| | a) in a Trench, Class B Bedding with sand, Class 3 Backfill | | m | 132 | | |
| | b) Trenchless Installation, Class B Bedding with sand, Class 3 Backfill | | m | 41 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|-------------|------|------------------|------------|--------|
| | ii) 300 mm | | | | | |
| | a) in a Trench, Class B Bedding with sand, Class 3 Backfill | | m | 100 | | |
| | b) Trenchless Installation, Class B Bedding with sand, Class 3 Backfill | | m | 29 | | |
| | iii) 375 mm | | | | | |
| | a) in a Trench, Class B Bedding with sand, Class 3 Backfill | | m | 43 | | |
| | b) Trenchless Installation, Class B Bedding with sand, Class 3 Backfill | | m | 13 | | |
| B.5 | Drainage Connection Pipe | CW 2130-R11 | m | 35 | | |
| B.6 | Replacing Standard Frames & Covers | CW 2130-R11 | | | | |
| | i) AP-004 - Standard Frame for Manhole and Catch Basin | | each | 8 | | |
| | ii) AP-005 - Standard Solid Cover for Standard Frame | | each | 8 | | |
| B.7 | Connecting to Existing Manhole | CW 2130-R11 | | | | |
| | i) 250 mm Sewer service pipe | | each | 1 | | |
| | ii) 300 mm Sewer service pipe | | each | 2 | | |
| | iii) 375 mm Sewer service pipe | | each | 1 | | |
| B.8 | Connecting to Existing Catch Basin | CW 2130-R11 | | | | |
| | i) 300 mm Sewer service pipe | | each | 1 | | |
| | ii) 375 mm Sewer service pipe | | each | 1 | | |
| B.9 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R11 | | | | |
| | i) 300 mm Sewer service pipe | | each | 1 | | |
| | ii) 375mm Sewer service pipe | | each | 1 | | |
| B.10 | Removal of Existing Catch Basins | CW 2130-R11 | each | 2 | | |
| B.11 | Removal of Existing Catch Pit | CW 2130-R11 | each | 4 | | |
| B.12 | Relocation of Existing Catch Basins | CW 2130-R11 | each | 2 | | |

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|-----------------|----------------|------------------|------------|--------|
| B.13 | Abandoning Existing Sewers With Cement-Stabilized Flowable Fill | CW 2130-R11 | | | | |
| | i) 300 mm CSP | | m ³ | 15 | | |
| | ii) 600 mm CSP | | m ³ | 15 | | |
| B.14 | Corrugated Steel Pipe - Supply | CW 3610-R3, E12 | | | | |
| | i) 250 mm, 1.6 mm thick | | m | 25 | | |
| | ii) 300 mm, 1.6 mm thick | | m | 380 | | |
| | iii) 400 mm, 1.6 mm thick | | m | 26 | | |
| | iv) 450 mm, 1.6 mm thick | | m | 117 | | |
| | v) 900 mm, 2.0 mm thick | | m | 11 | | |
| | vi) 680 x 500 mm CMPA, 1.6 mm thick | | m | 9 | | |
| | vii) 910 x 660 mm CMPA, 2.0 mm thick | | m | 20 | | |
| B.15 | Corrugated Steel Pipe - Install | CW 3610-R3, E12 | | | | |
| | i) 250 mm, 1.6 mm thick | | m | 25 | | |
| | ii) 300 mm, 1.6 mm thick | | m | 380 | | |
| | iii) 400 mm, 1.6 mm thick | | m | 26 | | |
| | iv) 450 mm, 1.6 mm thick | | m | 117 | | |
| | v) 900 mm, 2.0 mm thick | | m | 11 | | |
| | vi) 680 x 500 mm CMPA, 1.6 mm thick | | m | 9 | | |
| | vii) 910 x 660 mm CMPA, 2.0 mm thick | | m | 20 | | |
| B.16 | Precast Concrete Pipe Culvert - Supply | CW 3610-R3, E12 | | | | |
| | i) 450 mm C76-III | | m | 6 | | |
| | ii) 600 mm C76-III | | m | 37 | | |
| | iii) 900 mm C76-III | | m | 12 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|--------------------|------|------------------|------------|--------|
| B.17 | Precast Concrete Pipe Culvert - Install | CW 3610-R3, E12 | | | | |
| | i) 450 mm C76-III | | m | 6 | | |
| | ii) 600 mm C76-III | | m | 37 | | |
| | iii) 900 mm C76-III | | m | 12 | | |
| B.18 | Connections to Existing Culverts | CW 3610-R3 | | | | |
| | i) 300 mm | | each | 1 | | |
| | ii) 680 x 500 mm CMPA | | each | 2 | | |
| | iii) 750 x 450 mm CMPA | | each | 1 | | |
| | iv) 900 mm | | each | 1 | | |
| | v) 910 x 660 mm CMPA | | each | 1 | | |
| B.19 | Concrete Flared End Sections c/w Safety Grate | E11 | | | | |
| | i) 450 mm | | each | 2 | | |
| | ii) 600 mm | | each | 2 | | |
| | iii) 900 mm | | each | 1 | | |
| B.20 | Removal of Existing Culverts | E13 | | | | |
| | i) 300mm | | m | 6 | | |
| | ii) 400mm | | m | 45 | | |
| | iii) 450mm | | m | 84 | | |
| | iv) 600mm | | m | 109 | | |

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|-------------|----------------|------------------|------------|--------|
| B.21 | Sewer Inspection | CW 2145-R3 | | | | |
| | i) Sewer Service Pipe | | | | | |
| | a) 250mm | | m | 100 | | |
| | b) 300mm | | m | 100 | | |
| | c) 375mm | | m | 50 | | |
| B.22 | Grouted Stone Riprap | CW 3615-R2 | m ³ | 120 | | |
| | ADJUSTMENTS | | | | | |
| B.23 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 18 | | |
| B.24 | Replacing Existing Risers | CW 2130-R11 | | | | |
| | i) Pre-cast Concrete Risers | | vert. m | 5 | | |
| B.25 | Lifter Rings | CW 3210-R7 | | | | |
| | i) 51mm | | each | 5 | | |
| B.26 | Adjustment of Valve Boxes | CW 3210-R7 | each | 15 | | |
| B.27 | Valve Box Extensions | CW 3210-R7 | each | 5 | | |
| B.28 | Relocating Existing Hydrant - Type A | CW 2110-R10 | each | 1 | | |
| B.29 | Raising Existing Hydrant | CW 2110-R10 | each | 2 | | |
| B.30 | Adjustment of Traffic Signal Service Box Frames | CW 3210-R7 | each | 20 | | |
| B | <u>UNDERGROUND WORKS</u> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | |
|----------|--|------------------|----------------|------------------|------------|-----------|--|
| C | <u>MULTI-USE PATHS</u> | | | | | | |
| C.1 | Common Excavation- Suitable Site Material | CW 3170-R3 | m ³ | 1,100 | | | |
| C.2 | Common Excavation- Unsuitable Site Material | CW 3170-R3 | m ³ | 900 | | | |
| C.3 | Fill Material | CW 3170-R3 | | | | | |
| | i) Placing Suitable Site Material | | m ³ | 1,000 | | | |
| C.4 | Sub-Grade Compaction | CW 3110-R10 | m ² | 7,650 | | | |
| C.5 | Crushed Sub-base Material | CW 3110-R10 | | | | | |
| | i) 50 mm - Limestone | | tonne | 2,700 | | | |
| | ii) 150 mm - Limestone | | tonne | 2,000 | | | |
| C.6 | Supplying and Placing Base Course Material | CW 3110-R10, E10 | m ³ | 400 | | | |
| C.7 | Separation/Reinforcement Geotextile Fabric | CW 3130-R1 | m ² | 7,650 | | | |
| C.8 | Construction of Asphaltic Concrete Pavements | CW 3410-R7 | | | | | |
| | i) Main Line Paving | | | | | | |
| | a) Type IA | | tonne | 1,200 | | | |
| | ii) Tie-ins and Approaches | | | | | | |
| | a) Type IA | | tonne | 10 | | | |
| C.9 | Reflective Crack Maintenance | CW 3250-R6 | m | 2,500 | | | |
| C | <u>MULTI-USE PATHS</u> | | | | | Subtotal: | |

 Name of Bidder

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|-----------------|----------------|------------------|------------|--------|
| D | <u>LANDSCAPING</u> | | | | | |
| D.1 | Soil Amendments for Clover and Trefoil Mix Seed | CW 3540-R5, E22 | m ² | 14,780 | | |
| D.2 | Imported Topsoil and Fine Grading (50 mm depth) | CW 3540-R5, E22 | m ² | 38,400 | | |
| D.3 | Stockpiled Site Topsoil | CW 3540-R5, E22 | | | | |
| | i) Placing Stockpiled Topsoil | | m ³ | 700 | | |
| | ii) Conditioning of Previously Spread Site Topsoil | | m ² | 12,230 | | |
| D.4 | Sodding | CW 3510-R9, E19 | | | | |
| | i) width < 600mm | | m ² | 7,464 | | |
| | ii) width > or = 600mm | | m ² | 3,086 | | |
| D.5 | Seeding (including Hydro Mulching) | CW 3520-R7, E20 | | | | |
| | i) Salt Tolerant Seed Mix | | m ² | 51,130 | | |
| | ii) Trefoil and Clover Seed Mix | | m ² | 14,780 | | |
| D.6 | Planting Beds with Planting Soil Mixture | E22 | m ² | 2,300 | | |
| D.7 | Wood Chip Mulch (100mm) | E22 | m ² | 2,300 | | |
| D.8 | Heavy Duty Plastic Landscape Edger | E22 | l.m | 491 | | |
| D.9 | Erosion Control Blanket | E22 | m ² | 500 | | |
| D.10 | Straw Wattle | E22 | l.m | 30 | | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|--|------------|----------|------------------|------------|--------|
| D.11 | Plant Material | E21 | | | | |
| | i) Colorado Spruce - 1.8 m ht. | | each | 6 | | |
| | ii) Colorado Spruce - 2.4 m ht. | | each | 10 | | |
| | iii) Colorado Spruce - 3.0 m ht. | | each | 8 | | |
| | iv) Discovery Elm - 65mm caliper | | each | 20 | | |
| | v) Amur Maple - 0.90m ht. | | each | 48 | | |
| | vi) Silver Buffaloberry - 0.9m ht. | | each | 73 | | |
| | vii) Highbush Cranberry - 0.75m ht. | | each | 70 | | |
| | viii) Donald Wyman Lilac - 0.75m ht. | | each | 20 | | |
| | ix) Emerald Mound Honeysuckle | | each | 118 | | |
| | x) Virginia Creeper - 2 year old | | each | 52 | | |
| D.12 | Site Furnishings | E18 | | | | |
| | i) Benches - 1.8m long | | each | 2 | | |
| | ii) Trash Receptacles | | each | 2 | | |
| D.13 | Chemical Application of Herbicide | E23 | per time | 1 | | |
| D.14 | Long-term Maintenance | E25 | | | | |
| | i) General Plant Material and Planting Bed Maintenance | | annual | 2 | | |
| | ii) General Sod Maintenance | | annual | 2 | | |
| | iii) General Maintenance of Salt Tolerant Grass | | annual | 2 | | |
| | iv) General Maintenance of Trefoil and Clover Areas | | annual | 2 | | |
| | v) General Clean-up Operations | | annual | 2 | | |
| D | <u>LANDSCAPING</u> | | | | Subtotal: | |

FORM B: PRICES
 (SEE B8)

UNIT PRICES

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|---|--------------------------|------------|------|------------------|------------|--------|
| SUMMARY | | | | | | |
| A | <u>ROADWORKS</u> | | | | Subtotal: | |
| B | <u>UNDERGROUND WORKS</u> | | | | Subtotal: | |
| C | <u>MULTI-USE PATHS</u> | | | | Subtotal: | |
| D | <u>LANDSCAPING</u> | | | | Subtotal: | |
| <p>TOTAL BID PRICE (GST extra) (in figures)</p> <p>(in words) _____</p> <p>_____</p> | | | | | | |

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 466-2008

McGILLIVRAY BOULEVARD 120 m WEST OF KENASTON BOULEVARD TO WAVERLEY STREET,
WIDENING AND REHABILITATION

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 466-2008

McGILLIVRAY BOULEVARD 120 m WEST OF KENASTON BOULEVARD TO WAVERLEY STREET,
WIDENING AND REHABILITATION

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 466-2008

McGILLIVRAY BOULEVARD 120 m WEST OF KENASTON BOULEVARD TO WAVERLEY STREET,
WIDENING AND REHABILITATION

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 20, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)