

FORM A: BID
(See B7)

1. Contract Title 2008 CONCRETE PAVEMENT PRESERVATION PROGRAM

2. Bidder

Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420080317

Template Version: C420080317

6. Bid Security

In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____.

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART A: PAVEMENT REHABILITATION						
A	<u>Pembina Highway Northbound - South City Limits to Rue des Trappistes</u>					
ROADWORKS - REMOVALS/RENEWALS						
A1	Slab Replacement	CW 3230-R6, E11, E12				
	i) 250 mm Concrete Pavement (Plain-Dowelled)		m ²	1800.0		
A2	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 250 mm Concrete Pavement (Type A)		m ²	12.0		
	ii) 250 mm Concrete Pavement (Type B)		m ²	100.0		
	iii) 250 mm Concrete Pavement (Type C)		m ²	20.0		
	iv) 250 mm Concrete Pavement (Type D)		m ²	110.0		
A3	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	1300		
A4	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	50		
	ii) 25 M Deformed Tie Bar		each	500		
A5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	10.0		
	b) 5 sq.m. to 20 sq.m.		m ²	12.0		
	c) Greater than 20 sq.m.		m ²	20.0		
A6	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	6.0		
	b) 3 m to 30 m		m	10.0		
	ii) Curb and Gutter (180 mm ht, Barrier, Integral, 1200mm width, 150mm Plain Concrete Pavement)	SD-200				
	a) Less than 3 m		m	15.0		
	b) 3 m to 30 m		m	80.0		
	c) Greater than 30 m		m	30.0		
	iii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	5.0		
	iv) Splash Strip (180 mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	110.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A7	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	80.0		
A8	Construction of Asphalt Patches	CW 3410-R7	m ²	50.0		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A9	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
ADJUSTMENTS						
A10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
A11	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	0.5		
LANDSCAPING						
A12	Seeding	CW 3520-R7	m ²	100.0		
A	Pembina Highway Northbound - South City Limits to Rue des Trappistes				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Regent Avenue - Moroz to Bradley</u>					
	EARTH AND BASE WORKS					
B1	Removal of Existing Concrete Bases	CW 3110-R10, E13	each	6		
	ROADWORKS - REMOVALS/RENEWALS					
B2	Slab Replacement	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	750.0		
B3	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Type A)		m ²	55.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	40.0		
B4	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	700.0		
B5	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	245		
	ii) 25 M Deformed Tie Bar		each	75		
B6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	20.0		
	b) 5 sq.m. to 20 sq.m.		m ²	45.0		
	ii) Bullnose	SD-227C	m ²	5.0		
B7	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	10.0		
	b) 3 m to 30 m		m	40.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	10.0		
	b) 3 m to 30 m		m	45.0		
	iii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	15.0		
	iv) Safety Curb (*mm ht)	SD-206B	m	40.0		
B8	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	60.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B9	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
B10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	14		
	LANDSCAPING					
B11	Seeding	CW 3520-R7	m ²	40.0		
B	<u>Regent Avenue - Moroz to Bradley</u>				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART B: PAVEMENT REHABILITATION						
C	<u>Regent Avenue - Bradley to Owen</u>					
EARTH AND BASE WORKS						
C1	Removal of Existing Concrete Bases	CW 3110-R10, E13	each	2		
ROADWORKS - REMOVALS/RENEWALS						
C2	Slab Replacement	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	125.0		
C3	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Type A)		m ²	15.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	15.0		
C4	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	180		
C5	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	65		
	ii) 25 M Deformed Tie Bar		each	35		
C6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	30.0		
	b) 5 sq.m. to 20 sq.m.		m ²	30.0		
C7	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	10.0		
	b) 3 m to 30 m		m	5.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	10.0		
	iii) Safety Curb (*mm ht)	SD-206B	m	10.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C8	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	25.0		
	ADJUSTMENTS					
C9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
	LANDSCAPING					
C10	Seeding	CW 3520-R7	m ²	20.0		
C	<u>Regent Avenue - Bradley to Owen</u>				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Regent Avenue - Owen to Starlight</u>					
	EARTH AND BASE WORKS					
D1	Removal of Existing Concrete Bases	CW 3110-R10, E13	each	4		
	ROADWORKS - REMOVALS/RENEWALS					
D2	Slab Replacement	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	110.0		
D3	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Type A)		m ²	15.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	35.0		
D4	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	225		
D5	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	55		
	ii) 25 M Deformed Tie Bar		each	60		
D6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	25.0		
D7	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	20.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	15.0		
	iii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	5.0		
D8	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	10.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D9	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
D10	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
	LANDSCAPING					
D11	Seeding	CW 3520-R7	m ²	20.0		
D	<u>Regent Avenue - Owen to Starlight</u>				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Regent Avenue - Starlight to Peguis</u>					
	EARTH AND BASE WORKS					
E1	Removal of Existing Concrete Bases	CW 3110-R10, E13	each	2		
	ROADWORKS - REMOVALS/RENEWALS					
E2	Slab Replacement	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	205.0		
E3	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Type A)		m ²	15.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	20.0		
E4	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	550		
E5	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	125		
	ii) 25 M Deformed Tie Bar		each	80		
E6	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	25.0		
	b) 5 sq.m. to 20 sq.m.		m ²	50.0		
E7	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	10.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	5.0		
	iii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	10.0		
	iv) Splash Strip (180 mm ht, Barrier Curb, Integral, 600mm width)	SD-227B	m	5.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E8	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	50.0		
	ADJUSTMENTS					
E9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	5.0		
	LANDSCAPING					
E10	Seeding	CW 3520-R7	m ²	20.0		
E	<i>Regent Avenue - Starlight to Peguis</i>				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Regent Avenue - Peguis to Rougeau</u>					
	ROADWORKS - REMOVALS/RENEWALS					
F1	Slab Replacement	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Plain-Dowelled)		m ²	25.0		
F2	Partial Slab Patches	CW 3230-R6, E11, E12				
	i) 230 mm Concrete Pavement (Type A)		m ²	15.0		
	ii) 230 mm Concrete Pavement (Type B)		m ²	20.0		
F3	Drilled Dowels	CW 3230-R6				
	i) 28.6 mm Diameter		each	90		
F4	Drilled Tie Bars	CW 3230-R6				
	i) 20 M Deformed Tie Bar		each	35		
	ii) 25 M Deformed Tie Bar		each	35		
F5	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i) Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m ²	15.0		
	b) 5 sq.m. to 20 sq.m.		m ²	15.0		
	iii) Bullnose	SD-227C	m ²	10.0		
F6	Concrete Curb Renewal	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205, SD206A				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	5.0		
	ii) Barrier (180mm ht, Integral)	SD-204				
	a) Less than 3 m		m	5.0		
	b) 3 m to 30 m		m	10.0		
	iii) Curb Ramp (10mm ht, Integral)	SD-229C,D	m	10.0		

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
F8	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
	ii) AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
F9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	2		
	LANDSCAPING					
F10	Seeding	CW 3520-R7	m ²	20.0		
F	<u>Regent Avenue - Peguis to Rougeau</u>				Subtotal:	

FORM B: PRICES
(SEE B8)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
PART A: PAVEMENT REHABILITATION						
A	<u>Pembina Highway Northbound - South City Limits to Rue des Trappistes</u>				Subtotal:	
B	<u>Regent Avenue - Moroz to Bradley</u>				Subtotal:	
Total Part A						
PART B: PAVEMENT REHABILITATION						
C	<u>Regent Avenue - Bradley to Owen</u>				Subtotal:	
D	<u>Regent Avenue - Owen to Starlight</u>				Subtotal:	
E	<u>Regent Avenue - Starlight to Peguis</u>				Subtotal:	
F	<u>Regent Avenue - Peguis to Rougeau</u>				Subtotal:	
Total Part B						
<p>TOTAL BID PRICE (GST extra) (in figures) \$ _____</p> <p>(in words) _____</p> <p>_____</p>						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 473-2008

2008 CONCRETE PAVEMENT PRESERVATION PROGRAM

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 473-2008

2008 CONCRETE PAVEMENT PRESERVATION PROGRAM

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 473-2008

2008 CONCRETE PAVEMENT PRESERVATION PROGRAM

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 26, 2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)