

FORM A: BID
(See B7)

1. Contract Title KING STREET RECONSTRUCTION
BANNATYNE AVENUE TO WILLIAM AVENUE
OLD MARKET SQUARE REDEVELOPMENT PHASE I

2. Bidder

Name of Bidder

Street

City Province Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

In witness whereof the Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

(If no corporate seal)
Signed and sealed in
the presence of:

(Witness)

(Witness)

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

SEAL

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>King Street Bannatyne Avenue to William Avenue - Reconstruction</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10 E13	m ³	1700		
A.2	Sub-Grade Compaction	CW 3110-R10	m ²	1700		
A.3	Crushed Sub-base Material	CW 3110-R10				
	i) 50 mm - Limestone		tonne	600		
	ii) 150 mm - Limestone		tonne	1800		
A.4	Supplying and Placing Base Course Material	CW 3110-R10, E12	m ³	200		
A.5	Removal of Existing Concrete Bases	CW 3110-R10				
	i) 600mm Diameter or Less		each	5		
A.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m ²	1700		
	ROADWORK - REMOVALS/RENEWALS					
A.7	Pavement Removal	CW 3110-R10				
	i) Concrete Pavement		m ²	1590		
A.8	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Sidewalk		m ²	420		
A.9	Concrete Curb Removal	CW 3240-R7				
	i) Barrier 180mm (Separate)		m	104		
	ii) Curb Ramp		m	17		
A.10	Concrete Curb Installation	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205	m	10		
A.11	Regrading Existing Interlocking Paving Stones	CW 3330-R4	m ²	30		
A.12	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	130		
	ii) 0 - 50 mm Depth (Concrete)		m ²	20		

 Name of Bidder

FORM B: PRICES (SEE B9)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
A.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R12				
	i) Construction of Barrier (180mm ht, Dowelled)	SD-205	m	10		
	ii) Construction of Modified Barrier (180mm ht, Dowelled)	SD-203B	m	14		
	iii) Construction of Curb and Gutter (180mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	180		
	iv) Construction of Curb and Gutter (180mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B	m	30		
	v) Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	10		
	vi) Construction of Curb and Gutter (10mm ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-229E	m	24		
A.14	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i) Main Line Paving					
	a) Type IA		tonne	290		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	20		
A.15	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R7	tonne	290		
	JOINT AND CRACK SEALING					
A.16	Reflective Crack Maintenance	CW 3250-R6	m	400		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

 Name of Bidder

FORM B: PRICES (SEE B9)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Catch Basin	CW 2130-R11				
	i) SD-024		each	2		
A.18	Sewer Service	CW 2130-R11				
	i) 250mm					
	a) Trenchless Installation, Class B Bedding with sand, Class 3 Backfill		m	20		
A.19	Sewer Service Risers	CW 2130-R11				
	i) 1200mm					
	a) SD-014		vert m	1		
A.20	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R11				
	i) 300mm					
	a) Class 3 Backfill		each	1		
A.21	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R11				
	i) 300mm					
	a) Class 3 Backfill		m	1		
A.22	Replacing Standard Frames & Covers	CW 2130-R11				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	4		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	4		
A.23	Connecting to Existing Sewer	CW 2130-R11				
	i) 250mm (PVC) of connecting pipe SDR-35					
	a) Connecting to 300mm (CS) Sewer		each	2		
A.24	Abandoning Existing Catch Basins	CW 2130-R11	each	3		
A.25	Abandoning Existing Catch Pit	CW 2130-R11	each	1		
A.26	Installation of Subdrains	CW 3120-R2	m	52		

 Name of Bidder

FORM B: PRICES (SEE B9)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.27	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	9		
A.28	Replacing Existing Risers	CW 2130-R11				
	i) Pre-cast Concrete Risers		vert. m	1		
A.29	Lifter Rings	CW 3210-R7				
	i) 51mm		each	4		
	ii) 64mm		each	2		
A.30	Adjustment of Valve Boxes	CW 3210-R7	each	2		
A.31	Valve Box Extensions	CW 3210-R7	each	1		
A.32	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
A.33	Curb Stop Extensions	CW 3210-R7	each	1		
A.34	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	1		
A	<u>King Street Bannatyne Avenue to William Avenue - Reconstruction</u>					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>King Street Sidewalk</u>					
	STREETSCAPING					
B.1	Tree Removal	CW 3010-R4, E26	each	7		
B.2	Removal of Interlocking Paving Stone for Reinstallation	CW 3330-R4 E20	m ²	50		
B.3	Removal of Detectable Hazard Band Paving Stone for Reinstallation	CW 3330-R4 E20	m ²	4		
B.4	Install Stockpiled Interlocking Paving Stone	CW 3330-R4 CW 3335 E30	m ²	50		
B.5	Install Stockpiled Detectable Hazard Band Paving Stone	CW 3330-R4 CW 3335 E30	m ²	4		
B.6	Endicott Clay Pavers	CW 3330-R4 E30	m ²	35		
B.7	Barkman Holland Stone Pavers 102mm x 204mm (60mm)	CW 3330-R4 E30	m ²	15		
B.8	Endicott 'ADA' Clay Pavers	CW 3330-R4 E30	m ²	2		
B.9	Regrading Existing Interlocking Paving Stones	CW 3330-R4	m ²	10		
B.10	250 mm Concrete Sidewalk c/w reveal for paving band & 100mm Compacted A-base	CW 3325-R2 CW 3110-R10 E17	m ²	20		
B.11	100 mm Concrete Sidewalk c/w reveal for paving band, saw cut & 100mm Compacted A-base	CW 3325-R2 CW 3110-R10 E17	m ²	270		
B.12	Planting	CW 3325-R2 E36				
	i) Americal Elm	E36	each	10		
	ii) Tree Well Concrete Curb	CW 3325-R2, E32	m	80		
	iii) Silva Cell	E32	l.s	1		
	iv) Supply and Install Tree Grate	E32	each	10		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.13	Stittsville Lights	CW 3210-R7				
	i) Cast-in-Place Concrete Base and Base Plate	E22	each	6		
B	<u>King Street Sidewalk</u>					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<i>Old Market Square Redevelopment Phase I</i>					
C.1	Removals and Salvage	E28	l.s.	1		
C.2	Removal of Lean Mix	CW 3110-R10, E20	m ²	100		
C.3	Paved Surface					
	i) 100 mm Concrete Sidewalk c/w reveal for paving band, saw cut & 100mm Compacted A-base	CW 3325-R2 E17 CW 3110-R10	m ²	335		
	ii) Endicott Clay Pavers	CW 3330-R4 E30	m ²	165		
C.4	Structural Concrete	E21, E22	m ³	40		
C.5	Cast-in-Place Concrete Piles 400mm Diameter	E21, E22	l.m.	185		
C.6	Planters					
	i) Large Circular Planter - Limestone					
	a) Limestone Block 500x300x1300	E37	each	19		
	b) Limestone Block 500x750x1300	E37	each	11		
C.7	Sloped Walkway					
	i) 100mm Lean Concrete Base	CW 3335-R3	m ²	30		
	ii) Limestone curb					
	a) Limestone Block 300x500x500	E37	each	18		
	b) Limestone Block 500x750x500	E37	each	1		
C.8	Planting Beds					
	i) Shrub Bed Preparation	E31	m ³	115		
	ii) Halcyon Hosta	E36	each	171		
	iii) Calgary Carpet Juniper	E36	each	64		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.9	Event Lawn					
	i) Earthwork and Grading	CW 3170-R3, E29	m ²	710		
	ii) Growing Medium	E35	m ³	180		
	iii) Drainage Layer	E35	m ³	90		
	iv) Sub-Surface Drainage	E35	l.s.	1		
	v) Sodding	CW 3510-R9, E34	m ²	710		
	vi) Tyndall Stone Irregulars	E30	m ²	90		
C.10	Timber Wall	E39	l.m.	17		
C.11	Catch Basins	CW 2130 R11, E35				
	i) 600mm NDS Part #2400 c/w Extension Part #2418 and 600mm x 600mm Steel Gate Part #2415		each	1		
	ii) 600mm NDS Part #2404 c/w 600mm x 600mm Steel Gate Part #2415		each	1		
	iii) 600mm NDS Part #12NGB c/w 300mm x 300mm Steel Gate Part #2415		each	1		
C.12	Supply and Install of Trench Drain	E23	l.s.	1		
C.13	Sewer Service	CW 2130-R11				
	i) 250mm PVC SDR-35					
	a) in a Trench, Class B Bedding with Sand, Class 4 Backfill		m	27		
C.14	Connecting to Existing Sewer	CW 2130-R11				
	i) 250mm (PVC) of connecting pipe					
	a) Connecting to 300mm (Type CS) Sewer		each	1		
	ELECTRICAL					
C.15	Electrical Works	E24	l.s.	1		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	WATER SERVICE					
C.16	Meter Pit Assembly	CW3530-R3, E25	each	1		
C.17	Polyethylene Waterline 50mm	CW3530-R3	m	5		
C.18	Removal of Existing Box Enclosure	CW3530-R3	each	2		
C.19	Irrigation	CW 3530-R3, E38	l.s.	1		
C	<u>Old Market Square Redevelopment Phase I</u>					

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Bannatyne Avenue Road Realignment</u>					
	ROADWORKS - RENEWALS					
D.1	Supplying and Placing Base Course Material	CW 3110-R10, E13	m ³	10		
D.2	Pavement Removal	CW 3110-R10				
	i) Asphalt Pavement		m ²	150		
D.3	Miscellaneous Concrete Slab Removal	CW 3235-R6				
	i) Removal of Paving Stone	E20	m ²	231		
	ii) Removal of Interlocking Paving Stone for Reinstallation	CW 3330-R4 E20	m ²	20		
D.4	Concrete Curb Removal	CW 3240-R7				
	i) Barrier 180mm Separate		m	45		
	ii) Curb Ramp		m	7		
D.5	Concrete Curb Installation	CW 3240-R7				
	i) Barrier (180mm ht, Dowelled)	SD-205	m	26		
	ii) Curb and Gutter (180 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	52		
	iii) Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200	m	32		
	iv) Curb Ramp (10mm ht, Monolithic)	SD-229A,B,C	m	14		
D.6	Install Stockpiled Interlocking Paving Stone	CW 3330-R4 CW 3335 E30	m ²	20		
D.7	Endicott Clay Pavers	CW 3330-R4 E30	m ²	15		
D.8	Barkman Holland Stone 102mm x 204mm (60mm)	CW 3330-R4 E30	m ²	6		
D.9	Barkman Holland Stone Road Pavers 102mm x 204mm (80mm)	CW 3330-R4 E30	m ²	115		
D.10	Endicott 'ADA' Clay Pavers	CW 3330-R4 E30 CW 3335	m ²	25		
D.11	Munich Pavers	CW 3335 CW 3330-R4, E30	m ²	95		
D.12	Lean Concrete Base	CW 3335-R3	m ²	95		

 Name of Bidder

FORM B: PRICES (SEE B9)						
UNIT PRICES						
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Planing of Pavement	CW 3450-R5				
	i) 0 - 50 mm Depth (Asphalt)		m ²	150		
	ii) 50 - 100 mm Depth (Asphalt)		m ²	10		
D.14	Full Depth Saw-Cutting	E11	m	100		
D.15	100 mm Concrete Sidewalk c/w reveal for paving band & 100mm Compacted A-base	CW 3325-R2 E17 CW 3110-R10	m ²	95		
D. 16	Removable Bollards		each	6		
D.17	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
	i) Tie-ins and Approaches					
	a) Type IA		tonne	40		
D.18	Abandoning Existing Catch Basins	CW 2130-R11	each	1		
D.19	Removal of Existing Catch Pit	CW 2130-R11	each	1		
D.20	Planter					
	i) Shrub Bed Preparation	E31	m ³	10		
D.21	Type A Relocation of Hydrant	CW 2110-R10	each	1		
D	<u>Bannatyne Avenue Road Realignment</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
------	-------------	------------	------	------------------	------------	--------

SUMMARY

A	<u>King Street Bannatyne Avenue to William Avenue - Reconstruction</u>	Subtotal:	
B	<u>King Street Sidewalk</u>	Subtotal:	
C	<u>Old Market Square Redevelopment Phase I</u>	Subtotal:	
D	<u>Bannatyne Avenue Road Realignment</u>	Subtotal:	

TOTAL BID PRICE (GST extra) (in figures) _____

(in words) _____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B10)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee dated the

_____ day of _____, 20_____ for

BID OPPORTUNITY NO. 516-2008

KING STREET RECONSTRUCTION
BANNATYNE AVENUE TO WILLIAM AVENUE
OLD MARKET SQUARE REDEVELOPMENT PHASE I

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 516-2008

KING STREET RECONSTRUCTION
BANNATYNE AVENUE TO WILLIAM AVENUE
OLD MARKET SQUARE REDEVELOPMENT PHASE I

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____.

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B10)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Branch
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 516-2008

KING STREET RECONSTRUCTION
BANNATYNE AVENUE TO WILLIAM AVENUE
OLD MARKET SQUARE REDEVELOPMENT PHASE I

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on September 27,2008

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)