



526-2008 ADDENDUM 1

SAND BLASTING & PAINTING AT JOHN BLUMBERG SOFTBALL COMPLEX – 4540 PORTAGE AVENUE

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: July 9, 2008
BY: Aaron Dugard
TELEPHONE NO. (204) 918-1480

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- Revise: E1.3 (a) to read: Surfaces to be sandblasted and painted: The underside of the second floor including the decking, joists, beams and bracing; both main support structures of the wheel chair ramp canopy; the beams and decking of the catwalk.
- Revise: E1.3 (c) to read: Surface Preparation: Sand Blast steel framing and decking to SSPC-SP 6 NACE 3 Commercial Blast Cleaning standard to remove all rust, paint and corrosion products. The substrate should be clean and dry prior to painting.