

# THE CITY OF WINNIPEG

# **BID OPPORTUNITY**

**BID OPPORTUNITY NO. 537-2008** 

DUGALD ROAD SECONDARY SEWER PHASE 3 – BOURNAIS DRIVE TO THE DUGALD OVERPASS, CONTRACT NO. 27

# **TABLE OF CONTENTS**

PART A - BID SUBMISSION	
Form A: Bid Form B: Prices Form G1: Bid Bond and Agreement to Bond Form G2: Irrevocable Standby Letter of Credit and Undertaking	1 2 7
PART B - BIDDING PROCEDURES	
B1. Contract Title B2. Submission Deadline B3. Site Investigation B4. Enquiries B5. Addenda B6. Substitutes B7. Bid Components B8. Bid B9. Prices B10. Qualification B11. Bid Security B12. Opening of Bids and Release of Information B13. Irrevocable Bid B14. Withdrawal of Bids B15. Evaluation of Bids B16. Award of Contract	
PART C - GENERAL CONDITIONS	
C0. General Conditions	1
PART D - SUPPLEMENTAL CONDITIONS	
General D1. General Conditions D2. Scope of Work D3. Contract Administrator D4. Contractor's Supervisor D5. Notices D6. Furnishing of Documents	1 1 1
Submissions D7. Authority to Carry on Business D8. Safe Work Plan D9. Insurance D10. Performance Security D11. Detailed Work Schedule D12. Security Clearance	
Schedule of Work D13. Commencement D14. Sequence of Work D15. Critical Stages D16. Substantial Performance D17. Total Performance D18. Liquidated Damages D19. Scheduled Maintenance	2 2 5 5 5 6
Control of Work D20. Job Meetings D21. Traffic Control and Maintenance of Access D22. Prime Contractor – The Workplace Safety and Health Act (Manitoba)	6 7

D23	surement and Payment  Payment  Water used on City of Winnipeg Construction Projects	7 7
	, , ,	,
	ranty . Warranty	7
	•	
	n H1: Performance Bond	8
Forn	n H2: Irrevocable Standby Letter of Credit	10
PART E	- SPECIFICATIONS	
Gen	eral	
E1.	Applicable Specifications and Drawings	1
Gen	eral Requirements	
	Soils Investigation Report	1
	Confined Space Entry Safety	1
E4.	Gravity Sewers	2
E5.	Ditch Restoration	2
E6.	Protection of Existing Trees	2 2 2 2 3 3
E7.	Partial Slab Patches	2
E8.	Miscellaneous Concrete Slab Renewals - Sidewalks	3
E9.	Concrete Curb Renewals	3
E10	Street Light Cable	3 3
E11.	Pavement and Gravel Surfacing Restoration	3
E12	Temporary Surface Restorations	4
E13	Backfill Under Temporary Surface Restorations	4
E14.	Overhead Wires	5
E15	Protection of Existing Trees	5
E16	Flow Control in Secondary Sewer and Wastewater sewers	5 5 5
E17.	Abandonment of Existing Manholes	5
	Abandonment of Existing Secondary Sewer	6
E19.	Construction of Manhole Approaches	6
E20.	Construction of Manhole Approaches	6 7
E21.	Plugging Existing 1050mm Wastewater Sewer	7
E22	Connecting 375mm Diameter WWS to 400mm Diameter Wallpiece of Pumping Station	7

## **PART B - BIDDING PROCEDURES**

#### **B1.** CONTRACT TITLE

B1.1 DUGALD ROAD SECONDARY SEWER PHASE 3 – BOURNAIS DRIVE TO THE DUGALD OVERPASS, CONTRACT NO. 27

### **B2. SUBMISSION DEADLINE**

- B2.1 The Submission Deadline is 12:00 noon Winnipeg time, August 29, 2008.
- B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.
- B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

### **B3.** SITE INVESTIGATION

B3.1 Further to C3.1, the Bidder may view the Site without making an appointment.

#### **B4. ENQUIRIES**

- B4.1 All enquiries shall be directed to the Contract Administrator identified in D3.1.
- B4.2 If the Bidder finds errors, discrepancies or omissions in the Bid Opportunity, or is unsure of the meaning or intent of any provision therein, the Bidder shall notify the Contract Administrator of the error, discrepancy or omission, or request a clarification as to the meaning or intent of the provision at least five (5) Business Days prior to the Submission Deadline.
- B4.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B4.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B4.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B4 unless that response or interpretation is provided by the Contract Administrator in writing.

## B5. ADDENDA

- B5.1 The Contract Administrator may, at any time prior to the Submission Deadline, issue addenda correcting errors, discrepancies or omissions in the Bid Opportunity, or clarifying the meaning or intent of any provision therein.
- B5.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B5.2.1 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B5.2.2 The Bidder is responsible for ensuring that he has received all addenda and is advised to check the Materials Management Branch internet site for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.

B5.3 The Bidder shall acknowledge receipt of each addendum in Paragraph 10 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.

# **B6.** SUBSTITUTES

- B6.1 The Work is based on the Plant, Materials and methods specified in the Bid Opportunity.
- B6.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B6.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B6.4 The Bidder shall ensure that any and all requests for approval of a substitute:
  - (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the Plant, Material or method as either an approved equal or alternative:
  - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
  - (c) identify any anticipated cost or time savings that may be associated with the substitute;
  - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance:
  - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance.
- B6.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B6.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, only to the Bidder who requested approval of the substitute.
- B6.6.1 The Bidder requesting and obtaining the approval of a substitute shall be entirely responsible for disseminating information regarding the approval to any person or persons he wishes to inform.
- B6.7 If the Contract Administrator approves a substitute as an "approved equal", any Bidder may use the approved equal in place of the specified item.
- B6.8 If the Contract Administrator approves a substitute as an "approved alternative", any Bidder bidding that approved alternative may base his Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B15.
- B6.9 No later claim by the Contractor for an addition to the Total Bid Price because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

#### **B7.** BID COMPONENTS

- B7.1 The Bid shall consist of the following components:
  - (a) Form A: Bid;
  - (b) Form B: Prices;
  - (c) Form G1: Bid Bond and Agreement to Bond, or Form G2: Irrevocable Standby Letter of Credit and Undertaking, or a certified cheque or draft;
- B7.2 Further to B7.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B6.
- B7.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely, to constitute a responsive Bid.
- B7.4 The Bid shall be submitted enclosed and sealed in an envelope clearly marked with the Bid Opportunity number and the Bidder's name and address.
- B7.4.1 Samples or other components of the Bid which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Bid Opportunity number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid.
- B7.5 Bidders are advised not to include any information/literature except as requested in accordance with B7.1.
- B7.6 Bidders are advised that inclusion of terms and conditions inconsistent with the Bid Opportunity document, including the General Conditions, may result in the Bid being determined to be non-responsive.
- B7.7 Bids submitted by facsimile transmission (fax) or internet electronic mail (e-mail) will not be accepted.
- B7.8 Bids shall be submitted to:

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

# B8. BID

- B8.1 The Bidder shall complete Form A: Bid, making all required entries.
- B8.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his own name, his name shall be inserted;
  - (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
  - (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
  - (d) if the Bidder is carrying on business under a name other than his own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.
- B8.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B8.2.

- B8.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.
- B8.4 Paragraph 12 of Form A: Bid shall be signed in accordance with the following requirements:
  - (a) if the Bidder is a sole proprietor carrying on business in his own name, it shall be signed by the Bidder;
  - (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
  - (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers and the corporate seal, if the corporation has one, should be affixed;
  - (d) if the Bidder is carrying on business under a name other than his own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.
- B8.4.1 The name and official capacity of all individuals signing Form A: Bid shall be printed below such signatures.
- B8.4.2 All signatures should be witnessed, except where a corporate seal has been affixed.
- B8.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

#### B9. PRICES

- B9.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.
- B9.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.
- B9.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.

### **B10. QUALIFICATION**

- B10.1 The Bidder shall:
  - (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba; and
  - (b) be financially capable of carrying out the terms of the Contract; and
  - (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.
- B10.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
  - (a) be responsible and not be suspended, debarred or in default of any obligations to the City (a list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at <a href="http://www.winnipeg.ca/matmgt">http://www.winnipeg.ca/matmgt</a>).
- B10.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
  - (a) have successfully carried out work similar in nature, scope and value to the Work; and

- (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
- (c) have a written workplace safety and health program if required pursuant to The Workplace Safety and Health Act (Manitoba);
- B10.4 Further to B10.3(c), the Bidder shall, within three (3) Business Days of a request by the Contract Administrator, provide proof satisfactory to the Contract Administrator that the Bidder/Subcontractor has a workplace safety and health program meeting the requirements of The Workplace Safety and Health Act (Manitoba), by providing:
  - (a) a valid COR certification number under the Certificate of Recognition (COR) Program administered by the Manitoba Construction Safety Association or by the Manitoba Heavy Construction Association's Safety, Health and Environment Program; or
  - (b) a report or letter to that effect from an independent reviewer acceptable to the City. (A list of acceptable reviewers and the review template are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.)
- B10.5 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.
- B10.6 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

### **B11. BID SECURITY**

- B11.1 The Bidder shall provide bid security in the form of:
  - (a) a bid bond, in the amount of at least ten percent (10%) of the Total Bid Price, and agreement to bond of a company registered to conduct the business of a surety in Manitoba, in the form included in the Bid Submission (Form G1: Bid Bond and Agreement to Bond); or
  - (b) an irrevocable standby letter of credit, in the amount of at least ten percent (10%) of the Total Bid Price, and undertaking issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form included in the Bid Submission (Form G2: Irrevocable Standby Letter of Credit and Undertaking); or
  - (c) a certified cheque or draft payable to "The City of Winnipeg", in the amount of at least fifty percent (50%) of the Total Bid Price, drawn on a bank or other financial institution registered to conduct business in Manitoba.
- B11.1.1 If the Bidder submits alternative bids, the bid security shall be in the amount of the specified percentage of the highest Total Bid Price submitted.
- B11.1.2 All signatures on bid securities shall be original, and shall be witnessed or sealed as required.
- B11.2 The bid security of the successful Bidder and the next two lowest evaluated responsive and responsible Bidders will be released by the City when a Contract for the Work has been duly executed by the successful Bidder and the performance security furnished as provided herein. The bid securities of all other Bidders will be released when a Contract is awarded.
- B11.2.1 Where the bid security provided by the successful Bidder is in the form of a certified cheque or draft pursuant to B11.1(c), it will be deposited and retained by the City as the performance security and no further submission is required.
- B11.2.2 The City will not pay any interest on certified cheques or drafts furnished as bid security or subsequently retained as performance security.

B11.3 The bid securities of all Bidders will be released by the City as soon as practicable following notification by the Contract Administrator to the Bidders that no award of Contract will be made pursuant to the Bid Opportunity.

#### B12. OPENING OF BIDS AND RELEASE OF INFORMATION

- B12.1 Bids will be opened publicly, after the Submission Deadline has elapsed, in the office of the Corporate Finance Department, Materials Management Branch, or in such other office as may be designated by the Manager of Materials.
- B12.1.1 Bidders or their representatives may attend.
- B12.1.2 Bids determined by the Manager of Materials, or his designate, to not include the bid security specified in B11 will not be read out.
- B12.2 Following the submission deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B12.3 After award of Contract, the name(s) of the successful Bidder(s) and the Contract Amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- B12.4 The Bidder is advised that any information contained in any Bid may be released if required by City policy or procedures, by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law.

#### B13. IRREVOCABLE BID

- B13.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 11 of Form A: Bid.
- B13.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work until a Contract for the Work has been duly executed and the performance security furnished as herein provided, but any Bid shall be deemed to have lapsed unless accepted within the time period specified in Paragraph 11 of Form A: Bid.

#### **B14.** WITHDRAWAL OF BIDS

- B14.1 A Bidder may withdraw his Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.
- B14.1.1 Notwithstanding C23.3, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.
- B14.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid, and only such person, has authority to give notice of withdrawal.
- B14.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:
  - (a) retain the Bid until after the Submission Deadline has elapsed;
  - (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid; and
  - (c) if the notice has been given by any one of the persons specified in B14.1.3(b), declare the Bid withdrawn.

B14.2 A Bidder who withdraws his Bid after the Submission Deadline but before his Bid has been released or has lapsed as provided for in B13.2 shall be liable for such damages as are imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law, including the right to retain the Bidder's bid security.

#### **B15.** EVALUATION OF BIDS

- B15.1 Award of the Contract shall be based on the following bid evaluation criteria:
  - (a) compliance by the Bidder with the requirements of the Bid Opportunity (pass/fail);
  - (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B10 (pass/fail);
  - (c) Total Bid Price:
  - (d) economic analysis of any approved alternative pursuant to B6.
- B15.2 Further to B15.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities, if the interests of the City so require.
- B15.3 Further to B15.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his Bid or in other information required to be submitted, that he is responsible and qualified.
- B15.4 Further to B15.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.
- B15.4.1 If there is any discrepancy between the Total Bid Price written in figures, the Total Bid Price written in words and the sum of the quantities multiplied by the unit prices for each item, the sum of the quantities multiplied by the unit prices for each item shall take precedence.
- B15.4.2 Further to B15.1 (a), in the event that a unit price is not provided on Form B: Prices, the City will determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.

# **B16.** AWARD OF CONTRACT

- B16.1 The City will give notice of the award of the Contract or will give notice that no award will be made
- B16.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be responsible and qualified, and the Bids are determined to be responsive.
- B16.2.1 Without limiting the generality of B16.2, the City will have no obligation to award a Contract where:
  - (a) the prices exceed the available City funds for the Work;
  - (b) the prices are materially in excess of the prices received for similar work in the past;
  - (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;
  - (d) only one Bid is received; or
  - (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.
- B16.3 Subject to B16.2, where an award of Contract is made by the City, the award shall be made to the responsible and qualified Bidder submitting the lowest evaluated responsive Bid.

B16.3.1 Following the award of contract, a Bidder will be provided with information related to the evaluation of his Bid upon written request to the Contract Administrator.

# **PART C - GENERAL CONDITIONS**

### CO. GENERAL CONDITIONS

- C0.1 The *General Conditions for Construction* (Revision 2006 12 15) are applicable to the Work of the Contract.
- C0.1.1 The *General Conditions for Construction* are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- C0.2 A reference in the Bid Opportunity to a section, clause or subclause with the prefix "C" designates a section, clause or subclause in the *General Conditions for Construction*.

## PART D - SUPPLEMENTAL CONDITIONS

#### **GENERAL**

### D1. GENERAL CONDITIONS

D1.1 In addition to the *General Conditions for Construction*, these Supplemental Conditions are applicable to the Work of the Contract.

# D2. SCOPE OF WORK

- D2.1 The Work to be done under the Contract shall consist of the renewal of the Dugald Road secondary sewer along Dugald Rd, from the Dugald Road Overpass to Bournais Drive.
- D2.2 The major components of the Work are as follows:
  - (a) Installation of approximately 1075 meters of 375mm Reinforced Concrete wastewater pipe and approximately 510 meters of 900mm Reinforced Concrete wastewater pipe;
  - (b) Reconnection or renewal of wastewater sewer services;
  - (c) Sewer video inspection; and
  - (d) Restoration of pavement and boulevard areas.

#### D3. CONTRACT ADMINISTRATOR

D3.1 The Contract Administrator is:

Mr. Stacy Cournoyer, P. Eng. Design and Specification Engineer 110-1199 Pacific Avenue Winnipeg, MB R3E 3S8

Telephone No. (204) 986-2142 Facsimile No. (204) 986-5345

D3.2 At the pre-construction meeting, the Contract Administrator will identify additional personnel representing the Contract Administrator and their respective roles and responsibilities for the Work.

#### D4. CONTRACTOR'S SUPERVISOR

D4.1 At the pre-construction meeting, the Contractor shall identify his designated supervisor and any additional personnel representing the Contractor and their respective roles and responsibilities for the Work.

#### D5. NOTICES

- D5.1 Except as provided for in C23.2.2, all notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the Contractor shall be sent to the address or facsimile number identified by the Contractor in Paragraph 2 of Form A: Bid.
- D5.2 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the City, except as expressly otherwise required in D5.3, D5.4 or elsewhere in the Contract, shall be sent to the attention of the Contract Administrator at the address or facsimile number identified in D3.1.
- D5.3 All notices of appeal to the Chief Administrative Officer shall be sent to the following address or facsimile number:

The City of Winnipeg Chief Administrative Officer Secretariat Attn: Chief Administrative Officer Administration Building, 3rd Floor 510 Main Street Winnipeg MB R3B 1B9

Facsimile No.: (204) 949-1174

D5.4 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications required to be submitted or returned to the City Solicitor shall be sent to the following address or facsimile number:

The City of Winnipeg Corporate Services Department Legal Services Division Attn: City Solicitor 185 King Street, 3rd Floor Winnipeg MB R3B 1J1

Facsimile No.: (204) 947-9155

### D6. FURNISHING OF DOCUMENTS

D6.1 Upon award of the Contract, the Contractor will be provided with five (5) complete sets of the Bid Opportunity. If the Contractor requires additional sets of the Bid Opportunity, they will be supplied to him at cost.

#### **SUBMISSIONS**

# D7. AUTHORITY TO CARRY ON BUSINESS

D7.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

# D8. SAFE WORK PLAN

- D8.1 The Contractor shall provide the Contract Administrator with a Safe Work Plan at least five (5) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D8.2 The Safe Work Plan should be prepared and submitted in the format shown in the City's template which is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.

# D9. INSURANCE

- D9.1 The Contractor shall provide and maintain the following insurance coverage:
  - (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured, with a cross-liability clause, such liability policy to also contain contractual liability, unlicensed motor vehicle liability, non-owned automobile liability, broad form property damage cover and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;

- (b) automobile liability insurance for owned automobiles used for or in connection with the Work in the amount of at least two million dollars (\$2,000,000.00) at all times during the performance of the Work and until the date of Total Performance:
- (c) an all risks Installation Floater carrying adequate limits to cover all machinery, equipment, supplies and/or materials intended to enter into and form part of any installation.
- D9.2 Deductibles shall be borne by the Contractor.
- D9.3 The Contractor shall provide the City Solicitor with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D9.4 The Contractor shall not cancel, materially alter, or cause each policy to lapse without providing at least fifteen (15) Calendar Days prior written notice to the Contract Administrator.

### D10. PERFORMANCE SECURITY

- D10.1 The Contractor shall provide and maintain performance security until the expiration of the warranty period in the form of:
  - (a) a performance bond of a company registered to conduct the business of a surety in Manitoba, in the form attached to these Supplemental Conditions (Form H1: Performance Bond), in the amount of fifty percent (50%) of the Contract Price; or
  - (b) an irrevocable standby letter of credit issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form attached to these Supplemental Conditions (Form H2: Irrevocable Standby Letter of Credit), in the amount of fifty percent (50%) of the Contract Price; or
  - (c) a certified cheque or draft payable to "The City of Winnipeg", drawn on a bank or other financial institution registered to conduct business in Manitoba, in the amount of fifty percent (50%) of the Contract Price.
- D10.1.1 Where the performance security is in the form of a certified cheque or draft, it will be deposited by the City. The City will not pay any interest on certified cheques or drafts furnished as performance security.
- D10.2 If the bid security provided in his Bid was not a certified cheque or draft pursuant to B11.1(c), the Contractor shall provide the City Solicitor with the required performance security within seven (7) Calendar Days of notification of the award of the Contract by way of letter of intent and prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

### D11. DETAILED WORK SCHEDULE

- D11.1 The Contractor shall provide the Contract Administrator with a detailed work schedule at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C:4.1 for the return of the executed Contract.
- D11.2 The detailed work schedule shall consist of the following:
  - (a) a Gantt chart for the Work;acceptable to the Contract Administrator.
- D11.3 Further to D11.2(a), the Gantt chart shall clearly identify the start and completion dates of all of the following activities/tasks making up the Work. The Gantt chart shall show the time on a weekly basis, required to carry out the Work at each location. The time shall be on the horizontal axis, and the Work at each location on the vertical axis.

### D12. SECURITY CLEARANCE

- D12.1 Each individual proposed to perform the following portions of the Work:
  - (a) any Work on private property;
  - (b) communicating with residents and homeowners in person or by telephone;
  - shall be required to obtain a Criminal Record Search Certificate from the police service having jurisdiction at his place of residence.
- D12.2 Prior to the commencement of any Work specified in D12.1, and during the term of the Contract if additional or replacement individuals are proposed to perform Work, the Contractor shall supply the Contract Administrator with a Criminal Record Search Certificate obtained not earlier than one (1) year prior to the Submission Deadline, or a certified true copy thereof, for each individual proposed to perform such Work.
- D12.3 Any individual for whom a Criminal Record Search Certificate is not provided, or for whom a Criminal Record Search Certificate indicates any convictions or pending charges related to property offences or crimes against another person, will not be permitted to perform any Work specified in D12.1.
- D12.4 Any Criminal Record Search Certificate obtained thereby will be deemed valid for the duration of the Contract subject to a repeated records search as hereinafter specified.
- D12.5 Notwithstanding the foregoing, at any time during the term of the Contract, the City may, at its sole discretion and acting reasonably, require an updated criminal records search. Any individual who fails to provide a satisfactory Criminal Record Search Certificate as a result of a repeated criminal records search will not be permitted to continue to perform any Work specified in D12.1.

# **SCHEDULE OF WORK**

#### D13. COMMENCEMENT

- D13.1 The Contractor shall not commence any Work until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
- D13.2 The Contractor shall not commence any Work on the Site until:
  - (a) the Contract Administrator has confirmed receipt and approval of:
    - (i) evidence of authority to carry on business specified in D7;
    - (ii) evidence of the workers compensation coverage specified in C6.15;
    - (iii) the Safe Work Plan specified in D8:
    - (iv) evidence of the insurance specified in D9;
    - (v) the performance security specified in D10;
    - (vi) the Detailed Work Schedule specified in D11; and
    - (vii) the security clearances specified in D12.
  - (b) the Contractor has attended a pre-construction meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a pre-construction meeting.
- D13.3 Commencement of the Work shall be at the Contractor's discretion provided the commencement date will allow achievement of the Critical Stages in accordance with D15, Substantial Performance in accordance with D16, and Total Performance in accordance with D17.

# D14. SEQUENCE OF WORK

D14.1 Further to C:6.1, the sequence of works shall be as follows:

(a) Construction of the 375mm diameter wastewater sewer shall not commence until the Dugald Road Pumping Station, located at Dugald Road and Mazenod Road, has been completed (to be done by others).

#### D15. CRITICAL STAGES

- D15.1 The Contractor shall achieve critical stages of the Work in accordance with the following requirements:
  - (a) Installation of 900mm diameter sewer to be completed by November 21, 2008.

#### D16. SUBSTANTIAL PERFORMANCE

- D16.1 The Contractor shall achieve Substantial Performance by February 20, 2009.
- D16.2 When the Contractor considers the Work to be substantially performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Substantial Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.
- D16.3 The date on which the Work has been certified by the Contract Administrator as being substantially performed to the requirements of the Contract through the issue of a certificate of Substantial Performance is the date on which Substantial Performance has been achieved.

### D17. TOTAL PERFORMANCE

- D17.1 The Contractor shall achieve Total Performance by June 12, 2009.
- D17.2 When the Contractor or the Contract Administrator considers the Work to be totally performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Total Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.
- D17.3 The date on which the Work has been certified by the Contract Administrator as being totally performed to the requirements of the Contract through the issue of a certificate of Total Performance is the date on which Total Performance has been achieved.

#### D18. LIQUIDATED DAMAGES

- D18.1 If the Contractor fails to achieve critical stages or Substantial Performance in accordance with the Contract by the days fixed herein for same, the Contractor shall pay the City the following amounts per Working Day for each and every Working Day following the days fixed herein for same during which such failure continues:
  - (a) Critical Stages One Thousand dollars (\$1000.00);
  - (b) Substantial Performance one-thousand dollars (\$1000);
  - (c) Total Performance three-hundred dollars (\$300).
- D18.2 The amount specified for liquidated damages in D18.1 is based on a genuine pre-estimate of the City's losses in the event that the Contractor does not meet the critical stages or does not achieve Substantial Performance by the day fixed herein for same.
- D18.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

# D19. SCHEDULED MAINTENANCE

- D19.1 The Contractor shall perform the following scheduled maintenance in the manner and within the time periods required by the Specifications:
  - (a) Landscape maintenance as specified in CW 3510.
- D19.2 Determination of Substantial Performance and Total Performance shall be exclusive of scheduled maintenance identified herein. All scheduled maintenance shall be completed prior to the expiration of the warranty period. Where the scheduled maintenance cannot be completed during the warranty period, the warranty period shall be extended for such period of time as it takes the Contractor to complete the scheduled maintenance.

# **CONTROL OF WORK**

# D20. JOB MEETINGS

- D20.1 Regular bi-weekly job meetings will be held at the Site. These meetings shall be attended by a minimum of one representative of the Contract Administrator, one representative of the City and one representative of the Contractor. Each representative shall be a responsible person capable of expressing the position of the Contract Administrator, the City and the Contractor respectively on any matter discussed at the meeting including the Work schedule and the need to make any revisions to the Work schedule. The progress of the Work will be reviewed at each of these meetings.
- D20.2 The Contract Administrator reserves the right to cancel any job meeting or call additional job meetings whenever he deems it necessary.

### D21. TRAFFIC CONTROL AND MAINTENANCE OF ACCESS

- D21.1 Traffic control shall be carried out in accordance with Section 3.7 of CW 1130.
- D21.2 Further to D21.1, should the Contract Administrator require that Work on Regional Streets be carried out at night, on Sundays, on public holidays or that Work be restricted or suspended during peak traffic hours, the Contractor shall comply without additional compensation being considered to meet these requirements.
- D21.3 Regional Streets in this Contract are:
  - (a) Dugald Road
- D21.4 Traffic control during construction shall be as follows:
  - (a) Dugald Road
    - (i) Construction activity is to be limited to the boulevard/ditch of Dugald Road.
    - (ii) If required, maintain one lane of traffic at all times with flag persons in accordance with Section 3.12 of the City of Winnipeg, "Manual of Temporary Traffic Control in Work Areas on City Streets" to maintain traffic safety.
    - (iii) Intersecting streets and private approaches must be maintained at all times.
    - (iv) Bus traffic must be maintained at all times.
    - (v) Pedestrian traffic must be maintained at all times.
- D21.5 Construction activities on Regional Streets shall be restricted to the closed lanes between 07:00 to 09:00 hours and 15:30 to 17:30 hours Monday to Friday and other hours as directed by the Contract Administrator.
- D21.6 The Contractor will have access to the open lanes of traffic during non-restricted hours provided flag persons are used in accordance with Section 3.12 of The City of Winnipeg, "Manual of Temporary Traffic Control in Work Areas on City Streets" to maintain traffic safety.

- D21.7 Further to Section 3.6 of CW 1130, the Contractor shall maintain safe pedestrian crossing at intersections at all times. If possible, only one pedestrian crossing at an intersection is to be blocked by construction at any one time. If more than one pedestrian crossing is blocked by construction at an intersection at the same time the Contractor shall provide flag persons to safely escort pedestrians across the intersection. The Contractor shall leave pedestrian crossing locations safe and free of equipment that may hamper pedestrians when no construction activities are being performed at a particular crossing location.
- D21.8 The Contractor shall not park company or private vehicles inside the barricaded work zone in a manner that will block sightlines for vehicles and pedestrians approaching and crossing intersections.

# D22. PRIME CONTRACTOR – THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA)

D22.1 Further to C6.24, the Contractor shall be the Prime Contractor and shall serve as, and have the duties of the Prime Contractor in accordance with The Workplace Safety and Health Act (Manitoba).

#### **MEASUREMENT AND PAYMENT**

#### D23. PAYMENT

D23.1 Further to C12, effective January 1, 2007 the City may at its option pay the Contractor by direct deposit to the Contractor's banking institution.

# D24. WATER USED ON CITY OF WINNIPEG CONSTRUCTION PROJECTS

D24.1 Further to Section 3.7 of CW 1120, charges incurred for the permit and water meters shall be paid for by the Contractor when taken out. The Contractor shall forward the invoice to the Contract Administrator for reimbursement. The billing for water usage sent to the Contractor shall be forwarded to the Contract Administrator for payment. The Bid Opportunity number shall be noted on each permit.

### **WARRANTY**

# D25. WARRANTY

- D25.1 Notwithstanding C:13.2, the Contract Administrator may permit the warranty period for a portion or portions of the Work to begin prior to the date of Total Performance if:
  - (a) a portion of the Work cannot be completed because of unseasonable weather or other conditions reasonably beyond the control of the Contractor but that portion does not prevent the balance of the Work from being put to its intended use.
- D25.1.1 In such case, the date specified by the Contract Administrator for the warranty period to begin shall be substituted for the date specified in C:13.2 for the warranty period to begin.

# FORM H1: PERFORMANCE BOND

(See D10)

KNOW	ALL MEN BY THESE PRESEI	NTS THAT
(hereina	after called the "Principal"), and	1
	after called the "Surety"), are ne "Obligee"), in the sum of	held and firmly bound unto THE CITY OF WINNIPEG (hereinafted
		dollars (\$
sum the		to the Obligee, or its successors or assigns, for the payment of which themselves, their heirs, executors, administrators, successors and these presents.
WHERE	EAS the Principal has entered	into a written contract with the Obligee dated the
	_ day of	, 20 , for:
BID OP	PORTUNITY NO. 537-2008	
	D ROAD SECONDARY SEWI ACT NO. 27	ER PHASE 3 – BOURNAIS DRIVE TO THE DUGALD OVERPASS,
which is	by reference made part hered	of and is hereinafter referred to as the "Contract".
NOW T	HEREFORE the condition of the	ne above obligation is such that if the Principal shall:
(b) (c) (d)	forth in the Contract and in ac perform the Work in a good, p make all the payments whether in every other respect comp Contract; and indemnify and save harmless demands of every description claims, actions for loss, do Compensation Act", or any of	er to the Obligee or to others as therein provided;  ly with the conditions and perform the covenants contained in the obligee against and from all loss, costs, damages, claims, and as set forth in the Contract, and from all penalties, assessment amages or compensation whether arising under "The Worke her Act or otherwise arising out of or in any way connected with the ance of the Contract or any part thereof during the term of the
THEN T		VOID, but otherwise shall remain in full force and effect. The Sure
shall no	t, however, be liable for a grea	ter sum than the sum specified above.
nothing or relea	of any kind or matter whatsoe	ND AGREED that the Surety shall be liable as Principal, and the ever that will not discharge the Principal shall operate as a discharge any law or usage relating to the liability of Sureties to the contrain
IN WITN	NESS WHEREOF the Principa	I and Surety have signed and sealed this bond the
-	_ day of	, 20

SIGNED AND SEALED n the presence of:	(Name of Principal)	
Witness)	Per:	(Seal)
withess)	Per:	
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)

# FORM H2: IRREVOCABLE STANDBY LETTER OF CREDIT (PERFORMANCE SECURITY)

(See D10)

(Date)
The City of Winnipeg Corporate Services Department Legal Services Division 185 King Street, 3rd Floor Winnipeg MB R3B 1J1
RE: PERFORMANCE SECURITY - BID OPPORTUNITY NO. 537-2008
DUGALD ROAD SECONDARY SEWER PHASE 3 – BOURNAIS DRIVE TO THE DUGALD OVERPASS, CONTRACT NO. 27 $$
Pursuant to the request of and for the account of our customer,
(Name of Contractor)
(Address of Contractor)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writted demand for payment made upon us by you. It is understood that we are obligated under this Standb Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standb Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.
Subject to the condition hereinafter set forth, this Standby Letter of Credit will expire on
(Date)

It is a condition of this Standby Letter of Credit that it shall be deemed to be automatically extended from year to year without amendment from the present or any future expiry date, unless at least 30 days prior to the present or any future expiry date, we notify you in writing that we elect not to consider this Standby Letter of Credit to be renewable for any additional period.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)

# **PART E - SPECIFICATIONS**

### **GENERAL**

### E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

- E1.1 These Specifications shall apply to the Work.
- E1.2 The City of Winnipeg Standard Construction Specifications in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.
- E1.2.1 The City of Winnipeg Standard Construction Specifications is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Branch internet site at http://www.winnipeg.ca/matmgt.
- E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.
- E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over *The City of Winnipeg Standard Construction Specifications*.
- E1.3 The following are applicable to the Work:

Drawing No.	<u>Drawing Name/Title</u> Cover Sheet
8569	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 237.5 W of Terracon Place to 75.0 W of Terracon Place
8570	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 75.0 W of Terracon Place to 50.60 E of Terracon Place
8571	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 50.60 E of Terracon Place to 200.40 E of Terracon Place
8572	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 200.40 E of Terracon Place to 350.70 E of Terracon Place
8573	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 350.70 E of Terracon Place to 196.7 W of Mazenod Road
8574	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 196.7 W of Mazenod Road to 46.70 W of Mazenod Road
8575	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 46.70 W of Mazenod Road to 72.5 E of Mazenod Road
8576	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 72.5 E of Mazenod Road to 222.50 E of Mazenod Road
8577	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 222.50 E of Mazenod Road to 62.50 W of Bournais Drive
8578	Dugald Secondary Sewer Replacement – Phase 3, DUGALD RD, 62.50 W of Bournais Drive to Bournais Drive

#### **GENERAL REQUIREMENTS**

# **E2.** SOILS INVESTIGATION REPORT

E2.1 Copies of the soil investigation report can be provided upon request.

### E3. CONFINED SPACE ENTRY SAFETY

E3.1 The Contractor's attention is drawn to the Province of Manitoba Workplace Safety and Health Act ("the Act"), and the Regulations and Guidelines there under pertaining to confined entry work, and in particular the requirements for conducting hazard/risk assessments and providing personal protective equipment (PPE).

E3.2 The Contractor shall provide supplied air breathing apparatus conforming to the requirements of the Act, Regulation and Guidelines for the use of the Contract Administrator where confined entry is required to allow for inspection of the work.

#### E4. GRAVITY SEWERS

- E4.1 Further to CW 2130, bedding and initial backfill for all sewer installations in an open trench or shaft shall be:
  - (a) Type 2 material for PVC pipe;
  - (b) Sand for Concrete pipe.
- E4.2 Cages or shoring shall be lifted above the pipe zone before compaction of the initial backfill or cut and permanently left in place or otherwise installed in such a way as to not disturb the bedding and initial backfill during removal.

### E5. DITCH RESTORATION

- E5.1 Restore ditches in accordance with CW 3110 to match existing grade, slope and cross-section.
- E5.2 Restoration of ditches disturbed due to construction activities will be included as part of the installation of the secondary sewer.

#### E6. PROTECTION OF EXISTING TREES

- E6.1 The Contractor shall take the following precautionary steps to avoid damage from his construction activities to existing boulevard trees within the limits of the construction area.
- E6.1.1 Do not stockpile materials and soil or park vehicles and equipment on boulevards within 2 metres of trees.
- E6.1.2 Strap mature tree trunks with 25 x 150 x 2400 wood planks. Smaller trees shall be similarly protected using appropriately sized wood planks.
- E6.1.3 Excavations shall be carried out in a manner to minimize damage to existing root systems. Where roots must be cut to facilitate an excavation they shall be neatly pruned at the face of the excavation.
- E6.1.4 Work on site shall be carried out in a manner to minimize damage to existing tree branches. Where damage to tree branches does occur, the Contractor shall neatly prune the damaged branch.
- E6.1.5 American elm trees shall not be pruned between April 1<sup>st</sup> and August 1<sup>st</sup> and Siberian elm trees between April 1<sup>st</sup> and July 1<sup>st</sup> of any year under provisions of The Dutch Elm Disease Act.
- E6.2 All damage to existing trees due to the Contractor's construction activities shall be repaired to the requirements and satisfaction of the City of Winnipeg, Public Works Department, Forestry Branch.
- E6.3 No separate measurement or payment will be made for protection of trees.

# E7. PARTIAL SLAB PATCHES

- E7.1 Construct partial slab patches in accordance with CW 3230. Partial Slab Patches shall be measured on an area basis and paid for at the Contract Unit Price per square metre for "Partial Slab Patches" in Form B of the Bid Submission.
- E7.2 No separate measurement or payment will be made for Drilled Dowels or Tie Bars, the cost for which shall be included in the prices bid for Partial Slab Patches.

### E8. MISCELLANEOUS CONCRETE SLAB RENEWALS - SIDEWALKS

E8.1 Construct miscellaneous concrete slab renewals in accordance with CW 3235. Miscellaneous Concrete slab renewals for sidewalk shall be measured on an area basis and paid for at the Contract Unit Price per square metre for "Miscellaneous Concrete Slab Renewals – Sidewalk" in Form B of the Bid Submission.

### E9. CONCRETE CURB RENEWALS

E9.1 Construct concrete curb renewal in accordance with CW 3240. Concrete curb renewal shall be measured on a length basis and paid for at the Contract Unit Price per metre for "Concrete Curb Renewal" in Form B of the Bid Submission.

### E10. STREET LIGHT CABLE

- E10.1 At locations where street lighting cable is to be replaced as directed by the Contract Administrator, the Contractor shall construct a trench suitable for the placement of street lighting cable or install a 50 mm HDPE conduit by trenchless methods. The HDPE conduit will be supplied by the street lighting utility at no cost to the Contractor.
- E10.2 Construct the trench or cored pipe on the same alignment as the street light bases or as directed by the Contract Administrator. The bottom of the trench shall be between 600 mm and 750 mm below the top of curb and shall be no more than 150 mm in width. The invert of cored pipe shall be 600 mm to 750 mm below the top of curb.
- E10.3 Provide 48 hours notice to the Contract Administrator prior to the commencement of trenching or coring operations in order to allow coordination of the cable installation by the street lighting utility.
- E10.4 Backfill, compact and grade the disturbed boulevard sections. Upon completion of cable installation by the street lighting utility, backfill shall be Class 4 Backfill in accordance with CW 2030.
- E10.5 Street light cable trenching or coring shall be measured on a length basis and paid for at the Contract Unit Price per metre for "Street Light Cable", "a) trenching" or "b) coring". The length to be paid for shall be the total number of metres of trenching constructed or conduit installed by coring, accepted and measured by the Contract Administrator, which price shall be payment in full for performing all operations herein described and all other items incidental to the trenching or coring of street light cable.

# E11. PAVEMENT AND GRAVEL SURFACING RESTORATION

- E11.1 Prior to construction, inspect the pavement and gravel surfacing (gravel shoulder) within and adjacent to the Site with the Contract Administrator to record the current pavement condition. After construction and site cleanup is complete, re-inspect the pavement condition.
- E11.2 Pavement removed and replaced as directed by the Contract Administrator will be measured and paid in accordance with CW 3230, CW 3410 and E7.
- E11.3 Gravel surfacing removed and replaced as directed by the Contract Administrator will be measured and paid for in accordance with CW 3150.
- E11.4 Pavement damaged as a result of construction activities will be restored in accordance with CW 3230, CW 3410 and E7. Restoration of the pavement will be included as part of the sewer work being done.
- E11.5 Gravel surfacing damaged as a result of construction activities will be restored in accordance with CW 3150. Restoration of the gravel surfacing will be included as part of the sewer work being done.

### E12. TEMPORARY SURFACE RESTORATIONS

- E12.1 Further to clause 3.3 of CW 1130, where permanent surface restorations cannot be made due to cold weather, the Contractor shall temporarily restore surfaces as follows:
  - (a) Backfill and level boulevards and grassed areas to match existing surface elevation,
  - (b) Cap excavations in street pavement with a 150 millimetre thick layer of "Concrete for Temporary Restoration of Utility Pavement Cuts" as specified in CW 3310,
  - (c) Cap excavations in sidewalk pavement with a 75 millimetre thick layer of "Concrete for Temporary Restoration of Utility Pavement Cuts" as specified in CW 3310.
  - (d) Where curb has been removed as part of the pavement cut, pour temporary curb using "Concrete for Temporary Restoration of Utility Pavement Cuts" as specified in CW 3310.
  - (e) Remove all temporary pavements prior to permanent restoration.
- E12.2 Contractor shall monitor and maintain temporarily restored surfaces with cold-mix asphalt as required until permanent restoration is complete.
- If, in the opinion of the Contract Administrator, temporarily restored surfaces are not being adequately maintained or were not properly constructed and pose a danger to the public, maintenance or reconstruction will be done by City forces with no advance notification to the Contractor.
- E12.2.2 All maintenance and reconstruction costs incurred by the City shall be deducted from future payments to the Contractor.
- E12.3 Complete permanent restorations at all locations within 10 working days of:
  - (a) The day established by the Public Works Department that concrete may be poured,
  - (b) The day that sod becomes readily available for boulevards.
- E12.4 Temporary surface restorations shall be measured on an area basis and paid for at the contract unit price for "Temporary Surface Restorations", "a) street pavement" or "b) sidewalk". The area to be paid for shall be the total number of square metres of street pavement or sidewalk temporarily restored, accepted and measured by the Contract Administrator.
- E12.4.1 No measurement or payment will be made for the temporary restoration of barrier or lip curb.
- E12.4.2 No measurement or payment will be made for the temporary restoration of boulevards and grassed areas.
- E12.4.3 No measurement or payment will be made for the removal of temporary pavement prior to permanent restoration.
- E12.5 Temporary surface restorations shall only be constructed with the approval of the Contract Administrator.
- E12.5.1 Notwithstanding C:7, the City reserves the right to diminish all or any portion of the quantities listed in Form B for "Temporary Surface Restorations" and no claim shall be made for damages on grounds of loss of anticipated profit or for any other reason.

### E13. BACKFILL UNDER TEMPORARY SURFACE RESTORATIONS

- E13.1 Use Class 2 backfill in excavations under temporary street pavement and sidewalk where Class 3 backfill cannot be jetted and flooded due to cold weather.
- E13.2 Class 2 backfill may be compacted in 600mm lifts where backhoe operated pneumatic plate compactors are used.
- E13.3 Jet and flood Class 2, and Class 5 backfilled excavations in spring when ground is not frozen prior to permanent restoration.

E13.4 No extra payment will be made for Class 2 backfill.

#### E14. OVERHEAD WIRES

- E14.1 If required, the Contractor is to coordinate safety watch or other recommended precautionary measures as directed by the utility.
- E14.2 Costs associated with the safety watch or other precautionary measures will be considered incidental and included as part of the installation of the secondary sewer.

#### E15. PROTECTION OF EXISTING TREES

- E15.1 The Contractor shall take the following precautionary steps to avoid damage from his construction activities to existing boulevard trees within the limits of the construction area.
- E15.1.1 Do not stockpile materials and soil or park vehicles and equipment on boulevards within 2 metres of trees.
- E15.1.2 Strap mature tree trunks with 25 x 150 x 2400 wood planks. Smaller trees shall be similarly protected using appropriately sized wood planks.
- E15.1.3 Excavations shall be carried out in a manner to minimize damage to existing root systems. Where roots must be cut to facilitate an excavation they shall be neatly pruned at the face of the excavation.
- Work on site shall be carried out in a manner to minimize damage to existing tree branches. Where damage to tree branches does occur, the Contractor shall neatly prune the damaged branch.
- E15.1.5 American elm trees shall not be pruned between April 1<sup>st</sup> and August 1<sup>st</sup> and Siberian elm trees between April 1<sup>st</sup> and July 1<sup>st</sup> of any year under provisions of The Dutch Elm Disease Act.
- E15.2 All damage to existing trees due to the Contractor's construction activities shall be repaired to the requirements and satisfaction of the City of Winnipeg, Public Works Department, Forestry Branch.
- E15.3 No separate measurement or payment will be made for protection of trees.

# E16. FLOW CONTROL IN SECONDARY SEWER AND WASTEWATER SEWERS

- Provide flow control measures to contend with and maintain sewage flow in the existing secondary sewer and connecting wastewater sewers if required during the installation of the new wastewater sewer. Flow control measures may include but not be limited to diversions, flumes and by-pass pumping and will be done in accordance with section 3.21 of CW 2130.
- E16.2 Discharge hoses for by-pass pumping shall not be laid across vehicle or pedestrian traffic areas. If pumping equipment is used, the equipment shall be set up in a location and in such a way as to not be a noise problem for nearby residents.
- E16.3 Costs for flow control will be included with the sewer installation.

# E17. ABANDONMENT OF EXISTING MANHOLES

- E17.1 Description
- E17.1.1 This specification covers the abandonment of existing Dugald secondary sewer manholes.
- E17.2 Construction Methods
- E17.2.1 Abandon existing manholes by removing the frame and cover, flat top reducers and riser sections to a minimum of 1.2 metres below existing or proposed finished grade.

- E17.2.2 Seal off manhole by installing a precast concrete plug sized to fit existing riser section of manhole.
- E17.2.3 Install gasket or "Ram-Nek" between plug and riser section.
- E17.2.4 Backfill excavation with compacted Class of backfill as directed by Contract Administrator.
- E17.2.5 Load and deliver salvaged frames and covers as directed by the Contract Administrator to the Water and Waste Department, Water Services Division Yard located at 552 Plinguet Street. Unload salvaged material as directed by City personnel.
- E17.3 Measurement and Payment
- E17.3.1 This work will be measured on a per item basis and paid for at the Contract Unit Price for "Abandonment of Existing Manholes". Amount to be paid for will be the total number of manholes abandoned in accordance with this specification, accepted and measured by the Contract Administrator.

# E18. ABANDONMENT OF EXISTING SECONDARY SEWER

- E18.1 Description
- E18.1.1 This specification covers the abandonment of existing Dugald secondary sewer.
- E18.2 Construction Methods
- E18.2.1 Clean and flush existing secondary sewer to be abandoned in accordance with CW 2140. Ensure all wastewater is removed from sewer
- E18.2.2 Abandon secondary sewer by abandoning manholes in accordance with E17.
- E18.3 Measurement and Payment
- E18.3.1 This work shall be measured on a length basis for each size and paid for at the Contract Price per lineal metre for "Abandonment of Existing Secondary Sewer". Length to be paid for will be the total length of secondary sewer abandoned in accordance with this specification, accepted and measured by the Contract Administrator.
- E18.3.2 Abandonment of existing manholes will be paid separately in accordance with E17.

#### E19. CONSTRUCTION OF MANHOLE APPROACHES

- E19.1 Description
- E19.1.1 This specification covers the construction of gravel manhole approaches.
- E19.2 Construction Methods
- E19.2.1 Construct gravel approach with crushed limestone base and sub-base to the dimensions shown on the drawings.
- E19.3 Method of Measurement and Payment
- E19.3.1 Construction of manhole approaches will be measured for payment on a unit basis and paid for at the Contract Unit Price for "Construction of Manhole Approach (Detail A)".

  Amount to be paid for will be the total number of manhole approaches constructed in accordance with this specification, accepted and measured by the Contract Administrator.

#### E20. CONSTRUCTION OF MANHOLE APPROACHES

- E20.1 Description
- E20.1.1 This specification covers the installation
- E20.2 Construction Methods

- E20.2.1 Construct gravel approach with crushed limestone base and sub-base to the dimensions shown on the drawings.
- E20.3 Method of Measurement and Payment
- E20.3.1 Construction of manhole approaches will be measured for payment on a unit basis and paid for at the Contract Unit Price for "Construction of Manhole Approach (Detail A)".

  Amount to be paid for will be the total number of manhole approaches constructed in accordance with this specification, accepted and measured by the Contract Administrator.

#### E21. PLUGGING EXISTING 1050MM WASTEWATER SEWER

- E21.1 Description
- E21.1.1 This specification covers the installation of 1050mm diameter pre-cast concrete plugs to abandon a section which conflicts with the proposed 900mm diameter sewer, as shown on Drawing Number 8575.
- E21.2 Construction Methods
- E21.2.1 Install watertight plugs at ends of 1050mm diameter sections of sewer removed.
- E21.2.2 Place concrete around the connection between the pipe and plug to a minimum depth of 300mm above the top of pipe and the width of the excavation, and also behind the plug to a depth of 500mm.
- E21.3 Method of Measurement and Payment
- E21.3.1 Installation of plugs will be measured for payment on a unit basis and paid for at the Contract Unit Price for "Plugging Existing 1050mm Wastewater Sewer". Amount to be paid for will be the total number of plugs installed in accordance with this specification, accepted and measured by the Contract Administrator.
- E21.3.2 Removal of the existing 1050mm diameter wastewater sewer shall be included in the price for the installation of the 900mm diameter wastewater sewer.

# E22. CONNECTING 375MM DIAMETER WWS TO 400MM DIAMETER WALLPIECE OF PUMPING STATION

- E22.1 Description
- E22.1.1 This specification covers the connection of the 375mm diameter wastewater sewer to the 400mm diameter stainless steel wall piece of the Dugald Pumping Station.
- E22.2 Construction Methods
- Excavate coring shaft for 375mm diameter pipe outside of excavation for pumping station in accordance to CW 2030. The excavation around the wallpiece will be left open to allow for the connection. Dimensions of the excavation at the pumping station are shown on Detail "B" of Drawing Number 8575.
- E22.2.2 Install 375mm diameter pipe by trenchless methods to wallpiece.
- E22.2.3 Connect 375mm diameter sewer pipe to 400mm diameter wallpiece with an approved transition coupling as shown on Detail "B"of Drawing Number 8575.
- E22.2.4 Place and compact Class 2 backfill material as indicated on the Drawings in accordance with CW 2030.
- E22.3 Method of Measurement and Payment
- E22.3.1 The connection to the wallpiece will be measured for payment on a unit basis and paid for at the Contract Unit Price for "Connecting 375 WWS to 400 Wallpiece of Pumping

Station"". Amount to be paid for will be the total number of connections made in accordance with this specification, accepted and measured by the Contract Administrator.