#### FORM A: BID (See B8)

### 1. Contract Title FORT GARRY TWIN BRIDGES – WESTBOUND STRUCTURE REHABILITATION AND ASSOCIATED ROADWORKS

2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business	under the above name.	
3.	Contact Person	The Bidder hereby at the Bidder for purpose	uthorizes the following contact perses of the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract shall have e General Conditions.	e the meanings
5.	Offer		ffers to perform the Work in acco Bid Price, in Canadian funds, set eto.	

Template Version: Error! Unknown document property name.

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this
		day of , 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above)
	(Witness)	(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	BRIDGE WORK - Part A			,		
A.1	Mobilization and Demobilization	E2/E3	L.S.	1		
A.2	Traffic Control	E5	L.S.	1		
A.3	Pedestrian Protection/Accommodation	E8	L.S.	1		
A.4	Structural Removals	E9				
i)	Remove and Salvage Aluminum Traffic Rail		L.S.	1		
ii)	Asphalt Wearing Surface and Waterproofing Membrane		L.S.	1		
iii)	Reinforced Concrete Barriers and Bridge Deck Overhang		L.S.	1		
iv)	Stage I Deck Concrete		L.S.	1		
v)	Deck Drains		L.S.	1		
vi)	Expansion Joints		L.S.	1		
vii)	Abutment Wingwalls and Roof Slabs		L.S.	1		
viii)	Approach Slabs		L.S.	1		
ix)	Stage II Deck Concrete					
a)	Type 1		m²	200		
b)	Type 2		m²	20		
A.5	Bridge Deck Surface Preparation	E9	L.S.	1		
A.6	Strengthen Structural Steel	E11	kg	5,000		
A.7	Supply and Install Abutment Stiffeners	E11	each	3		
A.8	Paint Exterior Girder Ends	E12	m²	750		
A.9	Supply and Place Black Reinforcing Steel	E13	kg	2,900		
A.10	Place MMFX Reinforcing Steel	E13	kg	163,690		
A.11	Install Reinforcing Steel Into Hardened Concrete	E13	each	1,540		
A.12	Supply and Place Structural Concrete	E14				
i)	Abutment Modifications		L.S.	1		
ii)	Stage I Bridge Deck		L.S.	1		
iii)	Barriers		L.S.	1		
iv)	Approach Slabs		L.S.	1		
v)	Roadway Expansion Slab		L.S.	1		
vi)	Expansion Joint Concrete Nosings		L.S.	1		
vii)	Slope Paving		L.S.	1		
viii)	High Performance Concrete Deck Overlay		L.S.	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ix)	Stage II Bridge Deck					
a)	Type 1		m²	200		
b)	Type 2		m²	20		
A.13	Supply and Place Lean Mix Concrete	E14	m3	80		
A.14	Supply and Install Dampproofing	E14	m²	115		
	Supply and Install Anchor Units for Bridge Street Light Poles and BR1 Posts	E14	L.S.	1		
A.16	Supply and Install Galvanized Dowels and Expansion Sleeves	E14	each	196		
A.17	Repair Miscellaneous Areas of Abutment Concrete	E15	m²	20		
	Supply and Install Expansion Joints	E16	each	2		
A.19	Supply and Install Aluminum Traffic Posts	E17	each	154		
A.20	Supply Aluminum Traffic Rails	E17	m	40		
A.21	Install Aluminum Traffic Rails	E17	m	530		
A.22	Supplying and Placing Clay Subbase Material	CW 3110-R10, E18	m3	225		
A.23	Crushed Subbase Material	CW 3110-R10, E18				
i)	50 mm - Limestone	210	m3	225		
	Hot-Poured Rubberized Asphalt Waterproofing	E19	m²	115		
	Electrical	E21				
	Conduit System Complete with Pull Strings for Roadway Lighting		L.S.	1		
	Conduit and Wiring for Underbridge Lighting		L.S.	1		
	Modifications for Power Distribution to Accomodate New Lighting Circuit		L.S.	1		
	Photocell Control for New Lighting Circuit		L.S.	1		
v)	Lighting Fixtures		L.S.	1		
	BRIDGE WORK - Part A			SUB TOTAL		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - Part B					
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R10	m³	4980		
B.2	Sub-Grade Compaction	CW 3110-R10	m²	10290		
B.3	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	8110		
B.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	770		
B.5	Grading of Boulevards	CW 3110-R10	m²	3900		
B.6	Ditch Grading	CW 3110-R10	m²	6060		
B.7	Ditch Excavation	CW 3110-R10	m³	2090		
B.8	Removal of Existing Concrete Bases	CW 3110-R10				
i)	600mm Diameter or Less		each	3		
B.9	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	10290		
B.10	Fill Material	CW 3170-R3				
i)	Supplying and Placing Imported Material		m³	1230		
	ROADWORK - REMOVALS/RENEWALS					
B.11	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	4100		
B.12	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	1000		
ii)	25 M Deformed Tie Bar		each	2050		
B.13	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Median Slab		m²	150		
ii)	Sidewalk		m²	75		
iii)	Bullnose		m²	20		
B.14	Miscellaneous Concrete Slab Installation	CW 3235-R6				
i)	Median Slab	SD-227A	m²	180		
ii)	Sidewalk	SD-228A	m²	60		
iii)	Bullnose	SD-227C	m²	20		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.15	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (150mm ht)		m	220		
ii)	Modified Barrier (Integral)		m	65		
iii)	Curb and Gutter		m	170		
iv)	Curb Ramp		m	35		
B.16	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	260		
ii)	Barrier (180mm ht, Integral)	SD-204	m	85		
iii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	10		
iv)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	170		
v)	Mountable Curb (120mm ht, Integral)	SD-201	m	855		
vi)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	35		
B.17	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	875		
B.18	Construction of Asphaltic Concrete Overlay	CW 3410-R7				
i)	Main Line Paving					
a)	Type IA		tonne	775		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	84		
B.19	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	255		
ii)	0 - 50 mm Depth (Concrete)		m²	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - NEW CONSTRUCTION					
B.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R12				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	4160		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	2740		
	JOINT AND CRACK SEALING					
B.21	Reflective Crack Maintenance	CW 3250-R6	m	450		
B.22	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Basin	CW 2130-R11				
i)	SD-024		each	10		
B.23	Catch Pit	CW 2130-R11				
i)	SD-023		each	2		
B.24	Drainage Connection Pipe	CW 2130-R11	m	10		
B.25	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-011 - Mountable Curb and Gutter Inlet		each	2		
B.26	Sewer Service	CW 2130-R11				
i)	250mm PVC					
a)	in a Trench, Class B Sand Bedding, Class 4 Backfill		m	190		
B.27	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	2		
B.28	Connecting to Existing Catch Pit	CW 2130-R11				
i)	250mm Drainage Connection Inlet Pipe		each	6		
B.29	Removal of Existing Catch Basins	CW 2130-R11	each	7		
B.30	Removal of Existing Catch Pit	CW 2130-R11	each	9		
B.31	Relocation of Existing Catch Basins	CW 2130-R11	each	2		
B.32	Relocation of Existing Catch Pit	CW 2130-R11	each	3		
B.33	Installation of Subdrains	CW 3120-R2	m	270		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.34	Plugging Existing Sewer and Sewer Services Smaller than 300mm	CW 2130-R11	each	9		
	ADJUSTMENTS					
B.35	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
B.36	Lifter Rings	CW 3210-R7				
i)	51mm		each	2		
B.37	Adjustment of Valve Boxes	CW 3210-R7	each	1		
B.38	Valve Box Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
B.39	Seeding	CW 3520-R7, E28	m²	6510		
	MISCELLANEOUS					
B.40	Sacked Concrete Riprap	CW 3615-R2	m³	20		
B.41	Installation of Barrier Posts	CW 3650-R4	each	86		
B.42	Installation of Barrier Rails	CW 3650-R4	m	326		
B.43	Salvaging Existing Barrier Rail	CW 3650-R4	m	326		
B.44	Salvaging Existing Barrier Posts	CW 3650-R4	each	86		
	ROADWORK - Part B		<u> </u>	SUB TOTAL		
						l .

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	DETOUR WORK - Part C					
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R10	m³	365		
C.2	Sub-Grade Compaction	CW 3110-R10	m²	3170		
C.3	Crushed Sub-base Material	CW 3110-R10				
i)	50 mm - Limestone		tonne	1025		
C.4	Supplying and Placing Base Course Material	CW 3110-R10	m³	400		
C.5	Ditch Excavation	CW 3110-R10	m³	15		
C.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R1	m²	3170		
C.7	Topsoil Excavation	CW 3170-R3, E7	m³	275		
C.8	Common Excavation- Suitable site material	CW 3170-R3, E7	m³	4830		
C.9	Soft Excavation	E22	Hours	20		
C.10	Place Salvage Roadway Subbase Material	E7	m³	365		
	ROADWORK - REMOVALS/RENEWALS					
C.11	Pavement Removal	CW 3110-R10				
i)	Asphalt Pavement		m²	3570		
C.12	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Sidewalk		m²	10		
C.13	Concrete Curb Removal	CW 3240-R7				
i)	Barrier Integral		m	305		
C.14	Concrete Curb Installation	CW 3240-R7				
i)	Mountable Curb (120mm ht, Dowelled)		m	265		
ii)	Curb Ramp (10mm ht, Integral)	SD-229A,B,C	m	25		
	ROADWORK - NEW CONSTRUCTION					
C.15	Construction of Asphaltic Concrete Pavements	CW 3410-R7				
i)	Main Line Paving					
a)	Type IA		tonne	450		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND					
0.40	UNDERGROUND WORKS	0144 004 0 00				
C.16	Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(300mm, 1.6mm gauge)		m	175		
C.17	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(300mm, 1.6 mm gauge)		m	245		
C.18	Remove and Salvage Corrugated Steel Pipe	E26				
i)	(300mm,1.6mm gauge)		m	70		
	ADJUSTMENTS					
0.40		0144 004 0 107		_		
C.19	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
C 20	Poplasing Existing Ricors	CW 2130-R11				
C.20	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1		
	LANDSCAPING					
C.21		CW 2520 D7	2	3570		
0.21	Seeding	CW 3520-R7, E28	m²	3570		
	MISCELLANEOUS					
C.22	Installation of Barrier Posts	CW 3650-R4	each	6		
C.23	Installation of Barrier Rails	CW 3650-R4	m	25		
C.24	Salvaging Existing Barrier Rail	CW 3650-R4	m	6		
C.25	Salvaging Existing Barrier Posts	CW 3650-R4	each	25		
C.26	Relocation of Precast Concrete Traffic Barriers	E23	each	20		
	DETOUR WORK - Part C			SUB TOTAL		
	SUMMARY					<u> </u>
	BRIDGE WORK - Part A				SUB TOTAL	
	ROADWORK - Part B				SUB TOTAL	
	DETOUR WORK - Part C				SUB TOTAL	
TOTAL	BID PRICE (GST extra)		(in figure			
IOTAL	DID FRICE (GOT EXIIA)		(iii iigure	55)		
(in word	s)					

(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	THAT		
(hereinafter called the "Principal") and			
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten perodescribed, for the payment of which sum the administrators, successors and assigns, join	cent (10%) of the Total E ne Principal and Surety b	Bid Price set out in the Bind themselves, their hei	id hereinafter
WHEREAS the Principal has submitted a Bi	d to the Obligee dated the	е	
day of	, 20	for	
BID OPPORTUNITY NO. 77-2008			
FORT GARRY TWIN BRIDGES – WESTBOROADWORKS	OUND STRUCTURE REH	IABILITATION AND ASS	OCIATED
as more fully set out in the Bid Opportunity.			
NOW THEREFORE the condition of this ob if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required of the Contract, this obligation shall be void,	accordance with the terms performance security for	s of the Bid, enters into a guaranteeing the faithful	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and s	ealed this bond the	
day of	, 20	·	
SIGNED AND SEALED in the presence of:  (Witness)			

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 77-2008** FORT GARRY TWIN BRIDGES - WESTBOUND STRUCTURE REHABILITATION AND ASSOCIATED **ROADWORKS** in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety)

(Attorney-in-Fact)

Template Version: Error! Unknown document property name.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY - BID OPPORTUNITY NO. 77-2008
FORT GARRY TWIN BRIDGES – WESTBOUND STRUCTURE REHABILITATION AND ASSOCIATED ROADWORKS
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

Template Version: Error! Unknown document property name.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 20, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)