Template Version: C420071218

FORM A: BID (See B7)

1.	Contract Title		T. ANNE'S ROAD TO FERMOI AND ASPHALT RESURFACIN	
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business ur	der the above name.	
3.	Contact Person	The Bidder hereby authors the Bidder for purposes	norizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Offer		ers to perform the Work in according Price, in Canadian funds, se	

Prices, appended hereto.

Template Version: C420071218

5.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
6.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
7.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
8.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
9.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
10.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420071218

11.	Signatures	In witness whereof the Bidder or the Bidde officials have signed this	r's authorized official or
		day of	, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials	
	(Witness)	(Print here name and official capacity of individual w	hose signature appears above)
	(Witness)	(Print here name and official capacity of individual w	hose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ST. MAR	Y'S ROAD - ST. ANNE'S ROAD TO FERMOR A	/ENUE - CONCR	ETE REF	PAIRS AND AS	PHALT RESURF	ACING
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R10	m³	700		
A.2	Supplying and Placing Base Course Material	CW 3110-R10, E9	m³	700		
A.3	Grading of Boulevards	CW 3110-R10	m²	6,000		
	ROADWORK - REMOVALS/RENEWALS					
A.4	Pavement Removal	CW 3110-R10				
i)	Concrete Pavement		m²	1,650		
ii)	Asphalt Pavement		m²	200		
A.5	Slab Replacement	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	750		
A.6	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	35		
ii)	200 mm Concrete Pavement (Type B)		m²	750		
iii)	200 mm Concrete Pavement (Type C)		m²	5		
iv)	200 mm Concrete Pavement (Type D)		m²	100		
A.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	75		
iii)	200 mm Concrete Pavement (Type C)		m²	5		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
A.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain-Dowelled)		m²	500		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - REMOVALS/RENEWALS (Cont'd.)					
A.9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	25		
ii)	200 mm Concrete Pavement (Type B)		m²	425		
iii)	200 mm Concrete Pavement (Type C)		m²	5		
iv)	200 mm Concrete Pavement (Type D)		m²	80		
A.10	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	2,850		
A.11	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	1,250		
ii)	25 M Deformed Tie Bar		each	2,250		
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R6				
i)	Median Slab		m²	350		
ii)	Monolithic Median Slab		m²	330		
iii)	Sidewalk		m²	1,050		
iv)	Bullnose		m²	10		
A.13	Miscellaneous Concrete Slab Installation	CW 3235-R6				
i)	Median Slab	SD-227A	m²	500		
ii)	Monolithic Median Slab	SD-226A	m²	320		
iii)	Safety Median	SD-226B	m²	140		
iv)	Sidewalk	SD-228A	m²	200		
V)	Bullnose	SD-227C	m²	85		
vi)	Monolithic Curb and Sidewalk	SD-228B	m²	1,450		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - REMOVALS/RENEWALS (Cont'd.)					
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R6				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	100		
b)	5 sq.m. to 20 sq.m.		m²	300		
c)	Greater than 20 sq.m.		m²	350		
A.15	Removal of Precast Sidewalk Blocks	CW 3235-R6	m²	550		
A.16	Concrete Curb Removal	CW 3240-R7				
i)	Barrier (Separate)		m	3,350		
ii)	Curb Ramp		m	35		
A.17	Concrete Curb Installation	CW 3240-R7				
i)	Barrier (150mm ht, Separate)	SD-203A	m	45		
ii)	Curb Ramp (10mm ht, Monolithic)	SD-229A,B,C	m	35		
	Splash Strip (150mm ht, Monolithic Barrier Curb, 750mm width, Slip Form Paving)	SD-223A	m	2,120		
iv)	Splash Strip (150mm ht, Monolithic Modified Barrier Curb, 750mm width)	SD-223A	m	265		
A.18	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15		
b)	3 m to 30 m		m	400		
c)	Greater than 30 m		m	100		
ii)	Curb Ramp (10mm ht, Monolithic)	SD-229C,D	m	200		
A.19	Supply and Installation of Dowel Assemblies	CW 3310-R12	m	450		

	REF.		QUANTITY		
DWORK - REMOVALS/RENEWALS					
truction of Asphaltic Concrete Overlay	CW 3410-R7				
Line Paving					
IA		tonne	5,420		
ns and Approaches					
IA		tonne	400		
ng of Pavement	CW 3450-R5				
mm Depth (Asphalt)		m²	5,000		
100 mm Depth (Asphalt)		m²	20,500		
DWORK - NEW CONSTRUCTION					
rete Pavements, Median Slabs, Bulls, and Safety Medians	CW 3310-R12				
truction of 200 mm Concrete Pavement n-Dowelled)		m²	1,200		
rete Pavements for Early Opening	CW 3310-R12				
truction of 200 mm Concrete Pavement for Opening 72 hour (Plain-Dowelled)		m²	1,000		
T AND CRACK SEALING					
ctive Crack Maintenance	CW 3250-R6	m	10,300		
OCIATED DRAINAGE AND ERGROUND WORKS					
n Basin	CW 2130-R11				
24		each	5		
n Pit	CW 2130-R11				
23		each	9		
ti L I n) II C n SEn 2	Line Paving IA IA IA IA IA IA IB IA IB IB	Line Paving IA S and Approaches IA Ig of Pavement The properties of Pavement of Pavement The properties of Pavement of Pavement The properties of Pavement of Pavement of Pavement of Pavement The properties of Pavement of Pavement The properties of Pavement of Pavement The properties of Pavement The pavement of Pavement The properties of Pavement The properties of Pavement The pavement of Pavement The properties of Pavement The pavement o	Line Paving IA tonne Is and Approaches IA tonne Ig of Pavement Import (Asphalt) In Depth (Asphalt)	ruction of Asphaltic Concrete Overlay Line Paving IA tonne 5,420 Is and Approaches IA tonne 400 Ig of Pavement CW 3450-R5 Imm Depth (Asphalt) m² 5,000 Imm Depth (Asphalt) m² 20,500 Imm Depth (Asphalt) CW 3310-R12 Imm Safety Medians Indicate Pavements for Early Opening CW 3310-R12 Indicate Pavements for Early Opening CW 3310-R12 Indicate Pavements for Early Opening CW 3310-R12 Indicate Pavement for Opening 72 hour (Plain-Dowelled) Indicate Pavement for CW 3250-R6 Indicate Darainage And Erground Works Indica	Line Paving IA tonne 5,420 Is and Approaches IA tonne 400 Ig of Pavement CW 3450-R5 Imm Depth (Asphalt) m² 5,000 In moment (Asphalt) m² 20,500 In moment (Asphalt) m² 20,500 In moment (Asphalt) m² 1,200 In m² 1,200 In m² 1,000 In ma Concrete Pavement for Opening 72 hour (Plain-Dowelled) In and CRACK SEALING In moment (Asphalt) m² 1,000 In and CRACK SEALING In ma 10,300 In ma 10,

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
A.27	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-024		each	12		
ii)	SD-025		each	2		
A.28	Sewer Service	CW 2130-R11				
i)	250mm					
a)	in a Trench, Class B Sand Bedding, Class 3 Backfill		m	20		
A.29	Drainage Connection Pipe	CW 2130-R11	m	30		
A.30	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	17		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	16		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
A.31	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	9		
A.32	Removal of Existing Catch Basins	CW 2130-R11	each	5		
	ADJUSTMENTS					
A.33	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	20		
A.34	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	2		
A.35	Adjustment of Valve Boxes	CW 3210-R7	each	10		

The City of Winnipeg Bid Opportunity 93-2008

FORM B: PRICES (SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS (Cont'd.)					
A.36	Valve Box Extensions	CW 3210-R7	each	2		
A.37	Adjustment of Curb Stop Boxes	CW 3210-R7	each	15		
A.38	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	4		
A.39	Curb Stop Extensions	CW 3210-R7	each	8		
A.40	Adjustment of Traffic Signal Service Box Frames	CW 3210-R7	each	3		
	LANDSCAPING					
A.41	Seeding	CW 3520-R7, E12	m²	6,000		
	MISCELLANEOUS					
A.42	Construction of Median Planter Curb	E13	m	150		
A.43	Supply and Place Topsoil	E13	m³	30		
A.44	Construction of New Cast-in-Place Concrete Pile Foundations	E14	each	7		
A.45	Preparation of Tree Wells	E15	m²	75		
OTAL BI	D PRICE (GST extra)		(in fig	ures)		
n words)						

(Seal)

Template Version: C420071218

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

PEG (hereinafter ne Bid hereinafter heirs, executors,
RS AND
s not accepted, or to a Contract with thful performance ect.
(Seal)

(Name of Surety)

(Attorney-in-Fact)

By:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond he become bound as Surety for the Principal,		grees with THE CITY C)F WINNIPEG to
(Name of Bidder)			of
(Place)			
(Place)			
the Bidder to you on	, 20 fc	or	
BID OPPORTUNITY NO. 93-2008			
ST. MARY'S ROAD – ST. ANNE'S ROAD ASPHALT RESURFACING	TO FERMOR AVENUE	– CONCRETE REPAIR	RS AND
in an amount equal to fifty percent (50%) Work shown and described in the Bid Performance Bond to be maintained and operiod. The Performance Bond shall be in	Opportunity, if our Pricontinue in full force and	ncipal's Bid is accepted effect until the expiration	ed by you, such
It is a condition that this Agreement to mentioned above is not required from Submission Deadline.			
AND IT IS HEREBY DECLARED AND a nothing of any kind or matter whatsoever or release of liability of the Surety, any notwithstanding.	that will not discharge th	ne Principal shall opera	te as a discharge
SIGNED AND SEALED this	day of	, 20)
	(Name of Surety)		
	Bv:		(Seal)
	By:(Attorney-in-Fac	ct)	

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 93-2008	
ST. MARY'S ROAD – ST. ANNE'S ROAD TO FERMOR AVENUE – CONCRETE REPAIRS AND ASPHALT RESURFACING	
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
(Address of Bidder)	
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceed in the aggregate	ling
Canadian dolla	rs.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon writed demand for payment made upon us by you. It is understood that we are obligated under this Stan-Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand payment without inquiring whether you have a right as between yourself and our customer to make s demand and without recognizing any claim of our customer or objection by the customer to payment by	dby for uch
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn up it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and currency of this Stan- Letter of Credit will be duly honoured if presented to us at:	ydb
(Address)	
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by	JS.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 19, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)