FORM A: BID (See B8)

1. Contract Title

Pembina Hwy (N/B) – Dalhousie (North) to Bison McPhillips Street (S/B) - Jefferson to Mapleglen Henderson Hwy (S/B) - Kimberley to Munroe Mill and Fill

2.	Bidder	Name of Bidder					
		Street					
		City	Province	Postal Code			
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		The Bidder is:					
	(Choose one)	a sole proprietor					
		a partnership					
		a corporation					
		carrying on business unde	r the above name.				
3.	Contact Person	The Bidder hereby authorizes the following contact person to represen the Bidder for purposes of the Bid.					
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms use ascribed to them in the Ge	ed in the Contract shall have eneral Conditions.	e the meanings			
5.	Offer		to perform the Work in according Price, in Canadian funds, set				

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:				
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)				
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)				
		a certified cheque or draft				
		and agrees that it shall be held by the City in accordance with the Contract.				
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.				
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.				
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.				
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:				
		No Dated				
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.				

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official or officials have signed this					
		day of					
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials					
	(Witness)	(Print here name and official capacity of individual wh	nose signature appears above)				
	(Witness)	(Print here name and official capacity of individual wh	nose signature appears above)				

SEAL

(SEE B9)

ITEM	Λ	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α		Henderson Highway (Southbound) - Kimbe	erly Ave. to Mur	roe Ave			
		FIII EARTH AND BASE WORKS					
A.1		Grading of Boulevards	CW 3110-R10	m²	100		
		3					
		ROADWORKS - RENEWALS					
A.2		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Reinforced)		m²	5		
A.3		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type B)		m²	140		
A.4		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	240		
A.5		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	240		
A.6		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Monolithic Median Slab	SD-226A	m²	5		
	ii)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	35		
	c)	Greater than 20 sq.m.		m²	75		
	iii)	Bullnose	SD-227C	m²	5		
	iv)	Monolithic Curb and Sidewalk	SD-228B	m²	15		
A.7		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205,				
	a)	Less than 3 m	SD-206A	m	15		
	b)	3 m to 30 m		m	100		
	ii)	Curb Ramp (15mm ht, Monolithic)	SD-229C,D	m	15		
	iii)	Splash Strip (150mm ht, Monolithic Barrier	SD-223A	m	10		
	iv)	Curb, 750mm width) Splash Strip, (Separate, 600mm width)	SD-223B	m	75		
A.8		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
		Type IA		tonne	1010		

(SEE B9)

UNIT F		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	ii)	Tie-ins and Approaches	REF.		QUANTITY		
				tonno	180		
	a)	Type IA		tonne	100		
A.9		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	5275		
	ii)	50 - 100 mm Depth (Asphalt)		m²	3675		
A.10		Asphalt Patching Over Full Depth Concrete Repairs	E6	tonne	60		
		JOINT AND CRACK SEALING					
A.11		Reflective Crack Maintenance	CW 3250-R6	m	1950		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.12		Remove and Replace Existing Catch Pit	CW 2130-R11				
	i)	SD-023		each	2		
A.13		Drainage Connection Pipe	CW 2130-R11	m	10		
A.14		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	8		
	v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	8		
		ADJUSTMENTS					
A.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	10		
A.16		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	0.5		
A.17		Lifter Rings	CW 3210-R7				
	i)	38mm		each	5		
	ii)	51mm		each	2		
A.18		Adjustment of Valve Boxes	CW 3210-R7	each	6		
A.19		Valve Box Extensions	CW 3210-R7	each	2		
A.20		Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
A.21		Supply of Curb Inlet Frames	CW 3210-R7	each	4		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.22	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	11		
A.23	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
A.24	Sodding	CW 3510-R9				
i)	width < 600mm		m²	75		
ii)	width > or = 600mm		m²	25		
	Henderson Highway (Southbound) - Kimbe	Henderson Highway (Southbound) - Kimberly Ave. to Munroe Ave Mill and				
Α	<u>FIII</u>					

(SEE B9)

ITE	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В		McPhillips Street (Southbound) - Jefferson	Ave. to Maple	len Dr.	- Mill and Fill		
		EARTH AND BASE WORKS					
B.1		Grading of Boulevards	CW 3110-R10	m²	150		
		ROADWORKS - RENEWALS					
B.2		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Reinforced)		m²	5		
B.3		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type B)		m²	75		
B.4		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	130		
B.5		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	130		
B.6		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Monolithic Median Slab	SD-226A	m²	5		
	ii)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	15		
	b)	5 sq.m. to 20 sq.m.		m²	125		
	c)	Greater than 20 sq.m.		m²	175		
	iii)	Bullnose	SD-227C	m²	5		
	iv)	Monolithic Curb and Sidewalk	SD-228B	m²	5		
B.7		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	3D-200A	m	20		
	b)	3 m to 30 m		m	125		
	c)	Greater than 30 m		m	190		
	ii)	Modified Barrier (180mm ht, Dowelled)	SD-203B	m	5		
	iii)	Curb Ramp (15mm ht, Monolithic)	SD-229C,D	m	75		
	iv)	Safety Curb (300mm ht)	SD-206B	m	5		
	v)	Splash Strip, (Separate, 600mm width)	SD-223B	m	5		

(SEE B9)

ITE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.8		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	605		
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	45		
B.9		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	4010		
	ii)	50 - 100 mm Depth (Asphalt)		m²	875		
B.10		Asphalt Patching Over Full Depth Concrete Repairs	E6	tonne	40		
		JOINT AND CRACK SEALING					
B.11		Reflective Crack Maintenance	CW 3250-R6	m	1120		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.12		Remove and Replace Existing Catch Pit	CW 2130-R11				
	i)	SD-023		each	1		
B.13		Drainage Connection Pipe	CW 2130-R11	m	5		
B.14		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
	v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
		ADJUSTMENTS					
B.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
B.16		Lifter Rings	CW 3210-R7				
	i)	38mm		each	1		
	ii)	51mm		each	1		
B.17		Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
B.18		Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	3		
B.19		Curb Stop Extensions	CW 3210-R7	each	1		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
B.20	Sodding	CW 3510-R9				
i)	width < 600mm		m²	130		
ii)	width > or = 600mm		m²	20		
В	B McPhillips Street (Southbound) - Jefferson Ave. to Mapleglen Dr Mill and Fill				Subtotal:	

(SEE B9)

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С		Pembina Highway (Northbound) - Dalhous Mill and Fill	ie Dr, to Chance	ellor Mat	theson Dr		
		EARTH AND BASE WORKS					
C.1		Grading of Boulevards	CW 3110-R10	m²	380		
		-					
		ROADWORKS - RENEWALS	0)W 0000 D0				
C.2		Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Reinforced)		m²	5		
C.3		Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
	i)	200 mm Concrete Pavement (Type B)		m²	250		
	ii)	200 mm Concrete Pavement (Type D)		m²	25		
C.4		Drilled Dowels	CW 3230-R6				
	i)	19.1 mm Diameter		each	480		
C.5		Drilled Tie Bars	CW 3230-R6				
	i)	20 M Deformed Tie Bar		each	480		
C.6		Miscellaneous Concrete Slab Renewal	CW 3235-R6				
	i)	Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	20		
	b)	5 sq.m. to 20 sq.m.		m²	20		
	c)	Greater than 20 sq.m.		m²	250		
	ii)	Bullnose	SD-227C	m²	10		
C.7		Concrete Curb Renewal	CW 3240-R7				
	i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	3D-200A	m	45		
	b)	3 m to 30 m		m	225		
	c)	Greater than 30 m		m	140		
	ii)	Curb Ramp (15mm ht, Monolithic)	SD-229C,D	m	25		
C.8		Construction of Asphaltic Concrete Overlay	CW 3410-R7				
	i)	Main Line Paving					
	a)	Type IA		tonne	1130		

(SEE B9)

ITEN	M	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii)	Tie-ins and Approaches					
	a)	Type IA		tonne	80		
C.9		Planing of Pavement	CW 3450-R5				
	i)	0 - 50 mm Depth (Asphalt)		m²	6330		
	ii)	50 - 100 mm Depth (Asphalt)		m²	2430		
C.10		Asphalt Patching Over Full Depth Concrete Repairs	E6	tonne	85		
		JOINT AND CRACK SEALING					
C.11		Reflective Crack Maintenance	CW 3250-R6	m	1950		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.12		Remove and Replace Existing Catch Pit	CW 2130-R11				
	i)	SD-023		each	2		
C.13		Drainage Connection Pipe	CW 2130-R11	m	10		
C.14		Replacing Standard Frames & Covers	CW 2130-R11				
	i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
	ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
	iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
	iv)	AP-008 - Barrier Curb and Gutter Inlet Frame		each	2		
	v)	and Box AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
		ADJUSTMENTS					
C.15		Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	6		
C.16		Replacing Existing Risers	CW 2130-R11				
	i)	Pre-cast Concrete Risers		vert. m	0.5		
C.17		Lifter Rings	CW 3210-R7				
	i)	38mm		each	4		
	ii)	51mm		each	2		
C.18		Adjustment of Valve Boxes	CW 3210-R7	each	9		
C.19		Valve Box Extensions	CW 3210-R7	each	3		
C.20		Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
C.21		Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6		

FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
C.22	Curb Stop Extensions	CW 3210-R7	each	1		
	LANDSCAPING					
C.23	Sodding	CW 3510-R9				
i)	width < 600mm		m²	160		
ii)	width > or = 600mm		m²	80		
C.24	Seeding	CW 3520-R7	m²	140		
	Pembina Highway (Northbound) - Dalhous	_				
С	Mill and Fill	Subtotal:				

FORM B: PRICES

(SEE B9)

UN	IJΤ	PR	ICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
SUMMARY						
	Henderson Highway (Southbound) - Kimbe	rly Ave. to Mun	roe Ave	Mill and		
Α	<u>Fill</u>				Subtotal:	
В	P. McPhilling Street (Southhound), leffercen Ave. to Manleglen Dr. Mill and Fill					
ь	McPhillips Street (Southbound) - Jefferson Ave. to Mapleglen Dr Mill and Fill			Willi allu Fili	Subtotal:	
С	Pembina Highway (Northbound) - Dalhousie Dr, to Chancellor Matheson Dr					
<u> </u>	Mill and Fill				Subtotal:	
	TOTAL BID PRICE (GST extra) (in figures)					
TOTAL BI	D PRICE (GST extra)		(i	in figures)		
TOTAL BI	D PRICE (GST extra)		(i	in figures)		
	,		(i	in figures)		
	,		(i	n figures)		
TOTAL BI	,		(1	n figures)		
	,		(1	n figures)		

(Seal)

Template Version: C420071218

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held called the "Obligee") in the sum of ten per described, for the payment of which sum to administrators, successors and assigns, joint strategies.	rcent (10%) of the Total Bid Price he Principal and Surety bind them	set out in the Bid hereinafter selves, their heirs, executors,
WHEREAS the Principal has submitted a E	Bid to the Obligee dated the	
day of	, 20 for	
BID OPPORTUNITY NO. 99-2008		
	vy (S/B) - Kimberley to Mur Mill and Fill	iroe
as more fully set out in the Bid Opportunity NOW THEREFORE the condition of this of if said Bid is accepted and the Principal, in the said Obligee and furnishes the required of the Contract, this obligation shall be voic IN WITNESS WHEREOF the Principal and	oligation is such that if the Bid of th accordance with the terms of the E d performance security for guarant I, but otherwise shall remain in full	Bid, enters into a Contract with eeing the faithful performance force and effect.
day of		o bond the
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness)	Per:	, ,
	(Name of Surety)	

By:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bon become bound as Surety for the Prince		nd agrees with THE CITY OF WINNIP	'EG to
(Name of Bidder)			of
(Place)			
the Bidder to you on	, 20	for	
BID OPPORTUNITY NO. 99-2008			
McPhillips :	vy (N/B) – Dalhousi Street (S/B) - Jeffer n Hwy (S/B) - Kimb Mill and Fill	son to Mapleglen	
Work shown and described in the	Bid Opportunity, if our and continue in full force	ce for the due and proper performance r Principal's Bid is accepted by you, and effect until the expiration of the wain the Bid Opportunity.	, such
		me null and void if the Performance n sixty (60) Calendar Days followir	
nothing of any kind or matter whatsoe	ever that will not dischar	Surety shall be liable as Principal, ange the Principal shall operate as a disc ng to the liability of Sureties to the co	charge
SIGNED AND SEALED this	day of	, 20	•
	(Name of Surety	/)	
	By:(Attorney-	in-Fact) (Se	eal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)			

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 99-2008

Pembina Hwy (N/B) – Dalhousie (North) to Bison McPhillips Street (S/B) - Jefferson to Mapleglen Henderson Hwy (S/B) - Kimberley to Munroe Mill and Fill

Willi and Fill
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 20, 2008.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)