FORM A: BID (See B8)

1. Contract Title

Mill and Fill Lagimodiere Blvd. (N/B) 500m South of Bishop Grandin Blvd. to Fermor Ave. Westbound Roblin Blvd. West Park Entrance (Assiniboine Park) to Alcrest Dr.

2.	Bidder			
۷.	Biddei	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	inder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact pe s of the Bid.	rson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall have General Conditions.	ve the meanings
5.	Offer		fers to perform the Work in acc Bid Price, in Canadian funds, se eto.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

12.	Signatures	In witness whereof the Bidder or the Bidder's authorized official officials have signed this
		, day of, 20
	(If no corporate seal) Signed and sealed in the presence of:	Signature of Bidder or Bidder's Authorized Official or Officials
	(Witness)	(Print here name and official capacity of individual whose signature appears above
	(Witness)	(Print here name and official capacity of individual whose signature appears above

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Lagimodiere Boulevard (Northbound) - 500 to Fermor Ave Minor Asphalt Repair	0.0m South of B	ishop G	randin Blvd.		
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R11	m²	50		
A.2	Preparation of Existing Roadway	CW 3150-R4	m²	2545		
A.3	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	300		
	ROADWORKS - RENEWALS					
A.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type B)		m²	1820		
A.5	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	2025		
A.6	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	2025		
A.7	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	5		
ii)	Bullnose	SD-227C	m²	25		
A.8	Concrete Curb Renewal	CW 3240-R7				
i)	Barrier (150mm ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	35		
ii)	Curb and Gutter (125mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200				
а	Less than 3 m		m	55		
iii)	Curb Ramp (15mm ht, Separate)	SD-229C,D	m	5		
A.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
а	Type IA		tonne	3765		
		1	<u> </u>			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	230		
A.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	14870		
ii)	50 - 100 mm Depth (Asphalt)		m²	6370		
A.11	Partial Depth Asphalt Patching	E6	tonne	175		
	JOINT AND CRACK SEALING					
A.12	Reflective Crack Maintenance	CW 3250-R7	m	4560		
A.13	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R11				
i)	SD-023		each	1		
A.14	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-024		each	1		
A.15	Drainage Connection Pipe	CW 2130-R11	m	5		
A.16	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	2		
	ADJUSTMENTS					
A.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
A.18	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	1		
A.19	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	6		
	LANDSCAPING					
A.20	Seeding	CW 3520-R7	m²	50		
Α	Lagimodiere Boulevard (Northbound) - 500 to Fermor Ave Minor Asphalt Repair	0.0m South of B	ishop Gı	randin Blvd.	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
В	Westbound Roblin Boulevard - West Park Alcrest Rd Minor Asphalt Repair	Westbound Roblin Boulevard - West Park Entrance (Assiniboine Park) to Alcrest Rd Minor Asphalt Repair					
	EARTH AND BASE WORKS						
3.1	Grading of Boulevards	CW 3110-R11	m²	120			
	ROADWORKS - RENEWALS						
3.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R6					
i)	200 mm Concrete Pavement (Reinforced)		m²	20			
3.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6					
i)	200 mm Concrete Pavement (Type B)		m²	325			
3.4	Drilled Dowels	CW 3230-R6					
i)	19.1 mm Diameter		each	375			
3.5	Drilled Tie Bars	CW 3230-R6					
i)	20 M Deformed Tie Bar		each	375			
3.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7					
i)	Sidewalk	SD-228A					
a	Less than 5 sq.m.		m²	340			
ii)	Bullnose	SD-227C	m²	30			
3.7	Concrete Curb Renewal	CW 3240-R7					
i)	Barrier (150mm ht, Dowelled)	SD-205,					
a	Less than 3 m	SD-206A	m	80			
b	3 m to 30 m		m	50			
c)	Greater than 30 m		m	205			
ii)	Splash Strip, (Separate, 600mm width)	SD-223B	m	135			
3.8	Supply and Installation of Dowel Assemblies	CW 3310-R13	m	10			
3.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8					
i)	Main Line Paving						
a	Type IA		tonne	1340			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	295		
B.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	7275		
ii)	50 - 100 mm Depth (Asphalt)		m²	3115		
B.11	Partial Depth Asphalt Patching	E6	tonne	215		
	JOINT AND CRACK SEALING					
B.12	Reflective Crack Maintenance	CW 3250-R7	m	2225		
B.13	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Catch Pit	CW 2130-R11				
i)	SD-023		each	1		
B.14	Drainage Connection Pipe	CW 2130-R11	m	5		
B.15	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard		each	5		
iii)	Frame AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	4		
iv)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	4		
	ADJUSTMENTS					
B.16	Adjustment of Catch Basins / Manholes	CW 3210-R7	each	13		
B.17	Lifter Rings	CW 3210-R7				
i)	38mm		each	7		
ii)	51mm		each	1		
B.18	Adjustment of Valve Boxes	CW 3210-R7	each	2		
B.19	Valve Box Extensions	CW 3210-R7	each	2		
B.20	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
B.21	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	7		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	Curb Stop Extensions	CW 3210-R7	each	1		
B.23	Barrier Curb and Gutter Frame Riser and Grated Cover (38mm)	CW 3210-R7	each	3		
	LANDSCAPING					
B.24	Sodding	CW 3510-R9				
i)	width < 600mm		m²	20		
ii)	width > or = 600mm		m²	20		
B.25	Seeding	CW 3520-R7	m²	80		
В	Westbound Roblin Boulevard - West Park L Alcrest Rd Minor Asphalt Repair	Entrance (Assin	<u>iiboine F</u>	Park) to	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	A Lagimodiere Boulevard (Northbound) - 500.0m South of Bishop Grandin Blvd. to Fermor Ave Minor Asphalt Repair					
В	B Westbound Roblin Boulevard - West Park Entrance (Assiniboine Park) to Alcrest Rd Minor Asphalt Repair				Subtotal:	
TOTAL BI	D PRICE (GST extra)		(i	n figures)		
(in words)						
,						

(Seal)

Template Version: C420081212 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pedescribed, for the payment of which sum	d and firmly bound unto THE CITY OF WINNIF ercent (10%) of the Total Bid Price set out in the the Principal and Surety bind themselves, their bintly and severally, firmly by these presents.	e Bid hereinafte
WHEREAS the Principal has submitted a	Bid to the Obligee for	
day of	, 20 for	
BID OPPORTUNITY NO. 5-2009		
West Park Entran	stbound Roblin Blvd ce (Assiniboine Park) to Alcrest Dr.	
as more fully set out in the Bid Opportunity	<i>1</i> .	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is accordance with the terms of the Bid, enters intended performance security for guaranteeing the fait d, but otherwise shall remain in full force and effect.	o a Contract with hful performance
IN WITNESS WHEREOF the Principal and	d Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG t become bound as Surety for the Principal,
(Name of Bidder)
(Place)
the Bidder to you on, 20 for
BID OPPORTUNITY NO. 5-2009
Mill and Fill Lagimodiere Blvd. (N/B) - 500m South of Bishop Grandin Blvd. to Fermor Ave. Westbound Roblin Blvd West Park Entrance (Assiniboine Park) to Alcrest Dr.
in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, succepted Performance Bond to be maintained and continue in full force and effect until the expiration of the warrant period. The Performance Bond shall be in the form specified in the Bid Opportunity.
It is a condition that this Agreement to Bond shall become null and void if the Performance Bon mentioned above is not required from our Principal within sixty (60) Calendar Days following th Submission Deadline.
AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and the nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharg or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrain notwithstanding.
SIGNED AND SEALED this day of , 20
(Name of Surety) By: (Seal)
(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

The City of Winnipeg Corporate Finance Department Materials Management Branch 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 5-2009

Mill and Fill
Lagimodiere Blvd. (N/B) 500m South of Bishop Grandin Blvd. to Fermor Ave.
Westbound Roblin Blvd. West Park Entrance (Assiniboine Park) to Alcrest Dr.

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 11, 2009

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of hank or financial institution)	
(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
_	
Per:	
	(Authorized Signing Officer)