



557-2009 ADDENDUM 1

LIZZIE PLAYGROUND SITE WORKS

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: August 6, 2009
BY: Shauna Prociuk
TELEPHONE NO. (204) 986-3938

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

Revise: B2.1 to read: The Submission Deadline is 4:00 p.m. Winnipeg time, August 11, 2009.

PART E – SPECIFICATIONS

Revise: E5.2.1 to read:

E5.2.1 The Contractor shall supply and install site lighting as shown on Construction Drawings and according to specifications listed below:

- (a) Light Pole shall be 4.57 m (15') high, 101.6 mm (4") round, steel, and powder coated same colour as luminaire; and,
- (b) Luminaire shall be as follows:
 - i. Prisma by SDL

MODEL	IES DISTRIBUTION	WATTAGE	COLOUR	CAGES
VP 80	LR5	150 S	Black	8 Guards

- (c) Photocell location shall be on light pole as determined on site prior to installation

DRAWINGS

Replace: 557-2009_Drawing_SCD-652-R0 with 557-2009_Addendum_1 Drawing SCD-652-R1