



**NOTES:**

1. BACKFILL UNDER PAVEMENT, IN SIDEWALKS, & WITHIN 1.0 m OF PAVEMENT TO BE CLASS 3.
2. CONFIRM LIMITS OF REPAIR IN PRESENCE OF THE CONTRACT ADMINISTRATOR BY CCTV.



*KETTERING STREET*



MH ID S-MH60000215  
 RIM 239.18  
 INV N 235.89  
 INV E 235.21  
 INV S 235.82  
 INV W 235.21

2.50 OF 250 DR35 PVC SEWER REPAIR  
 (SD-022A) WITH 1 SERVICE CONNECTION

MH ID S-MH60000214  
 RIM 239.15  
 INV N 235.27  
 INV S 235.27

*HARWOOD CR*

SEWER JUNCTION INFORMATION FROM SEWER VIDEO INSPECTION SEWER ID S-MA60000377			
DISTANCE FROM MH ID S-MH60000215			
103.1	N	100ø	WEST JN

ENGINEER'S SEAL

ORIGINAL  
 SIGNED BY  
 S.R.J.  
 COURNOYER  
 09/09/16

BID OPPORTUNITY: 669-2009  
 FILENAME : 9008.dwg  
 PLOT DATE : 2009 09 17

**LEGEND:**

52.0 | MEASUREMENT TO REPAIR FROM REFERENCE MH SHOWN THUS...

**METRIC**  
 WHOLE NUMBERS INDICATE MILLIMETRES  
 DECIMALIZED NUMBERS INDICATE METRES

B.M. ELEV.	FIELD BOOK #:	<b>CITY OF WINNIPEG WATER AND WASTE ENGINEERING DIVISION</b>		<b>THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT</b>	
POSTED TO LBIS		DESIGNED BY: AMC	CHECKED BY: SC	2009 SEWER RENEWALS CONTRACT 45	
		DRAWN BY: CJH	APPROVED BY: KZ	KETTERING STREET	
		HOR. SCALE 1:500	RELEASED FOR CONSTRUCTION	MH AT HARWOOD CRESCENT TO 1ST MH N OF HARWOOD CRESCENT	
		VERTICAL		SHEET 11 OF 23	
NO.	REVISIONS	DATE	BY	CITY DRAWING NUMBER	
		DATE 2009 09 17		9008	