



**NOTES:**

1. BACKFILL UNDER PAVEMENT, IN SIDEWALKS, & WITHIN 1.0 m OF PAVEMENT TO BE CLASS 3.
2. CONFIRM LIMITS OF REPAIR IN PRESENCE OF THE CONTRACT ADMINISTRATOR BY CCTV.



SEWER JUNCTION INFORMATION FROM SEWER VIDEO INSPECTION SEWER ID S-MA60003778
DISTANCE FROM MH ID S-MH60002718
NO JUNCTIONS WITHIN REPAIRS

ENGINEER'S SEAL

ORIGINAL  
SIGNED BY  
S.R.J.  
COURNOYER  
09/09/16

BID OPPORTUNITY: 669-2009  
FILENAME : 9011.dwg  
PLOT DATE : 2009 09 17

**LEGEND:**

52.0 | MEASUREMENT TO REPAIR FROM REFERENCE MH SHOWN THUS...

**METRIC**  
WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES

B.M. ELEV.	FIELD BOOK #:	<b>CITY OF WINNIPEG WATER AND WASTE ENGINEERING DIVISION</b>		<b>THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT</b>	
POSTED TO LBIS		DESIGNED BY: AMC	CHECKED BY: SC	2009 SEWER REPAIRS CONTRACT 45	
		DRAWN BY: C.J.H.	APPROVED BY: K.Z.	<b>ROBLIN BOULEVARD</b>	
		HOR. SCALE 1:500	RELEASED FOR CONSTRUCTION	1ST MH E OF HANEY STREET TO MH AT HANEY STREET	
		VERTICAL		SHEET 14 OF 23	
NO. REVISIONS	DATE BY	DATE 2009 09 17	DATE	CITY DRAWING NUMBER 9011	