FORM A: BID (See B7)

1.	Contract Title	SUPPLY AND DELIV	ERY OF LIGHT VEHICLES		
2.	Bidder				
		Name of Bidder			
		Street			
		City	Province	Postal Code	
		Facsimile Number			
	(Mailing address if different)	Street or P.O. Box			
		City	Province	Postal Code	
		The Bidder is:			
	(Choose one)	a sole proprietor			
		a partnership			
		a corporation			
		carrying on business u	under the above name.		
3.	Contact Person	Contact Person The Bidder hereby authorizes the following contact the Bidder for purposes of the Bid.			
		Contact Person	Title		
		Telephone Number	Facsimile Number	E-mail address	
4.	Definitions		used in the Contract shall he General Conditions and D3.	ave the meanings	
5.	Offer		ffers to perform the Work in a (s), in Canadian funds, set out		
6.	Commencement of the Work		at no Work shall commence und I from the Award Authority Work.		

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

LINIT PRICES

	PRICES				
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE
SEC	TION A				
1.	4-Door Compact Sedan	A10	Each	4	
2.	4-Door Mid-Size Sedan	A20	Each	1	
	6000 lbs. GVWR Regular Cab Pick-				
3.	up Truck	PR20	Each	9	
	6000 lbs. GVWR, 4WD Regular				
3a.	Cab Pick-up Truck	PR21	Each	1	
	5000 lbs. GVWR Extended Cab				
4.	Pick-up Truck	PE10	Each	3	
	5000 lbs. GVWR, 4WD, Extended				
4a.	Cab Pick-up Truck	PE11	Each	5	
	6200 lbs. GVWR Extended Cab				
5.	Pick-up Truck	PE20	Each	34	
	6200 lbs. GVWR, 4WD, Extended				
5a.	Cab Pick-up Truck	PE21	Each	39	
	6500 lbs. GVWR Crew Cab Pick-up				
6.	Truck	PC20	Each	1	
	6500 lbs. GVWR, 4WD, Crew Cab				
6a.	Pick-up Truck	PC21	Each	2	
SEC	TION B				
	8500 lbs. GVWR Regular Cab Pick-				
7.	up Truck	PR30	Each	1	
	8500 lbs. GVWR Regular Cab Pick-				
7a.	up Truck w/Option 1: Diesel Engine	PR30	Each	1	
	8500 lbs. GVWR, 4WD, Regular				
7b.	Cab Pick-up Truck	PR31	Each	1	
	8500 lbs. GVWR, 4WD, Regular				
	Cab Pick-up Truck w/ Option 1:				
	Diesel Engine & Option 2: Snow				
7c.	Plow Prep Package	PR31	Each	1	
	8500 lbs. GVWR Extended Cab				
8.	Pick-up Truck	PE30	Each	2	
	8500 lbs. GVWR Extended Cab				
	Pick-up Truck w/				
8a.	Option 1: Diesel Engine	PE30	Each	1	
	8500 lbs. GVWR, 4WD, Extended				
8b.	Cab Pick-up Truck	PE31	Each	2	
	8500 lbs. GVWR, 4WD, Ext- ended				
	Cab Pick-up Truck w/				
8c.	Option 2: 8 ft. Cargo Box	PE31	Each	3	
	8500 lbs. GVWR, 4WD, Extended				
	Cab Pick-up Truck w/				
8d.	Option 1: Diesel Engine	PE31	Each	4	
	9200 lbs. GVWR Crew Cab Pick-up				
9.	Truck	PC30	Each	8	
	9200 lbs. GVWR Crew Cab Pick-up				
9a.	Truck w/Option 1: Diesel Engine	PC30	Each	1	

FORM B: PRICES (See B8)

SUPPLY AND DELIVERY OF LIGHT VEHICLES

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE
NO.		REF.		QUANTITY	
	9200 lbs. GVWR, 4WD, Crew Cab				
9b.	Pick-up Truck	PC31	Each	8	
	9200 lbs. GVWR, 4WD, Crew Cab				
	Pick-up Truck w/				
9c.	Option 1: Diesel Engine	PC31	Each	3	
SECT	TION C				
	Supply & Installation of Warning				
10.	Lights and Equipment	09088	Each	106	

Name of Bidder	 	

FORM N: DETAILED SPECIFICATIONS

A10 - Section A, Item 1

Winnipeg

4-DOOR COMPACT SEDAN

- 1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS
- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:		

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION	
3.	Wheelbase	102 – 106 in., state		
4.	Engine	4-cylinder, fuel injection, gasoline, state displacement		
5.	Fuel consumption	State city rating, L/100km		
6.	Block heater	Required with cord through grille		
7.	Coolant	Extended Life Coolant, -35°C		
8.	Battery	500 CCA minimum		
9.	Transmission	Automatic		
10.	Steering	Power		
11.	Brakes	Power with ABS		
12.	Wheels	Standard manufacturer's wheels, without locking nuts		
13.	Tires - front & rear	BSW all season radials, state size		
13.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)		
14.	Spare wheel & tire	Required with carrier		
15.	Floor covering	Carpeting with throw-in rubber floor mats, front and rear		
16.	Mirrors	Interior rearview & dual exterior		
17.	Windshield	Tinted		
18.	Windshield wipers	Intermittent		
18.	1Wiper blades	Winter blades with heavy duty rubber boot		
19.	Ignition keys	Three (3) sets required	- 	

<u>DETAILED SPECIFICATIONS A10</u> (continued)

20.	Air conditioning	Required	
21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Door locks	Power	
24.	Remote keyless entry	Two (2) required	
25.	Windows	Power	
26.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
27.	Rear window defroster	Electric	
28.	Radio	AM-FM with CD player	
29.	Air bags	Required, front driver's and passenger	
30.	12-Volt power point	Required	
31.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
32.	Fuel tank	Fully fuelled upon delivery	
33.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	
34.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
35.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
36.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
37.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

A20 - Section A, Item 2



4-DOOR MID-SIZE SEDAN

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITEM	SPECIFICATION	BIDDER TO STATE "YES OR STATE DEVIATION	
3. Wheelbase	108 in. minimum, state		
4. Engine	6-cylinder, EFI, gasoline, state displacement		
5. Fuel consumption	State city rating, L/100km		
6. Block heater	Required with cord through grille		
7. Coolant	Extended Life Coolant, -35°C		
8. Battery	550 CCA minimum		
9. Transmission	Automatic		
10. Steering	Power		
11. Brakes	Power with ABS		
12. Wheels	Standard manufacturer's wheels, without locking nuts		
13. Tires - front & rear	BSW all season radials, state size		
13.1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)		
14. Spare wheel & tire	Required with carrier		
15. Floor covering	Carpeting with throw-in rubber floor mats, front and rear		
16. Mirrors	Interior rearview & dual exterior		
17. Windshield	Tinted		
18. Windshield wipers	Intermittent		
18.1Wiper blades	Winter blades with heavy duty rubber boot		
19. Ignition keys	Three (3) sets required		
20. Air conditioning	Required		

<u>DETAILED SPECIFICATIONS A20</u> (continued)

21.	Tilt steering	Required	
22.	Cruise control	Required	
23.	Door locks	Power	
24.	Remote keyless entry	Two (2) required	
25.	Windows	Power	
26.	Seats - Front	Two (2) bucket seats, cloth or cloth and vinyl	
	- Rear	Standard seat, cloth or cloth with vinyl trim	
27.	Rear window defroster	Electric	
28.	Radio	AM-FM with CD player	
29.	Air bags	Required, front driver's and passenger	
30.	12-Volt power point	Required	
31.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
32.	Fuel tank	Fully fuelled upon delivery	
33.	Colour - Interior	To match exterior	
	- Exterior	Manufacturer's standard, colour to be determined at time of order	
34.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
35.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
36.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
37.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

PR20 (4x2) – Section A, Item 3 PR21 (4x4) – Section A, Item 3a



6,000 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

2.	STATE YEAR, MAKE & MODEL BEING BID:	

ITE	И	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
3.	GVWR	6,000 min., state	
4.	Wheelbase	133 – 145 in.	
5.	Cargo length	8 ft. nominal	
6.	Overall length	State OAL	
7.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	i.
8.	Cab configuration	Regular cab	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Fuel consumption PR20	State city rating, L/100km	
10.1	Fuel consumption PR21	State city rating, L/100km	
11.	Block heater	Required with cord through grille	
12.	Coolant	Extended Life Coolant, -35°C	
13.	Battery	650 CCA minimum	
14.	Transmission	Automatic	
15.	Transmission cooling	As required for trailer towing	
16.	Steering	Power	
17.	Brakes	Power with ABS	
18.	Wheels	Standard manufacturer's wheels, without locking nuts	
19.	Tires – front & rear	BSW Tier I all terrain mud and snow, state size	
19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	

DETAILED SPECIFICATIONS PR20/21 (continued)

20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – PR21	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench	
35.	Radio	AM-FM with CD player	
36.	12-Volt power point	Required	
37.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
38.	Air bags	Required, front driver's and passenger	
39.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
40.	Tubular side steps	Dual, chrome finish, OEM	
41.	Bumper	Rear step bumper	
42.	Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	
43.	Colour - Interior	Blue or grey	
	- Exterior	White	
44.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
45.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	

<u>DETAILED SPECIFICATIONS PR20/21</u> (continued)

46. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
47. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

2.

19. Tires - front & rear

PE10 (4x2) – Section A, Item 4 PE11 (4x4) – Section A, Item 4a



5,000 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

STATE YEAR, MAKE & MODEL BEING BID:

ITE	M SPECIFICATION		BIDDER TO STATE "YE OR STATE DEVIATION	
3.	GVWR	5,000 min., state		
4.	Wheelbase	123 – 132 in.		
5.	Cargo length	5 ft. minimum		
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	i. 	
7.	Cab configuration	Extended cab		
8.	Door configuration	Four (4) doors		
9.	Engine	5 or 6 cyl., EFI, gasoline, state displacement		
10.	Fuel consumption PE10	State city rating, L/100km		
10.	1Fuel consumption PE11	State city rating, L/100km		
11.	Block heater	Required with cord through grille		
12.	Coolant	Extended Life Coolant, -35°C		
13.	Battery	550 CCA minimum		
14.	Transmission	Automatic		
15.	Transmission cooling	As required for trailer towing		
16.	Steering	Power		
17.	Brakes	Power with ABS		
18.	Wheels	Standard manufacturer's wheels, without locking nuts		

BSW Tier I all terrain mud and snow, state size

<u>DETAILED SPECIFICATIONS PE10/11</u> (continued)

19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	
20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – PE11	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
35.	Seat, rear	Cloth-faced, bench or jumpseat	
36.	Radio	AM-FM with CD player	
37.	Air bags	Required, front driver's and passenger	
38.	12-Volt power point	Required	
39.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
40.	Fuel tank	70 litre minimum, fully fuelled upon delivery	
41.	Tubular side steps	Dual, chrome finish, OEM	
42.	Bumper	Rear step bumper	
43.	Towing prep package	Class II (3,500 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
44.	Colour - Interior	Blue or grey	
	- Exterior	White	
45.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	

<u>DETAILED SPECIFICATIONS PE10/11</u> (continued)

46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
47. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
48. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

2.0

19. Tires - Front & rear

PE20 (4x2) – Section A, Item 5 PE21 (4x4) – Section A, Item 5a



6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

STATE YEAR, MAKE & MODEL BEING BID:

ITEM SPECIFICATION		SPECIFICATION	DIDDED TO STATE "VE	
116	IVI	SPECIFICATION	BIDDER TO STATE "YE OR STATE DEVIATION	
3.	GVWR	6,200 lbs. min.		
4.	Wheelbase	138 – 145 in.		
5.	Cargo length	6.5 ft. nominal		
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails		
7.	Cab configuration	Extended cab		
8.	Door configuration	Four (4) doors		
9.	Engine	V8, EFI, gasoline, state displacement		
10.	Fuel consumption PE20	State city rating, L/100km		
10.	1Fuel consumption PE21	State city rating, L/100km		
11.	Block heater	Required with cord through grille		
12.	Coolant	Extended Life Coolant, -35°C		
13.	Battery	650 CCA minimum		
14.	Transmission	Automatic		
15.	Transmission cooling	As required for trailer towing		
16.	Steering	Power		
17.	Brakes	Power with ABS		
18.	Wheels	Standard manufacturer's wheels, without locking nuts		

BSW Tier I all terrain mud and snow, state size

DETAILED SPECIFICATIONS PE20/21 (continued)

19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	
20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – PE21	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
35.	Seat, rear	Cloth-faced, bench	
36.	Radio	AM-FM with CD player	
37.	12-Volt power point	Required	
38.	Bluetooth® technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
39.	Air bags	Required, front driver's and passenger	
40.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
41.	Tubular side steps	Dual, chrome finish, OEM	
42.	Bumper	Rear step bumper	
43.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
44.	Colour - Interior	Blue or grey	
	- Exterior	White	
45.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	

<u>DETAILED SPECIFICATIONS PE20/21</u> (continued)

46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
47. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
48. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

2.

19. Tires - front & rear

PC20 (4x2) – Section A, Item 6 PC21 (4x4) – Section A, Item 6a



6,500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

STATE YEAR, MAKE & MODEL BEING BID:

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION	
3.	GVWR	6,500 – 8,000 lbs.		
4.	Wheelbase	136 - 145 in.		
5.	Cargo length	5.5 ft. nominal		
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails		
7.	Cab configuration	Crew cab		
8.	Door configuration	Four (4) full sized, front hinged doors		
9.	Engine	V8, EFI, gasoline, state displacement		
10.	Fuel consumption PC20	State city rating, L/100km		
10.	1Fuel consumption PC21	State city rating, L/100km		
11.	Block heater	Required with cord through grille		
12.	Coolant	Extended Life Coolant, -35°C		
13.	Battery	650 CCA minimum		
14.	Transmission	Automatic		
15.	Transmission cooling	As required for trailer towing		
16.	Steering	Power		
17.	Brakes	Power with ABS		
18.	Wheels	Standard manufacturer's wheels, without locking nuts		

BSW Tier I all terrain mud and snow, state size

DETAILED SPECIFICATIONS PC20/21 (continued)

19.1	Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	
20.	Spare wheel & tire	Required with underbody carrier	
21.	Mudflaps	Required, front and rear, OEM, moulded	
22.	Rear axle	Limited slip or posi-traction	
22.1	Front axle – PC21	4WD with dash mounted electronic shift	
23.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
24.	Windshield	Tinted	
25.	Windshield wipers	Intermittent	
25.1	Wiper blades	Winter blades with heavy duty rubber boot	
26.	Mirrors	Interior rearview & heated dual exterior	
27.	Ignition keys	Three (3) sets required	
28.	Air conditioning	Required	
29.	Tilt steering	Required	
30.	Cruise control	Required	
31.	Door locks	Power	
32.	Remote keyless entry	Two (2) required	
33.	Windows	Power	
34.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
35.	Seat, rear	Cloth-faced, bench	
36.	Radio	AM-FM with CD player	
37.	Air bags	Required, front driver's and passenger	
38.	12-Volt power point	Required	
39.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
40.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
41.	Tubular side steps	Dual, chrome finish, OEM	
42.	Bumper	Rear step bumper	
43.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
44.	Colour - Interior	Blue or grey	
	- Exterior	White	
45.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	

<u>DETAILED SPECIFICATIONS PC20/21</u> (continued)

46. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
47. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
48. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	

2.

PR30 (4x2) – Section B, Item 7/7a PR31 (4x4) – Section B, Item 7b/7c/7d

STATE YEAR, MAKE & MODEL BEING BID:



8,500 LBS. GVWR PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YE OR STATE DEVIATION
3.	GVWR	8,500 lbs. min., state	
4.	Wheelbase	133 – 141 in.	
5. c	Cargo length	8 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	t.
7.	Cab configuration	Regular cab	
8.	Engine	V8, EFI, gasoline, state displacement	
9.	Block heater	Required with cord through grille	
10.	Coolant	Extended Life Coolant, -35°C	
11.	Battery	650 CCA minimum	
12.	Transmission	Automatic	
13.	Transmission cooling	As required for trailer towing	
14.	Steering	Power	
15.	Brakes	Power with ABS	
16.	Wheels	Standard manufacturer's wheels, without locking nuts	
17.	Tires – front & rear	LT, BSW Tier I all terrain mud & snow, state size	
17.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	
18.	Spare wheel & tire	Required with underbody carrier	
19.	Mudflaps	Required, front and rear, OEM, moulded	
20.	Rear axle	Limited slip or posi-traction	

<u>DETAILED SPECIFICATIONS PR30/31</u> (continued)

20.	Front axle – PR31	4WD with dash mounted electronic shift	
21.	Floor covering	Carpeting throughout w/throw-in rubber floor mats	
22.	Windshield	Tinted	
23.	Windshield wipers	Intermittent	
23.	1Wiper blades	Winter blades with heavy duty rubber boot	
24.	Mirrors	Interior rearview & heated dual exterior	
25.	Ignition keys	Three (3) sets required	
26.	Air conditioning	Required	
27.	Tilt steering	Required	
28.	Cruise control	Required	
29.	Door locks	Power	
30.	Remote keyless entry	Two (2) required	
31.	Windows	Power	
32.	Seats, front	Cloth-faced, split bench	
33.	Radio	AM-FM with CD player	
34.	12-Volt power point	Required	
35.	Bluetooth [®] technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
36.	Air bags	Required, front driver's and passenger	·
37.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
38.	Tubular side steps	Dual, chrome finish, OEM	
39.	Bumper	Rear step bumper	
40.	Towing prep package	Class III (5,000 lbs.) capacity min. c/w trailer plug wiring and receiver hitch	
40.	1 Electric brake controller	Required, factory installed.	
41.	Colour - Interior	Blue or grey	
	- Exterior	White	
42.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	
43.	Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered betwen 8:00 am and 3:00 pm on Business Days	
44.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	

<u>DETAILED SPECIFICATIONS PR30/31</u> (continued)

45. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	
Options:		
Note: Options to be priced only a	s indicated on Form B: Prices	
46. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement	
47. Option 2: Snow Plow Pkg.	Snow plow prep package including HD alternator(s), skid plates, trans. cooler, etc. as recommended by manufacturer	

2.

PE30 (4x2) – Section B, Item 8/8a PE31 (4x4) – Section B, Item 8b/8c/8d



8,500 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

STATE YEAR, MAKE & MODEL BEING BID:

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITEM		SPECIFICATION	BIDDER TO STATE "YE OR STATE DEVIATION
3.	GVWR	8,500 lbs. min., state	
4.	Wheelbase	138 – 145 in.	
5.	Cargo length	6.5 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistan Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	t.
7.	Cab configuration	Extended cab	
8.	Door configuration	Four (4) doors	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Block heater	Required with cord through grille	-
11.	Coolant	Extended Life Coolant, -35°C	-
12.	Battery	650 CCA minimum	-
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Wheels	Standard manufacturer's wheels, without locking nuts	
18.	Tires – front & rear	LT, BSW Tier I all terrain mud & snow, state size	·
18.	1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich	

tires preferred (see D15.)

DETAILED SPECIFICATIONS PE30/31 (continued)

19.	Spare wheel & tire	Required with underbody carrier	
20.	Mudflaps	Required, front and rear, OEM, moulded	
21.	Rear axle	Limited slip or posi-traction	
21.1	Front axle – PE31	4WD with dash mounted electronic shift	
22.	Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23.	Windshield	Tinted	
24.	Windshield wipers	Intermittent	
24.1	Wiper blades	Winter blades with heavy duty rubber boot	
25.	Mirrors	Interior rearview & heated dual exterior	
26.	Ignition keys	Three (3) sets required	
27.	Air conditioning	Required	
28.	Tilt steering	Required	
29.	Cruise control	Required	
30.	Door locks	Power	
31.	Remote keyless entry	Two (2) required	
32.	Windows	Power	
33.	Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
34.	Seat, rear	Cloth-faced, bench	
35.	Radio	AM-FM with CD player	
36.	Air bags	Required, front driver's and passenger	
37.	12-Volt power point	Required	
38.	Bluetooth® technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
39.	Fuel tank	90 litre minimum, fully fuelled upon delivery	
40.	Tubular side steps	Dual, chrome finish, OEM	
41.	Bumper	Rear step bumper	
42.	Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
42.1	Electric brake controller	Required, factory installed.	
43.	Colour - Interior	Blue or grey	
	- Exterior	White	
44.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	

<u>DETAILED SPECIFICATIONS PE30/31</u> (continued)

45. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	
46. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	
47. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	
Options:		
Note: Options to be priced only a	as indicated on Form B: Prices	
48. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement	
49. Option 2: Cargo length	8 ft. nominal (154-161 in. WB)	

2.

PC30 (4x2) – Section B, Item 9/9a PC31 (4x4) – Section B, Item 9b/9c



9,200 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

STATE YEAR, MAKE & MODEL BEING BID:

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. Failure to do so may be used as a basis for rejection of bid.

ITE	М	SPECIFICATION	BIDDER TO STATE "YE OR STATE DEVIATION
	O) (IA/D	O OOO II OO O	
3.	GVWR	9,200 lbs. min., SRW, state GVWR	
3.1	MGI	Vehicles over 10,000 lbs. GVWR shall be supplied with a current year Manitoba Gov't Inspection with Safety Sticker on the driver's side window	
4.	Wheelbase	167 – 175 in.	
5.	Cargo length	8 ft. nominal	
6.	Cargo box liner	Line-X spray-on liner, 0.080 in. thickness min., black, polyurethane elastomer, abrasive resistant Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	
7.	Cab configuration	Crew cab	
8.	Door configuration	Four (4) full sized, front hinged doors	
9.	Engine	V8, EFI, gasoline, state displacement	
10.	Block heater	Required with cord through grille	
11.	Coolant	Extended Life Coolant, -35°C	
12.	Battery	650 CCA minimum	
13.	Transmission	Automatic	
14.	Transmission cooling	As required for trailer towing	
15.	Steering	Power	
16.	Brakes	Power with ABS	
17.	Wheels	Standard manufacturer's wheels, without	

locking nuts

<u>DETAILED SPECIFICATIONS PC30/31</u> (continued)

18. Tires – front & rear	LT, BSW Tier I all terrain mud & snow, state size	
18.1Tire Manufacturer	Bridgestone/Firestone or Michelin/BF Goodrich tires preferred (see D15.)	
19. Spare wheel & tire	Required with underbody carrier	
20. Mudflaps	Required, front and rear, OEM, moulded	
21. Rear axle	Limited slip or posi-traction	
21.1 Front axle - PC31	4WD with dash mounted electronic shift	
22. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	
23. Windshield	Tinted	
24. Windshield wipers	Intermittent	
24.1Wiper blades	Winter blades with heavy duty rubber boot	
25. Mirrors	Interior rearview & heated dual exterior	
26. Ignition keys	Three (3) sets required	
27. Air conditioning	Required	
28. Tilt steering	Required	
29. Cruise control	Required	
30. Door locks	Power	
31. Remote keyless entry	Two (2) required	
32. Windows	Power	
33. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	
34. Seat, rear	Cloth-faced, bench	
35. Radio	AM-FM with CD player	
36. Air bags	Required, front driver's and passenger	
37. 12-Volt power point	Required	
38. Bluetooth® technology	Required for use with cellular phones, "hands- free" capable, voice command activated through vehicle's radio circuit	
39. Fuel tank	110 litre minimum, fully fuelled upon delivery	
40. Tubular side steps	Dual, chrome finish, OEM	
41. Bumper	Rear step bumper	
42. Towing prep package	Class III (5,000 lbs.) capacity min., c/w trailer plug wiring and receiver hitch	
42.1 Electric brake controller	Required, factory installed.	
43. Colour - Interior	Blue or grey	
- Exterior	White	
44. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, in- cluding N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	

DETAILED SPECIFICATIONS PC30/31 (continued)

45. Delivery time	Within 21-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days
46. Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment
47. PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list
Options:	
Note: Options to be priced only	as indicated on Form B: Prices
48. Option 1: Engine	Diesel engine, 6.0 Litre min, state displacement

Section C, Item 10

DETAILED SPECIFICATIONS 09088

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. **INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS**

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be
- for

	considered subject to evaluation.	
1.2	Each Bidder is required to fill in every blank. Failure to do so may be rejection of bid.	used as a basis f
2.	LIGHTING SPECIFICATIONS	
2.1	Backrack – required, supplied and installed.	
2.2	Utility light bracket – 16"x7", driver's side mounted, required for mounting mini light bar.	
2.3	Mini light bar – Whelen R2LPPA, mounted to top-driver's side of Backrack, 360° visibility, wired through ignition, fused as per manufacturer's recommendations.	
2.4	Actuation switch –Sho-Me 05.0507, backlit, labelled "beacon" with a permanent type, engraved style label. Exact mounting location to be determined at time of installation.	
2.5	L-bracket – Sho-Me 05.X503.BRKT.	
2.6	All wiring for warning light and switch shall be colour coded, loomed and properly secured.	
2.6.1	All electrical connectors shall be <u>crimped and soldered</u> , then sealed using heat shrink tubing.	
2.6.2	All joining of wires shall be <u>soldered</u> and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable).	
2.6.3	Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required.	