### FORM A: BID (See B8)

1.	Contract Title	PUMPING STATION	VALVE CHAMBER AT MCPF	HILLIPS STREET
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact p of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		sed in the Contract shall has General Conditions and D3.	ave the meanings
5.	Offer		ers to perform the Work in action of the contract of the contr	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.			

12.	Signatures	The Bidder or the Bidder's authorized official or officials h		
		day of	, 20	
		Signature of Bidder or Bidder's Authorized Official or Officials		
		(Print here name and official capacity of individual whose	signature appears above)	
		(Print here name and official capacity of individual whose	signature appears above)	

SEAL

## FORM B: PRICES

(See B:9)

#### BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

ITEM	RICES		1	APPROX.	1	
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
	Construction of Yard Piping	33 11 16				
a)	Supply and Installation of AWWA C301 Fittings and Specials					
i)	1220 mm 45 deg B x S Bend		Ea	4		
ii)	1220 mm x 1067 B x S Top Tangent Reducer		Ea	1		
iii) iv)	1220 mm Special Adaptor to RCPP 1220 x 1067 mm Top Tangent Reducing Wall Piece,		Ea	1		
	B x F, C/W Thrust Flange, 100 Bottom Tangent Flanged Outlet, and 50 Threaded Outlet (Top)		Ea	1		
v)	1067 mm Wall Piece F x B, C/W Thrust Flange		Ea	1		
vi)	1067 mm Pipe, F x PE, C/W 600 Flanged Outlet					
	(Top) and Class D Blind Flange		Ea	1		
vii)	1067 mm Spool, F x PE		Ea	1		
viii)	Tangent Flanged Outlet, and 150 Flanged Outlet (Top)		Ea	1		
ix)	910 mm Wall Piece, PE x B, C/W Thrust Flange, 100 Bottom Tanget Flanged Outlet, and 50 Threaded					
	Outlet (Top)		Ea	1		
x)	910 mm Spool F x PE		Ea	1 1		
xi)	910 mm 22.5 deg B x S Vertical Bend		Ea	1		
xii)	910 mm 22.5 deg Vertical Bend S x PE c/w 50 mm NPT outlet(Top)		Ea	1		
b)	Supply and Installation of AWWA C208 Fittings					
i)	Welded Steel 22.5 deg Bend		Ea	1		
c)	Installation of Owner Supplied Equipment	01 11 00	LS	1		
0)	modulation of Switch Supplied Equipment	33 11 16		·		
d)	Main Line Pipe-Supply and Installation of AWWA C301					
	Pipe	33 11 16				
i)	1220 mm (1) In a Transh with Class 4 bookfill		l in m	24.0		
	<ul><li>(1) In a Trench with Class 4 backfill</li><li>(2) In a Trench with Class 2 Backfill</li></ul>		Lin.m. Lin.m.	31.8 29.0		
ii)	1067 mm			20.0		
,	In a Trench with Class 2 backfill		Lin.m.	2.8		
iii)	910 mm					
	In a Trench with Class 4 backfill		Lin.m.	3.8		
e)	Main Line Pipe -Supply and Install AWWA C200 Steel					
	Pipe	33 11 16				
i)	In a Trench with Class 4 backfill, c/w concrete encasement		Lin.m.	10		
	GHOASGHIGHL		[	10		
f)	Pressure Test Joints and Disinfection Piping		LS	1		

Name of Bidder

# FORM B: PRICES (See B:9)

### BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM	PEOGRIPTION	0050 555		APPROX.	LINUT DOLOG	ANACHRIT
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
g)	Connect to	33 11 16				
i)	1220 mm PCCP		Ea	1		
ii) iii)	1220 mm RCPP 910 mm Steel Pipe		Ea Ea	1 1		
"")	910 mm Steel Fipe		La	'		
h)	Supply and Installation of Internal Compression Seals					
.,	4000	33 11 16	_			
i)	1200 mm		Ea	1		
i)	Supply and Install 200 mm SDR 35 PVC Sewer	CW 2130				
i)	by Trenchless Methods		Lin.m.	23		
:\	Cupply and Install 150 mm Underdrain	CW 2130				
j) i)	Supply and Install 150 mm Underdrain In common Trench With Feedermain Piping	CVV 2130	Lin.m.	45		
'/	in common fronch with a codomican a ping			10		
k)	Connect 200 mm Drain to Combined Sewer	CW 2130	Ea	1		
l)	Supply and Install 50 mm PE Air Bleed c/w Curb stop,					
')	box and 90 deg fitting MPT x MPT	33 11 16	Ea	1		
	3			·		
m)	Supply and Install Small Diameter Chamber Piping	33 11 16	LS	1		
n) ;\	100 mm Rigid Box Insulation 1220 mm width	CW 2110	lin m	11.1		
i) ii)	1000 mm width		Lin.m. Lin.m.	3.7		
",	1000 mm main			0.7		
2.	Construction of Valve Chamber	01 29 00	LS	1		
3.	Abandonments and Demolition					
J.	Abditioninents and bemolition					
a)	Abandonment of Existing Valve Chamber		Ea	1		
b)	Demolition of Existing Reservoir Walls and Floor		Ea	1		
c)	Abandonment of Existing Feedermain with Flowable Fill	0111.0400		50		
d)	Abandonment of existing Sewer Connnections	CW 2130 CW 2130	m3 Ea	56 3		
e)	Demolition, Removal of Existing Feedermain Pipe and	OVV 2130	La	,		
′	Fittings	33 11 16	l.m.	18		

## FORM B: PRICES

(See B:9)

#### BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM				APPROX.		
NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
4.	Landscaping					
4.	Lanuscaping					
a)	Site Grading	31 22 13	m2	2200		
<b>b</b> )	Capaina	CW 3550				
b) i)	Fencing Supply and Install 1.5 m Chain Link Fence	CW 3550	Lin.m.	60		
ii)	Supply and Install 1.2 m Gate		Ea	1		
iii)	Removal and Replacement of Existing 1.2 m Chain		La	,		
,	Link Fence		L.S.	1		
iv)	Bollards		Ea	6		
ı						
c)	Supply and Placement of Sod using Imported					
	Topsoil	CW 3510	m2	1700		
d)	Supply and Placement of Seed using Imported					
	Topsoil	CW3540	m2	500		
	Торооп	0110010	1112	000		
e)	Construction of Planting Beds	32 93 10	m2	40		
f)	Supply and Placement of Wood Chip Mulch	32 93 10	m2	40		
g)	Supply and Placement of Plastic Edging	32 93 10	l.m.	36		
97	Capp., and hacomen of hacon Laging	02 00 .0				
h)	Supply and Placement of Trees and Plantings	32 93 10				
i)	Morden Little-Leaf Linden		Ea	1		
ii)	Kelsey Flowing Crabapple		Ea	1		
iii)	Japanese Tree Lilac		Ea	1		
iv)	American Highbush Cranberry		Ea	1		
v)	False Spirea		Ea	2		
vi)	Sweetberry Honeysuckle		Ea	10		
vii)	Abbotswood Potentila Green Mound Alpine Currant		Ea	29 26		
viii)	Green Mound Alpine Currant		Ea	20		
i)	Precast Concrete Curb		Ea	3		
5.	Pavement Construction and Restoration					
۵)	Crushed Sub-base Meterial	CW 3110-R11				
a) i)	Crushed Sub-base Material 50 mm - Limestone	CW 3110-K11		400		
			tonne	180		
ii)	100mm - Limestone		tonne	150		
b)	Supplying and Placing Base Course Material	CW 3110-R11	m3	30		

Name of Bidder

# FORM B: PRICES (See B:9)

#### BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION

UNIT P	RICES					
ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c) i)	Full Slab Replacement (Logan Ave) 200 mm Reinforced Concrete	CW 3230-R6	m2	180		
d) i)	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians Construction of 200 mm Concrete Pavement (Reinforced) for Approach	CW 3310-R13	m2	16.0		
e) i) ii)	Construction of Asphaltic Concrete Pavements Overlay Type 1A (Logan Ave. and Approach) Main Line Paving Type 1A (Parking Area)	CW 3410-R8	Tonne Tonne	25 25		
f) i)	Miscellaneous Concrete Slab Renewal Sidewalk	CW 3235-R7	m2	75		
g) i) ii)	Restoration/Construction of Concrete Curb Barrier Curb Curb Ramp (10mm ht, Integral)	CW 3240	Lin.m. Lin.m.	30 6.6		
	BID PRICE (GST extra) (in figures)					
(in words)						

Name o	f Biddei

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT
(hereinafter called the "Principal") and
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a Bid to the Obligee for
BID OPPORTUNITY NO. 16-2010
BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION
as more fully set out in the Bid Opportunity.
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the
day of , 20
SIGNED AND SEALED

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 16-2010** BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 K	ity of Winnipeg rate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 16-2010
	BRANCH I AQUEDUCT VALVE CHAMBER AT MCPHILLIPS STREET PUMPING STATION
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 3, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	(Name of bank or financial institution)				
Per:					
	(Authorized Signing Officer)				
Per:					
	(Authorized Signing Officer)				