| TYPE | MANUFACTURER | CATALOGUE NO. | VOLTS | LAMPS | REMARKS |
|------|--------------|--|-------|------------|---|
| F01A | LEDALITE | 7306 T03 I N-4-7-1-E-W | 120/1 | 3 X 32W T8 | SUSPENDED 4'-0" DIRECT/INDIRECT LINEAR FLUORESCENT LUMINAIRE C/W DIMMING BALLAST AND INTEGRAL DAYLIGHT SENSOR. |
| F01B | LEDALITE | 7306 T03 I N-8-7-1-E-W | 120/1 | 3 X 32W T8 | SUSPENDED 8'-0" DIRECT/INDIRECT LINEAR FLUORESCENT LUMINAIRE C/W DIMMING BALLAST AND INTEGRAL DAYLIGHT SENSOR. |
| F02 | LITHONIA | VRT F 1 32 AR12 120 GEB10IS CSA | 120/1 | 1 X 32W T8 | RECESSED IN DRYWALL ROUGH SERVICE PREMIUM TROFFER 4'-0" LINEAR FLUORESCENT C/W .250" CLEAR POLYCARBONATE LENS LAMINATED TO A12 .125" ACRYLIC LENS. |
| F03 | LITHONIA | VRT F 2 32 AR12 120 GEB10IS CSA | 120/1 | 2 X 32W T8 | RECESSED IN DRYWALL ROUGH SERVICE PREMIUM TROFFER 4'-0" LINEAR FLUORESCENT C/W .250" CLEAR POLYCARBONATE LENS LAMINATED TO A12 .125" ACRYLIC LENS. |
| F04 | LITHONIA | Z 1 32 MVOLT GEB10IS CSA WGZ48 | 120/1 | 1 X 32W T8 | SURFACE MOUNTED 4'-0" NARROW STRIP LINEAR FLUORESCENT C/W WIREGUARD. |
| F05 | LITHONIA | FEN4 1 32 S1 X32 BMPCL MVOLT GEB10IS | 120/1 | 1 X 32W T8 | SURFACE MOUNTED LOW PROFILE ENCLOSED AND GASKETED 4'-0" LINEAR FLUORESCENT LUMINAIRE C/W POLYCARBONATE LENS. PROVIDE A CUSTOM FITTED #10 GAUGE WIREGUARD SUCH THAT THE ENTIRE FIXTURE IS ENCLOSED WITH SAME. WIREGUARD SHALL BE SECURED TO CEILING. |

| TYPE | MANUFACTURER | CATALOGUE NO. | VOLTS | LAMPS | REMARKS |
|------|--------------|------------------------------------|-------|-----------------|--|
| F06 | LITHONIA | IB 654L NDS CSA | 120/1 | 6 X 54W Т5НО | SURFACE MOUNTED 4'-0" HIGH OUTPUT LINEAR FLUORESCENT C/W ZINC COATED WIREGUARD C/W MULTIPLE BALLASTS AND WIRED FOR MULTI-LEVEL SWITCHING. PROVIDE SAFETY CHAIN AT EACH END OF THE FIXTURE ANCHORED TO CEILING. |
| F07 | LITHONIA | IB 454L WD CSA | 120/1 | 4 X 54W T5HO | SURFACE MOUNTED 4'-0" HIGH OUTPUT LINEAR FLUORESCENT C/W ZINC COATED WIREGUARD C/W DIMMING BALLASTS. PROVIDE SAFETY CHAIN AT EACH END OF THE FIXTURE ANCHORED TO CEILING. |
| F08 | LITHONIA | VSLC-1-32-120-GEB1015- CSA | 120/1 | 1 X XF32 T8 | SURFACE MOUNTED 4'-0" LINEAR FLUORESCENT C/W GASKETED POLYCARBONATE LENS. |
| F09 | LITHONIA | VR1B 32TRT 120 CSA LPI | 120/1 | 1 X 32W TRT | WALL MOUNTED 4'-0" LINEAR FLUORESCENT WALL CUBE C/W HIGH IMPACT .130" ACRYLIC LENS. |
| F10 | LITHONIA | VRT G 2 32 AR12 120 GEB10IS CSA | 120/1 | 2 X 32W T8 | RECESSED IN TBAR ROUGH SERVICE PREMIUM TROFFER 4'-0" LINEAR FLUORESCENT C/W .250" CLEAR POLYCARBONATE LENS LAMINATED TO A12 .125" ACRYLIC LENS. |
| F11 | LITHONIA | VRT G 1 32 AR12 120 GEB10IS CSA | 120/1 | 1 X 32W T8 | RECESSED IN TBAR ROUGH SERVICE PREMIUM TROFFER 4'-0" LINEAR FLUORESCENT C/W .250" CLEAR POLYCARBONATE LENS LAMINATED TO A12 .125" ACRYLIC LENS. |

| TYPE | MANUFACTURER | CATALOGUE NO. | VOLTS | LAMPS | REMARKS | | | |
|------|-----------------------|---------------------------------------|-------|----------------|--|--|--|--|
| F12 | DELETED DURING DESIGN | | | | | | | |
| F13 | LITHONIA | 2VC 32 MVOLT | 120/1 | 1 X 32W T8 | UNDERCABINET LINEAL FLUORESCENT. | | | |
| F14 | LITHONIA | VSL 232 MVOLT | 120/1 | 2 X 32W T8 | SURFACE MOUNTED 4'-0" LINEAR FLUORESCENT C/W GASKETED POLYCARBONATE LENS. | | | |
| CF01 | LITHONIA | CFV8 26TRT 6AR 120 GEB10 DWHG DMHL | 120/1 | 1 X 26W TRT | 8" SURFACE MOUNTED COMPACT FLUORESCENT POT LIGHT C/W CLEAR SPECULAR REFLECTOR AND DIMMING BALLAST. PROVIDE CUSTOM FITTED #10 GAUGE WIREGUARD SUCH THAT THE ENTIRE FIXTURE IS ENCLOSED WITH SAME. WIREGUARD SHALL BE SECURED TO CEILING. | | | |
| CF02 | LITHONIA | AFV 26TRT 6AR 120 CSA | 120/1 | 1 X 26W TRT | 6" RECESSED MOUNTED COMPACT FLUORESCENT POT LIGHT CLEAR SPECULAR REFLECTOR. | | | |
| CF03 | LITHONIA | AFV 26TRT 6AR 120 DMHL CSA | 120/1 | 1 X 26W TRT | 6" RECESSED MOUNTED COMPACT FLUORESCENT POT LIGHT CLEAR SPECULAR REFLECTOR. | | | |
| CF04 | LITHONIA | AFV 13DTT 4AR 120 CSA | 120/1 | 1 X 13W DTT | 4" RECESSED MOUNTED COMPACT FLUORESCENT POT LIGHT CLEAR SPECULAR REFLECTOR. | | | |

| TYPE | MANUFACTURER | CATALOGUE NO. | VOLTS | LAMPS | REMARKS |
|------|--------------|--|-------|----------------|--|
| CF05 | LITHONIA | CFV8-26TRT-6AR-120- GEB10-DWHG-DMHL | 120/1 | 1 X 26W TRT | 6" STEM SUSPENDED COMPACT FLUORESCENT POT LIGHT C/W CLEAR SPECULAR REFLECTOR. PROVIDE 3/4" RIDGID CONDUIT STEM SUPPORT C/W BACKBOX FROM CEILING SUCH THAT UNDERSIDE OF FIXTURE IS FLUSH TO UNDERSIDE OF WOODEN JOIST. CONDUIT C/W BACKBOX SHALL BE PAINTED TO MATCH. |
| CF06 | LITHONIA | CFV8-13DTT-6AR-120- GEB101-PM-DWHG | 120/1 | 1 X 26W TRT | 6" STEM SUSPENDED COMPACT FLUORESCENT POT LIGHT C/W CLEAR SPECULAR REFLECTOR. PROVIDE 3/4" RIDGID CONDUIT STEM SUPPORT C/W BACKBOX FROM CEILING SUCH THAT UNDERSIDE OF FIXTURE IS FLUSH TO UNDERSIDE OF WOODEN JOIST. CONDUIT C/W BACKBOX SHALL BE PAINTED TO MATCH. |
| CF07 | GOTHAM | AFV-18TRT-6AR-120-CSA | 120/1 | 1 X 18W TRT | 6" RECESSED MOUNTED COMPACT FLUORESCENT POT LIGHT CLEAR SPECULAR REFLECTOR. |
| MH01 | LITHONIA | ASW1-170-MHC-SR2 | 120/1 | 1 X 70W MH | NIGHT TIME FRIENDLY WALL MOUNTED LUMINAIRE. |
| MH02 | LITHONIA | LGH-50M-6RW-T73 | 120/1 | 1 X 50W MH | RECESSED POT LIGHT. |
| MH03 | LITHONIA | AS1-150-MHC-SR4SC | 120/1 | 1 X 150W MH | POLE MOUNTED LUMINAIRE. |

| TYPE | MANUFACTURER | CATALOGUE NO. | VOLTS | LAMPS | REMARKS |
|--------|--------------|--------------------------------------|-------|-----------------|--|
| | | | | | |
| MH 0 4 | LITHONIA | TFA-1000M-TA2-120-CSA- LP1 | 120/1 | 1 X 1000W MH | RINK FLOOD LIGHT. |
| MH05 | LITHONIA | ASF1-70M-WDF-120-CSA- LPI-ASF1BVG | 120/1 | 1 X 70W MH | WALL MOUTNED FLOOD FOR EXTERIOR SIGNAGE. |