

## DRAWING NOTES:

- ① EXISTING 100Ø SANITARY SERVICE TO CONNECT TO CITY OF WINNIPEG SANITARY MAIN. REFER TO SITE PLAN FOR CONTINUATION.
- ② 100Ø DOMESTIC WATER SERVICE TO CONNECT TO CITY OF WINNIPEG WATER MAIN. REFER TO SITE PLAN FOR CONTINUATION.
- ③ 50Ø PRESSURE PIPE CONNECT TO SANITARY RISER.
- ④ 400X400 CATCH BASIN.
- ⑤ WATER METER. REFER TO WATER METER DETAIL #3/M7.1 & #3/M3.1.
- ⑥ TYPICAL DOMESTIC HOT WATER TANK SPECIFIED. REFER TO DETAIL #2/M3.1.
- ⑦ TYPICAL ELEVATOR SUMP PUMP LOCATED IN PIT. WITH HIGH LEVEL ALARM.
- ⑧ CONCENTRIC REDUCER 100ØX75Ø
- ⑨ DOMESTIC HOT WATER RECIRCULATION PUMP AS SPECIFIED. REFER TO DRAWING ME1.2 FOR DETAILS.
- ⑩ NATURAL GAS PIPING TO SERVE BOILERS B-1 AND B-2. REFER TO DRAWING M4.1 FOR EXACT LOCATION OF BOILERS.
- ⑪ DOMESTIC COLD, HOT AND RECIRC. PIPING RUNNING IN BASEMENT CEILING SPACE.
- ⑫ 50Ø DRAINAGE FORCED PIPE DISCHARGE TO SPLASH PAD. (BY OTHERS)
- ⑬ BACKFLOW PREVENTOR ASSEMBLY.
- ⑭ EXISTING 100Ø SANITARY PIPE UNDER SLAB TO REMAIN.
- ⑮ 32Ø GAS PIPE UP TO MAIN FLOOR.
- ⑯ 65Ø GAS PIPE FROM GAS METER @ 7" W.C.
- ⑰ 100Ø SANITARY PIPE UNDER SLAB.
- ⑱ 100Ø SANITARY PIPE RUNNING AT HIGH LEVEL.
- ⑲ NEW 100Ø SANITARY UNDER SLAB.
- ⑳ WEEPING TILES SUMP PIT AND PUMPS WITH HIGH LEVEL ALARM.
- ㉑ 12Ø TO GLYCOL SYSTEM C/W RPP BACKFLOW PREVENTOR.
- ㉒ 12Ø TO HUMIDIFIER SYSTEM.

PLOTTED ON 2010-4-5 BY MARIO GICANA  
 DOCUMENT SAVED IN H: \5800\5878\MILESTONE\2010-03-31\_ISSUED FOR ADD 02  
 MEY0076-M31-BASEMENT PLUMBING AND GAS PIPING.DWG

5878



**MCW / AGE**

Consulting Professional Engineers

210-1821 Wellington Avenue

Winnipeg, Manitoba, R3H 0G4

Phone - (204) 779-7900 Fax - (204) 779-1119

E-Mail: mcw\_wpg@mcw.com

PROJECT:

**SINCLAIR PARK COMMUNITY CENTER**

REF. DWG. NO.

**M3.1**

DESCRIPTION:

**BASEMENT PLAN- PLUMBING AND GAS  
PIPING LAYOUT**

DWG. NO.

**MR-05**

DATE:

**2010-31-03**

DRAWN BY:

**MG**

SCALE:

**1:100**

ISSUED WITH:

**02-ME**