### FORM A: BID (See B7)

1.	Contract Title	2010 Mill and Fill – Po Eastbound	rtage Avenue Eastbound and R	oblin Boulevard
2.	Bidder	Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby au the Bidder for purpose	thorizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall he General Conditions.	ave the meanings
5.	Offer		fers to perform the Work in a Bid Price, in Canadian funds, to.	

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.					

2.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

SEAL

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Portage Avenue Eastbound - Rita Street to	and Fill				
	EARTH AND BASE WORKS					
<b>\.1</b>	Grading of Boulevards	CW 3110-R12	m²	100		
	ROADWORK - REMOVALS/RENEWALS					
A.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	15		
ii)	200 mm Concrete Pavement (Type B)		m²	70		
A.3	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	80		
<b>∖</b> .4	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	180		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	20		
b	5 sq.m. to 20 sq.m.		m²	75		
c	Greater than 20 sq.m.		m²	25		
ii)	Bullnose	SD-227C	m²	5		
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	50		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
۸.6		Concrete Curb Renewal	CW 3240-R8				
i)		Barrier (180mm ht, Dowelled)	SD-205, SD-206A				
i	a)	Less than 3 m		m	15		
ı	b)	3 m to 30 m		m	65		
ii)		Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	20		
7		Supply and Installation of Dowel Assemblies	CW 3310-R14	m	10		
A.8		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
<b>.</b> .9		Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)		Main Line Paving					
i	a)	Type IA		tonne	750		
ii)		Tie-ins and Approaches					
;	a)	Type IA		tonne	50		
10		Planing of Pavement	CW 3450-R5				
i)		0 - 50 mm Depth (Asphalt)		m²	1600		
ii)		50 - 100 mm Depth (Asphalt)		m²	2400		
11		Asphalt Patching of Full-Depth Concrete Repairs	E11 CW 3250-R7	tonne	15		
		JOINT AND CRACK SEALING					
A.12		Reflective Crack Maintenance	E12 CW 3250-R7	m	1500		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.13	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	1		
V)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	1		
	ADJUSTMENTS					
A.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	4		
A.15	Lifter Rings	CW 3210-R7				
i)	38mm		each	2		
ii)	51mm		each	1		
iii)	64mm		each	1		
A.16	Adjustment of Valve Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
A.17	Salt Tolerant Seeding	E10	m²	100		
Α	Portage Avenue Eastbound - Rita Street to	and Fill	Subtotal:			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
В	Roblin Boulevard Eastbound - Alcrest Drive to Assiniboine Park Drive - Mill and Fill							
	EARTH AND BASE WORKS							
3.1	Grading of Boulevards	CW 3110-R12	m²	100				
	ROADWORK - REMOVALS/RENEWALS							
3.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R6						
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	170				
3.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6						
i)	200 mm Concrete Pavement (Type A)		m²	15				
ii)	200 mm Concrete Pavement (Type B)		m²	130				
iii)	200 mm Concrete Pavement (Type C)		m²	15				
iv)	200 mm Concrete Pavement (Type D)		m²	15				
3.4	Drilled Dowels	CW 3230-R6						
i)	19.1 mm Diameter		each	125				
3.5	Drilled Tie Bars	CW 3230-R6						
i)	20 M Deformed Tie Bar		each	375				
3.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7						
i)	Sidewalk	SD-228A						
a	Less than 5 sq.m.		m²	20				
b	5 sq.m. to 20 sq.m.		m²	15				
ii)	Bullnose	SD-227C	m²	10				
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	190				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.7	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (180mm ht, Dowelled)	SD-205, SD-206A				
i	Less than 3 m		m	40		
ı	3 m to 30 m		m	110		
ii)	Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	55		
iii)	Splash Strip (180mm ht, Monolithic Barrier Curb, 750mm width)	SD-223A	m	50		
B.8	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	30		
B.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
	Type IA		tonne	1775		
ii)	Tie-ins and Approaches					
	Type IA		tonne	220		
B.10	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	4000		
ii)	50 - 100 mm Depth (Asphalt)		m²	6000		
B.11	Asphalt Patching of Full-Depth Concrete Repairs	E11 CW 3250-R7	tonne	30		
	JOINT AND CRACK SEALING					
B.12	Reflective Crack Maintenance	E12 CW 3250-R7	m	2900		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.13	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-006 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
v)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
	ADJUSTMENTS					
B.14	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	7		
B.15	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	1		
iii)	64mm		each	1		
B.16	Adjustment of Valve Boxes	CW 3210-R7	each	6		
	LANDSCAPING					
B.17	Salt Tolerant Seeding	E10	m²	100		
В	Roblin Boulevard Eastbound - Alcrest Drive and Fill	e to Assiniboin	e Park D	Drive - Mill	Subtotal:	

The City of Winnipeg
Bid Opportunity No. 18-2010
Template Version: C420091214 - RW

## FORM B: PRICES (SEE B8)

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMAF	RY					
Α	Portage Avenue Eastbound - Rita Street to Whytewold Road - Mill and Fill						
l R	Roblin B and Fill	oulevard Eastbound - Alcrest Driv	e to Assiniboin	e Park D	rive - Mill	Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)					n figures)		
(in words)							
	_						

(Seal)

Template Version: C420091214 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

T
firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter (10%) of the Total Bid Price set out in the Bid hereinafter rincipal and Surety bind themselves, their heirs, executors, and severally, firmly by these presents.
the Obligee for
and Roblin Boulevard Eastbound
ion is such that if the Bid of the Principal is not accepted, or rdance with the terms of the Bid, enters into a Contract with formance security for guaranteeing the faithful performance otherwise shall remain in full force and effect.
ety have signed and sealed this bond the
, 20
Name of Principal)  Per: (Seal)  Per:

(Name of Surety)

(Attorney-in-Fact)

Ву:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 18-2010** 2010 Mill and Fill - Portage Avenue Eastbound and Roblin Boulevard Eastbound in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpoi Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 18-2010
	2010 Mill and Fill – Portage Avenue Eastbound and Roblin Boulevard Eastbound
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate  Canadian dollars.
demar Letter payme demar	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
We er Letter	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on April 11, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)