

**FORM A: BID**  
(See B7)

1. Contract Title PROVINCE OF MANITOBA/CITY OF WINNIPEG 2010 STREET RENEWAL: CORNELL DRIVE, LAKE GROVE BAY AND VARIOUS OTHER LOCATIONS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Street

\_\_\_\_\_  
City Province Postal Code

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City Province Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person Title

\_\_\_\_\_  
Telephone Number Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B10.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>CORNELL DRIVE - LINACRE ROAD TO BALDRY BAY S. LEG</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Grading of Boulevards	CW 3110-R12	m <sup>2</sup>	130		
	<b>ROADWORKS - RENEWALS</b>					
A.2	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	30		
A.3	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	45		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
iv)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	10		
A.4	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	25		
A.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
iv)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	10		
A.6	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	100		
A.7	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	70		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	5		
A.9	Planing of Existing Monolithic Concrete Lip Curb	CW 3240-R8, E13	m	125		
A.10	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	125		
ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	20		
A.11	Concrete Curb Renewal	CW 3240-R8				
i)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	20		
ii)	Lip Curb (75mm ht, Integral)	SD-202B	m	10		
A.12	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	150		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
<b>JOINT AND CRACK SEALING</b>						
A.13	Reflective Crack Maintenance	CW 3250-R7	m	200		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
A.14	Catch Pit	CW 2130-R11				
i)	SD-023		each	2		
A.15	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R11				
i)	200mm		each	2		
A.16	Abandoning Existing Drainage Inlets	CW 2130-R11	each	2		
<b>ADJUSTMENTS</b>						
A.17	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.6		
A.19	Lifter Rings	CW 3210-R7				
i)	38mm		each	1		
ii)	51mm		each	1		
iii)	64mm		each	1		
	<b>LANDSCAPING</b>					
A.20	Sodding	CW 3510-R9				
i)	width < 600mm		m <sup>2</sup>	150		
<b>A</b>	<b><i>CORNELL DRIVE - LINACRE ROAD TO BALDRY BAY S. LEG</i></b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>LAKE GROVE BAY - CHANCELLOR DRIVE TO CHANCELLOR DRIVE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Grading of Boulevards	CW 3110-R12	m <sup>2</sup>	3830		
	<b>ROADWORKS - RENEWALS</b>					
B.2	Slab Replacement	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	300		
B.3	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	214		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	10		
iv)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	10		
B.4	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	100		
B.5	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	350		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	40		
B.7	Planing of Existing Monolithic Concrete Lip Curb	CW 3240-R8, E13	m	900		
B.8	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	760		
ii)	Lip Curb (40mm ht, Dowelled)	SD-202B	m	145		
iii)	Curb Ramp (10-15mm ht, Integral)	SD-229A,B,C	m	10		
B.9	Concrete Curb Renewal	CW 3240-R8				

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier (150mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	50		
ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	50		
iii)	Lip Curb (40mm ht, Integral)	SD-202B	m	40		
iv)	Curb Ramp (10-15mm ht, Integral)	SD-229C,D	m	25		
B.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	30		
B.11	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	1050		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	115		
B.12	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m <sup>2</sup>	535		
ii)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	100		
iii)	0 - 50 mm Depth (Concrete)		m <sup>2</sup>	30		
B.13	Moisture Barrier/Stress Absorption Geotextile Fabric	E15	m <sup>2</sup>	1490		
B.14	Pavement Patching	E11	m <sup>2</sup>	100		
B.15	Crack and Sealing Pavement	E14	m <sup>2</sup>	1490		
B.16	Partial Depth Saw-Cutting	E14	m	100		
	<b>JOINT AND CRACK SEALING</b>					
B.17	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.18	Catch Pit	CW 2130-R11				
i)	SD-023		each	1		
B.19	Replacing Standard Frames & Covers	CW 2130-R11				



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	6		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	6		
B.20	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	1		
<b>ADJUSTMENTS</b>						
B.21	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
B.22	Lifter Rings	CW 3210-R7				
B.23	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
ii)	38mm		each	2		
iii)	51mm		each	2		
iv)	64mm		each	2		
v)	76mm		each	2		
B.24	Adjustment of Valve Boxes	CW 3210-R7	each	11		
B.25	Valve Box Extensions	CW 3210-R7	each	2		
<b>LANDSCAPING</b>						
B.26	Sodding	CW 3510-R9				
i)	width < 600mm		m <sup>2</sup>	3500		
ii)	width > or = 600mm		m <sup>2</sup>	330		
<b>B</b>	<b><u>LAKE GROVE BAY - CHANCELLOR DRIVE TO CHANCELLOR DRIVE</u></b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>PULLBERRY STREET - PARKVILLE DRIVE TO MOORE AVENUE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Excavation	CW 3110-R12	m <sup>3</sup>	50		
C.2	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm		tonne	80		
C.3	Supplying and Placing Base Course Material	CW 3110-R12, E12	m <sup>3</sup>	12		
C.4	Grading of Boulevards	CW 3110-R12	m <sup>2</sup>	1150		
C.5	Separation/Reinforcement Geotextile Fabric	CW 3130-R2	m <sup>2</sup>	150		
	<b>ROADWORKS - RENEWALS</b>					
C.6	Pavement Removal	CW 3110-R12				
i)	Concrete Pavement		m <sup>2</sup>	150		
C.7	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	145		
C.8	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m <sup>2</sup>	20		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	115		
iii)	150 mm Concrete Pavement (Type C)		m <sup>2</sup>	35		
iv)	150 mm Concrete Pavement (Type D)		m <sup>2</sup>	60		
C.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	250		
C.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	500		
C.11	Miscellaneous Concrete Slab Removal	CW 3235-R7				

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Sidewalk		m <sup>2</sup>	10		
C.12	Planing of Existing Monolithic Concrete Lip Curb	CW 3240-R8, E13	m	240		
C.13	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	15		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	50		
c)	Greater than 20 sq.m.		m <sup>2</sup>	400		
C.14	Concrete Curb Removal	CW 3240-R8				
i)	Barrier 150mm ht		m	240		
C.15	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	450		
ii)	Modified Barrier (150mm ht, Dowelled)	SD-203B	m	65		
iii)	Lip Curb (40mm ht, Integral)	SD-202B	m	40		
C.16	Concrete Curb Renewal	CW 3240-R8				
i)	Curb Ramp (10-15mm ht, Monolithic)	SD-229C,D	m	40		
C.17	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	550		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
C.18	Planing of Pavement	CW 3450-R5				
i)	50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	2750		
ii)	0 - 50 mm Depth (Concrete)		m <sup>2</sup>	100		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
C.19	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	150		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.20	100mm Concrete Sidewalk	CW 3325-R3	m <sup>2</sup>	10		
	<b>JOINT AND CRACK SEALING</b>					
C.21	Longitudinal Joint & Crack Filling ( > 25mm in width )	CW 3250-R7	m	50		
C.22	Reflective Crack Maintenance	CW 3250-R7	m	800		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
C.23	Catch Pit	CW 2130-R11				
i)	SD-023		each	1		
C.24	Drainage Connection Pipe	CW 2130-R11	m	6		
C.25	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-008 - Barrier Curb and Gutter Inlet Frame and Box		each	2		
ii)	AP-009 - Barrier Curb and Gutter Inlet Cover		each	2		
C.26	Connecting to Existing Catch Basin	CW 2130-R11				
i)	250mm Drainage Connection Pipe		each	1		
C.27	Abandoning Existing Drainage Inlets	CW 2130-R11	each	1		
	<b>ADJUSTMENTS</b>					
C.28	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
C.29	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	1.0		
C.30	Lifter Rings	CW 3210-R7				
i)	38mm		each	2		
ii)	51mm		each	2		
C.31	Adjustment of Valve Boxes	CW 3210-R7	each	6		
C.32	Valve Box Extensions	CW 3210-R7	each	2		
C.33	Adjustment of Curb Stop Boxes	CW 3210-R7	each	2		
C.34	Curb Stop Extensions	CW 3210-R7	each	2		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.35	Installing New Flat Top Reducer	CW 2130-R11	each	0.3		
	<b>LANDSCAPING</b>					
C.36	Sodding	CW 3510-R9				
i)	width < 600mm		m <sup>2</sup>	1000		
ii)	width > or = 600mm		m <sup>2</sup>	200		
<b>C</b>	<b><u>PULLBERRY STREET - PARKVILLE DRIVE TO MOORE AVENUE</u></b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>RUE DUCHARME - HOUDE DRIVE W. LEG TO VILLENEUVE BOULEVARD</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Excavation	CW 3110-R12	m <sup>3</sup>	1270		
D.2	Sub-Grade Compaction	CW 3110-R12	m <sup>2</sup>	4225		
D.3	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	3075		
D.4	Supplying and Placing Base Course Material	CW 3110-R12, E12	m <sup>3</sup>	350		
D.5	Grading of Boulevards	CW 3110-R12	m <sup>2</sup>	3250		
D.6	Separation/Reinforcement Geotextile Fabric	CW 3130-R2	m <sup>2</sup>	4225		
	<b>ROADWORKS - RENEWALS</b>					
D.7	Pavement Removal	CW 3110-R12				
i)	Concrete Pavement		m <sup>2</sup>	490		
ii)	Asphalt Pavement		m <sup>2</sup>	3270		
D.8	Slab Replacement - Early Opening (72 hour)	CW 3230-R6				
i)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	35		
D.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	20		
D.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	20		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	25		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	50		
c)	Greater than 20 sq.m.		m <sup>2</sup>	600		
D.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m <sup>2</sup>	180		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Supply of Precast Sidewalk Blocks	CW 3235-R7	m <sup>2</sup>	80		
D.14	Concrete Curb Removal	CW 3240-R8				
i)	Curb and Gutter		m	700		
D.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	10		
<b>ROADWORKS - NEW CONSTRUCTION</b>						
D.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Curb and Gutter (150mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) - Slip Form Paving	SD-200	m	700		
ii)	Construction of Curb and Gutter (150mm ht, Modified Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-203B	m	140		
iii)	Construction of Curb and Gutter ( 70mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-202B	m	15		
iv)	Construction of Curb and Gutter (10-15mm ht, Curb Ramp, Integral, 600mm width, 150mm Plain Concrete Pavement)	SD-200 SD-229E	m	30		
D.17	100mm Concrete Sidewalk	CW 3325-R3	m <sup>2</sup>	85		
D.18	Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	10		
D.19	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Main Line Paving					
a)	Type IA		tonne	360		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	70		
D.20	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R8	tonne	650		
<b>JOINT AND CRACK SEALING</b>						
D.21	Reflective Crack Maintenance	CW 3250-R7	m	350		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
D.22	Catch Basin	CW 2130-R11				
i)	SD-024, 1800mm deep		each	4		
D.23	Sewer Service	CW 2130-R11				
i)	250mm, PVC SDR-35					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	2		
b)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	22		
D.24	Replacing Standard Frames & Covers	CW 2130-R11				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	5		
D.25	Connecting to Existing Manhole	CW 2130-R11				
i)	250mm Catch Basin Lead		each	3		
D.26	Connecting to Existing Sewer	CW 2130-R11				
i)	250mm (PVC) of connecting pipe					
a)	Connecting to 375mm Sewer		each	1		
D.27	Abandoning Existing Drainage Inlets	CW 2130-R11	each	5		
D.28	Installation of Subdrains	CW 3120-R3	m	100		
	<b>ADJUSTMENTS</b>					
D.29	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	8		
D.30	Replacing Existing Risers	CW 2130-R11				
i)	Pre-cast Concrete Risers		vert. m	0.3		
D.31	Lifter Rings	CW 3210-R7				
i)	38mm		each	2		



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	51mm		each	2		
D.32	Adjustment of Valve Boxes	CW 3210-R7	each	11		
D.33	Valve Box Extensions	CW 3210-R7	each	2		
D.34	Adjustment of Curb Stop Boxes	CW 3210-R7	each	5		
D.35	Curb Stop Extensions	CW 3210-R7	each	2		
<b>LANDSCAPING</b>						
D.36	Sodding	CW 3510-R9				
i)	width < 600mm		m <sup>2</sup>	250		
ii)	width > or = 600mm		m <sup>2</sup>	3000		
<b>D</b>	<b><i>RUE DUCHARME - HOUDE DRIVE W. LEG TO VILLENEUVE BOULEVARD</i></b>				Subtotal:	
<b>E</b>	<b><i>PROVISIONAL ITEMS</i></b>					
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
E.1	Remove and Replace Existing Catch Basin	CW 2130-R11				
i)	SD-024		each	1		
E.2	Sewer Service - WWS (3-4m deep)	CW 2130-R11				
i)	150mm, PVC SDR-35					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	5		
b)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	5		
E.3	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R11				
i)	200mm - CB Lead					
a)	Class 3 Backfill		each	4		
ii)	250mm - WWS (3-4m deep)					
a)	Class 3 Backfill		each	1		
E.4	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R11				
i)	200mm - CB Lead					
a)	Class 3 Backfill		m	5		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.5	ii) 250mm - WWS (3-4m deep) a) Class 3 Backfill Connecting New Sewer Service to Existing Sewer Service	CW 2130-R11	m	5		
E.6	i) 150mm - WWS Replacing Existing Manhole Rungs	CW 2130-R11	each	1		
<b>E</b>	<b><u>PROVISIONAL ITEMS</u></b>				Subtotal:	

**SUMMARY**

<b>A</b>	<b><u>CORNELL DRIVE - LINACRE ROAD TO BALDRY BAY S. LEG</u></b>	Subtotal:	
<b>B</b>	<b><u>LAKE GROVE BAY - CHANCELLOR DRIVE TO CHANCELLOR DRIVE</u></b>	Subtotal:	
<b>C</b>	<b><u>PULLBERRY STREET - PARKVILLE DRIVE TO MOORE AVENUE</u></b>	Subtotal:	
<b>D</b>	<b><u>RUE DUCHARME - HOUDE DRIVE W. LEG TO VILLENEUVE BOULEVARD</u></b>	Subtotal:	
<b>E</b>	<b><u>PROVISIONAL ITEMS</u></b>	Subtotal:	

TOTAL BID PRICE (GST extra) (in figures) \_\_\_\_\_

(in words) \_\_\_\_\_

\_\_\_\_\_

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B10)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_

(hereinafter called the "Principal") and

\_\_\_\_\_

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 250-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2010 STREET RENEWAL: CORNELL DRIVE, LAKE GROVE BAY AND VARIOUS OTHER LOCATIONS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B10)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 250-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2010 STREET RENEWAL: CORNELL DRIVE, LAKE GROVE BAY AND VARIOUS OTHER LOCATIONS

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B10)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 250-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG 2010 STREET RENEWAL: CORNELL DRIVE,  
LAKE GROVE BAY AND VARIOUS OTHER LOCATIONS

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B10)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 22, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)