FORM A: BID (See B7)

| 1. | Contract Title | | DBA/CITY OF WINNIPEG – 2 OGRAM: PARK BOULEVAR | |
|----|--------------------------------|---|--|---------------------|
| 2. | Bidder | Name of Bidder | | |
| | | Street | | |
| | | City | Province | Postal Code |
| | | Facsimile Number | | |
| | (Mailing address if different) | Street or P.O. Box | | |
| | | City | Province | Postal Code |
| | | The Bidder is: | | |
| | (Choose one) | a sole proprietor | | |
| | | a partnership | | |
| | | a corporation | | |
| | | carrying on business un | der the above name. | |
| 3. | Contact Person | The Bidder hereby auth the Bidder for purposes | orizes the following contact of the Bid. | person to represent |
| | | Contact Person | Title | |
| | | Telephone Number | Facsimile Number | |
| 4. | Definitions | All capitalized terms u ascribed to them in the | sed in the Contract shall he General Conditions. | nave the meanings |
| 5. | Offer | | rs to perform the Work in a id Price, in Canadian funds, | |

| 6. | Bid Security | In accordance with B10.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a |
| | Timo | period of Sixty (60) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT | | | | |
|------------------|---|---------------------|-------|---------------------|------------|--------|--|--|--|--|
| CITY FUNDED WORK | | | | | | | | | | |
| Α | PARKSIDE BOULEVARD RECONSTRUCTION: ASSINIBOINE AVENUE TO WINSTON ROAD | | | | | | | | | |
| | EARTH AND BASE WORKS | | | | | | | | | |
| A.1 | Excavation | CW 3110-R12 | m³ | 1,100 | | | | | | |
| A.2 | Sub-Grade Compaction | CW 3110-R12 | m² | 3,000 | | | | | | |
| A.3 | Crushed Sub-base Material | CW 3110-R12 | | | | | | | | |
| i) | 50 mm - Limestone | | tonne | 1,550 | | | | | | |
| A.4 | Supplying and Placing Base Course Material | CW 3110-R12, E12 | m³ | 250 | | | | | | |
| A.5 | Grading of Boulevards | CW 3110-R12 | m² | 2,200 | | | | | | |
| A.6 | Separation Geotextile Fabric | CW 3130-R2 | m² | 3,000 | | | | | | |
| | ROADWORKS - REMOVALS/RENEWALS | | | | | | | | | |
| A.7 | Pavement Removal | CW 3110-R12 | | | | | | | | |
| i) | Concrete Pavement | | m² | 2,500 | | | | | | |
| ii) | Asphalt Pavement | | m² | 70 | | | | | | |
| A.8 | Drilled Dowels | CW 3230-R6 | | | | | | | | |
| i) | 19.1 mm Diameter | | each | 50 | | | | | | |
| A.9 | Drilled Tie Bars | CW 3230-R6 | | | | | | | | |
| i) | 20 M Deformed Tie Bar | | each | 100 | | | | | | |
| A.10 | Miscellaneous Concrete Slab Renewal | CW 3235-R7 | | | | | | | | |
| i) | Sidewalk | SD-228A | | | | | | | | |
| a) | Less than 5 sq.m. | | m² | 25 | | | | | | |
| b) | 5 sq.m. to 20 sq.m. | | m² | 20 | | | | | | |
| A.11 | Concrete Curb Renewal | CW 3240-R8 | | | | | | | | |
| i) | Barrier (150 mm ht, Dowelled) | SD-205, SD-206A | | | | | | | | |
| a) | 3 m to 30 m | | m | 105 | | | | | | |
| A.12 | Adjustment of Precast Sidewalk Blocks | CW 3235-R7 | m² | 10 | | | | | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|-------------------|-------|---------------------|------------|--------|
| | ROADWORKS - REMOVALS/RENEWALS (Cont'd.) | | | | | |
| A.13 | Supply of Precast Sidewalk Blocks | CW 3235-R7 | m² | 5 | | |
| A.14 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m | 100 | | |
| | ROADWORK - NEW CONSTRUCTION | | | | | |
| A.15 | Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians | CW 3310-R14 | | | | |
| i) | Construction of 150 mm Concrete Pavement (Reinforced) Slip Form Paving | | m² | 975 | | |
| ii) | Construction of 150 mm Concrete Pavement (Reinforced) | | m² | 315 | | |
| iii) | Construction of 200 mm Concrete Pavement (Reinforced) | | m² | 70 | | |
| A.16 | Concrete Pavements for Early Opening | CW 3310-R14 | | | | |
| i) | Construction of 150 mm Concrete Pavement for Early Opening 72 hr. (Reinforced) Slip Form Paving | | m² | 975 | | |
| A.17 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R14 | | | | |
| i) | Construction of Barrier (180 mm ht, Separate) | SD-203A | m | 375 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 40 | | |
| iii) | Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600mm width, 150mm Plain Concrete Pavement) | SD-200 | m | 35 | | |
| iv) | Construction of Curb and Gutter (40mm ht, Lip Curb, Integral, 600mm width, 150mm Plain Concrete Pavement) | SD-200 SD-202B | m | 20 | | |
| v) | Construction of Lip Curb (40 mm ht, Integral) | SD-202B | m | 115 | | |
| vi) | Construction of Curb Ramp (10-15 mm ht, Integral) | SD-229C | m | 10 | | |
| A.18 | Interlocking Paving Stones | CW 3335-R1 | m² | 50 | | |
| A.19 | Construction of Asphaltic Concrete Pavements | CW 3410-R8 | | | | |
| i) | Main Line Paving | | | | | |
| a) | Type IA | | tonne | 45 | | |
| ii) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 10 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|---------|---------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| A.20 | Catch Basin | CW 2130-R11 | | | | |
| i) | SD-024 | | each | 6 | | |
| A.21 | Sewer Service | CW 2130-R11 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class B Bedding, Class 2 Backfill | | m | 30 | | |
| A.22 | Sewer Service Risers | CW 2130-R11 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert m | 10 | | |
| A.23 | Replacing Standard Frames & Covers | CW 2130-R11 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 5 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 5 | | |
| A.24 | Connecting to Existing Manhole | CW 2130-R11 | | | | |
| i) | 250 mm Catch Basin Lead | | each | 4 | | |
| A.25 | Connecting to Existing Sewer | CW 2130-R11 | | | | |
| i) | 250 mm Catch Basin Lead | | | | | |
| a) | Connecting to 750 mm Combined Sewer | | each | 2 | | |
| A.26 | Removal of Existing Catch Basins | CW 2130-R11 | each | 2 | | |
| A.27 | Installation of Subdrains | CW 3120-R3 | m | 80 | | |
| | ADJUSTMENTS | | | | | |
| A.28 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 6 | | |
| A.29 | Replacing Existing Risers | CW 2130-R11 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1 | | |
| A.30 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 64 mm | | each | 5 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|-----------------------------------|---------------|---------|---------------------|------------|--------|
| | ADJUSTMENTS (Cont'd.) | | | | | |
| A.31 | Adjustment of Valve Boxes | CW 3210-R7 | each | 4 | | |
| A.32 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| A.33 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 1 | | |
| | LANDSCAPING | | | | | |
| A.34 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m² | 200 | | |
| ii) | width > or = 600 mm | | m² | 2,000 | | |
| Α | PARKSIDE BOULEVARD RECONSTRUCTION | ON: ASSINIBO | INE AVE | NUE TO | | |
| | WINSTON ROAD | Sub-Total: | | | | |

| NIT PRIC | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|---|---------------------|--------|---------------------|------------|--------|
| В | PARK BOULEVARD NORTH RECONSTRUC | CTION: CUTHB | ERTSON | AVENUE TO | CORYDON AV | ENUE |
| | EARTH AND BASE WORKS | | | | | |
| B.1 | Excavation | CW 3110-R12 | m³ | 1,700 | | |
| B.2 | Sub-Grade Compaction | CW 3110-R12 | m² | 3,100 | | |
| B.3 | Crushed Sub-base Material | CW 3110-R12 | | | | |
| i) | 50 mm - Limestone | | tonne | 2,200 | | |
| ii) | 100 mm - Limestone | E13 | tonne | 200 | | |
| B.4 | Supplying and Placing Base Course Material | CW 3110-R12, E12 | m³ | 250 | | |
| B.5 | Grading of Boulevards | CW 3110-R12 | m² | 1,700 | | |
| B.6 | Removal of Existing Concrete Bases | CW 3110-R12 | | | | |
| i) | 600 mm Diameter or Less | | each | 1 | | |
| B.7 | Separation Geotextile Fabric | CW 3130-R2 | m² | 3,100 | | |
| B.8 | Supply and Install Geogrid | CW 3135 | m² | 500 | | |
| | ROADWORK - REMOVALS/RENEWALS | | | | | |
| B.9 | Pavement Removal | CW 3110-R12 | | | | |
| i) | Concrete Pavement | | m² | 2,580 | | |
| B.10 | Drilled Dowels | CW 3230-R6 | | | | |
| i) | 19.1 mm Diameter | | each | 110 | | |
| B.11 | Drilled Tie Bars | CW 3230-R6 | | | | |
| i) | 20 M Deformed Tie Bar | | each | 90 | | |
| B.12 | Miscellaneous Concrete Slab Renewal | CW 3235-R7 | | | | |
| i) | Sidewalk | SD-228A | | | | |
| a) | Less than 5 sq.m. | | m² | 10 | | |
| B.13 | Renewal of Exposed Aggregate Concrete Sidewalk | E14 | m² | 5 | | |
| B.14 | Adjustment of Precast Sidewalk Blocks | CW 3235-R7 | m² | 5 | | |
| B.15 | Supply of Precast Sidewalk Blocks | CW 3235-R7 | m² | 5 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|---|---------------|-------|---------------------|------------|--------|
| | ROADWORK - REMOVALS/RENEWALS (Cont'd.) | | | | | |
| B.16 | Regrading Existing Interlocking Paving Stones | CW 3330-R5 | m² | 125 | | |
| | ROADWORK - NEW CONSTRUCTION | | | | | |
| B.17 | Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians | CW 3310-R14 | | | | |
| i) | Construction of 150 mm Concrete Pavement (Reinforced) Slip Form Paving | | m² | 1,050 | | |
| ii) | Construction of 150 mm Concrete Pavement (Reinforced) | | m² | 470 | | |
| B.18 | Concrete Pavements for Early Opening | CW 3310-R14 | | | | |
| i) | Construction of 150 mm Concrete Pavement for Early Opening 72 hr. (Reinforced) Slip Form Paving | | m² | 1,050 | | |
| B.19 | Concrete Curbs, Curb and Gutter, and Splash Strips | CW 3310-R14 | | | | |
| i) | Construction of Barrier (180 mm ht, Separate) | SD-203A | m | 400 | | |
| ii) | Construction of Modified Barrier (180 mm ht, Integral) | SD-203B | m | 70 | | |
| iii) | Construction of Lip Curb (40 mm ht, Integral) | SD-202B | m | 110 | | |
| B.20 | Interlocking Paving Stones | CW 3335-R1 | m² | 60 | | |
| B.21 | Construction of Asphaltic Concrete Pavements | CW 3410-R8 | | | | |
| i) | Tie-ins and Approaches | | | | | |
| a) | Type IA | | tonne | 5 | | |
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS | | | | | |
| B.22 | Catch Basin | CW 2130-R11 | | | | |
| i) | SD-024 | | each | 4 | | |
| B.23 | Remove and Replace Existing Catch Basin | CW 2130-R11 | | | | |
| i) | SD-024 | | each | 1 | | |
| B.24 | Sewer Service | CW 2130-R11 | | | | |
| i) | 250 mm | | | | | |
| a) | In a Trench, Class B Bedding with sand, Class 3 Backfill | | m | 35 | | |

| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|---------|---------------------|------------|--------|
| | ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.) | | | | | |
| B.25 | Sewer Service Risers | CW 2130-R11 | | | | |
| i) | 250 mm | | | | | |
| a) | SD-015 | | vert m | 15 | | |
| B.26 | Replacing Standard Frames & Covers | CW 2130-R11 | | | | |
| i) | AP-004 - Standard Frame for Manhole and Catch Basin | | each | 3 | | |
| ii) | AP-005 - Standard Solid Cover for Standard Frame | | each | 3 | | |
| iii) | AP-008 - Barrier Curb and Gutter Inlet Frame and Box | | each | 1 | | |
| iv) | AP-009 - Barrier Curb and Gutter Inlet Cover | | each | 1 | | |
| B.27 | Connecting to Existing Sewer | CW 2130-R11 | | | | |
| i) | 250 mm Catch Basin Lead | | | | | |
| a) | Connecting to 2400 mm Storm Relief Sewer | | each | 4 | | |
| B.28 | Installation of Subdrains | CW 3120-R3 | m | 550 | | |
| | ADJUSTMENTS | | | | | |
| B.29 | Adjustment of Catch Basins / Manholes Frames | CW 3210-R7 | each | 4 | | |
| B.30 | Replacing Existing Risers | CW 2130-R11 | | | | |
| i) | Pre-cast Concrete Risers | | vert. m | 1 | | |
| B.31 | Lifter Rings | CW 3210-R7 | | | | |
| i) | 64 mm | | each | 3 | | |
| B.32 | Adjustment of Valve Boxes | CW 3210-R7 | each | 2 | | |
| B.33 | Valve Box Extensions | CW 3210-R7 | each | 1 | | |
| B.34 | Adjustment of Curb Stop Boxes | CW 3210-R7 | each | 1 | | |
| B.35 | Adjustment of Sprinkler Head | E15 | each | 10 | | |
| B.36 | Replace Existing Sprinkler Pipe | E15 | m | 50 | | |

FORM B: PRICES

(SEE B8)

| ITEM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
|---|---------------------|------------|------|----------|------------|--------|
| | | REF. | | QUANTITY | | |
| | LANDSCAPING | | | | | |
| B.37 | Sodding | CW 3510-R9 | | | | |
| i) | width < 600 mm | | m² | 100 | | |
| ii) | width > or = 600 mm | | m² | 1,600 | | |
| B PARK BOULEVARD NORTH RECONSTRUCTION: CUTHBERTSON AVENUE TO CORYDON AVENUE | | | | | Sub-Total: | |

| 0.11.1 | 220 | | | | | |
|--|--|---------------|--------|---------------------|------------|--------|
| ITEM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
| | SUMMARY | | | | | |
| | JOHNAN | | | | 1 | |
| Α | PARKSIDE BOULEVARD RECONSTRUCTION WINSTON ROAD | ON: ASSINIBOI | NE AVE | NUE TO | | |
| | WINSTON KOAD | | | | Sub-Total: | |
| В | PARK BOULEVARD NORTH RECONSTRUC | CTION: CUTHB | ERTSON | N AVENUE | | |
| | TO CORYDON AVENUE | | | | Sub-Total: | |
| TOTAL BID PRICE (GST extra) (in figures) | | | | | | |
| (in words) | | | | | | |
| | | | | | | |
| | | | | | | |

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

| (hereinafter called the "Principal") and | |
|--|--|
| | |

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 279-2010

PROVINCE OF MANITOBA/CITY OF WINNIPEG – 2010 LOCAL STREET RENEWAL PROGRAM: PARK BOULEVARD AND PARKSIDE DRIVE

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 279-2010 PROVINCE OF MANITOBA/CITY OF WINNIPEG - 2010 LOCAL STREET RENEWAL PROGRAM: PARK **BOULEVARD AND PARKSIDE DRIVE** in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______, 20_____. (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

| (Date) | |
|-------------------------|--|
| Corpo Mater 185 K | City of Winnipeg prate Finance Department rials Management Division Cing Street, Main Floor peg MB R3B 1J1 |
| RE: | BID SECURITY – BID OPPORTUNITY NO. 279-2010 |
| | PROVINCE OF MANITOBA/CITY OF WINNIPEG – 2010 LOCAL STREET RENEWAL PROGRAM: PARK BOULEVARD AND PARKSIDE DRIVE |
| Pursu | ant to the request of and for the account of our customer, |
| (Name | of Bidder) |
| | IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| dema Letter paym | Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be |
| Partia | Il drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addre | ss) |
| and w | ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 25, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name of bank or financial institution) | | |
|---|------------------------------|--|
| Per: | | |
| | (Authorized Signing Officer) | |
| Per: | | |
| | (Authorized Signing Officer) | |