FORM A: BID (See B7)

1.	Contract Title		on Infrastructure Stimulus Prog fic Avenue Bikeway, Eugenie			
2.	Bidder	Name of Bidder				
		Street				
		City	Province	Postal Code		
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box				
		City	Province	Postal Code		
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business und	ler the above name.			
3.	Contact Person	The Bidder hereby authorizes the following contact person to represen the Bidder for purposes of the Bid.				
		Contact Person	Title			
		Telephone Number	Facsimile Number			
4.	Definitions	All capitalized terms us ascribed to them in the G	sed in the Contract shall ha General Conditions.	ve the meanings		
5.	Offer		s to perform the Work in acc d Price, in Canadian funds, s			

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	KING EDWARD STREET AT LISMORE AVE		CTION			
1	EXCAVATION	CW 3110-R12	m³	10		
2	Sub-Grade Compaction	CW 3110-R12	m²	50		
	Cab Grade Compaction	000 0110 1012	***	00		
	ROADWORK - REMOVALS/RENEWALS					
3	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m²	70		
4	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Sidewalk	SD-228A	m²	10		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	100		
5	Concrete Curb Removal	CW 3240-R8				
i)	Barrier (separate)		m	45		
ii)	Curb Ramp		m	14		
	LANDSCAPING					
6	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
Α	KING EDWARD STREET AT LISMORE AVE	NUE - INTERSE	CTION	l		
	ENTIANCEMENTS				Subtotal:	
В	LISMORE AVENUE AT ODDY STREET - IN	TERSECTION EN	IHANCE	MENTS		
	EARTH AND BASE WORKS					
3.1	Construction of Traffic Circle	E9	L.S.	1		
3.2	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
		E12				
i)	Tio ins and Approaches					
i)	Tie-ins and Approaches		4			
	Tie-ins and Approaches Type IA		tonne	1		
a)			tonne	1		
	Type IA	CW 3110-R12	tonne	1		
a)	Type IA ROADWORK - REMOVALS/RENEWALS		tonne m²	10		
a)	Type IA ROADWORK - REMOVALS/RENEWALS Pavement Removal	CW 3110-R12				

ICES					
DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Drilled Tie Bars	CW 3230-R6				
20 M Deformed Tie Bar		each	30		
Concrete Curb Installation	CW 3240-R8				
Barrier (150mm ht, Dowelled)	SD-205	m	20		
LANDSCAPING					
Sodding	CW 3510-R9				
width < 600 mm		m²	50		
LISMORE AVENUE AT ODDY STREET - INT	ERSECTION EN	NHANCE	<u>MENTS</u>	Subtotal:	
ELGIN AVENUE AT ODDY STREET - INTER	SECTION ENHA	NCEME	NTS		
EADTH AND BASE WODKS					
Construction of Traffic Circle	E9	L.S.	1		
Pavement Removal	CW 3110-R12				
Asphalt Pavement	E11	m²	1		
Construction of Asphaltic Concrete Overlay	CW 3410-R8				
Tie-ins and Approaches	E12				
Type IA		tonne	1		
ELGIN AVENUE AT ODDY STREET - INTER	SECTION ENHA	NCEME	<u>NTS</u>	Subtotal:	
ELGIN AVENUE AT KEEWATIN STREET - IN	NTERSECTION I	ENHANC	EMENTS		
			_		
Pavement Removal	CW 3110-R12				
Concrete Pavement	E10	m²	180		
Miscellaneous Concrete Slab Removal	CW 3235-R7				
Bullnose		m²	15		
Miscellaneous Concrete Slab Installation	CW 3235-R7				
Median Slab	SD-227A	m²	45		
Monolithic Curb and Sidewalk	SD-228B	m²	60		
	DESCRIPTION Drilled Tie Bars 20 M Deformed Tie Bar Concrete Curb Installation Barrier (150mm ht, Dowelled) LANDSCAPING Sodding width < 600 mm LISMORE AVENUE AT ODDY STREET - INTER EARTH AND BASE WORKS Construction of Traffic Circle Pavement Removal Asphalt Pavement Construction of Asphaltic Concrete Overlay Tie-ins and Approaches Type IA ELGIN AVENUE AT ODDY STREET - INTER ELGIN AVENUE AT ODDY STREET - INTER ELGIN AVENUE AT ODDY STREET - INTER ELGIN AVENUE AT WEEWATIN STREET - II ROADWORK - REMOVALS/RENEWALS Pavement Removal Concrete Pavement Miscellaneous Concrete Slab Removal Bullnose Miscellaneous Concrete Slab Installation Median Slab	DESCRIPTION SPEC. REF. Drilled Tie Bars CW 3230-R6 20 M Deformed Tie Bar Concrete Curb Installation CW 3240-R8 Barrier (150mm ht, Dowelled) SD-205 LANDSCAPING Sodding CW 3510-R9 width < 600 mm LISMORE AVENUE AT ODDY STREET - INTERSECTION ENHANCE EARTH AND BASE WORKS Construction of Traffic Circle E9 Pavement Removal CW 3110-R12 E11 Asphalt Pavement Construction of Asphaltic Concrete Overlay Tie-ins and Approaches Tipe IA ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCE E12 ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCE E12 ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCE E12 ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCE E10 Concrete Pavement Miscellaneous Concrete Slab Removal CW 3235-R7 Median Slab SD-227A	DESCRIPTION SPEC. REF. Drilled Tie Bars CW 3230-R6 20 M Deformed Tie Bar each Concrete Curb Installation CW 3240-R8 Barrier (150mm ht, Dowelled) SD-205 m LANDSCAPING Sodding CW 3510-R9 width < 600 mm m² LISMORE AVENUE AT ODDY STREET - INTERSECTION ENHANCE EARTH AND BASE WORKS Construction of Traffic Circle E9 L.S. Pavement Removal CW 3110-R12 Asphalt Pavement COnstruction of Asphaltic Concrete Overlay Tie-ins and Approaches Tie-ins and Approaches Type IA tonne ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEME ELGIN AVENUE AT KEEWATIN STREET - INTERSECTION ENHANCEME COncrete Pavement CW 3110-R12 E10 Concrete Pavement CW 3235-R7 Miscellaneous Concrete Slab Removal CW 3235-R7 Median Slab SD-227A m²	DESCRIPTION SPEC. UNIT APPROX. REF. Drilled Tie Bars CW 3230-R6 each 30 Concrete Curb Installation CW 3240-R8 Barrier (150mm ht, Dowelled) SD-205 m 20 LANDSCAPING Sodding CW 3510-R9 m² 50 LISMORE AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS EARTH AND BASE WORKS Construction of Traffic Circle E9 L.S. 1 Pavement Removal CW 3110-R12 E11 m² 1 Construction of Asphaltic Concrete Overlay Tie-ins and Approaches Tie-ins and Approaches Type IA tonne 1 ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT REEWATIN STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT KEEWATIN STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT KEEWATIN STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT CODDY STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT	DESCRIPTION SPEC. UNIT APPROX. QUANTITY Drilled Tie Bars 20 M Deformed Tie Bar Concrete Curb Installation Barrier (150mm ht, Dowelled) CW 3240-R8 Barrier (150mm ht, Dowelled) SD-205 m 20 LANDSCAPING Sodding width < 600 mm LISMORE AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS EARTH AND BASE WORKS Construction of Traffic Circle Pavement Removal Asphalt Pavement Construction of Asphaltic Concrete Overlay Tie-ins and Approaches Tie-ins and Approaches Type IA ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS EARTH AND BASE WORKS Construction of Asphaltic Concrete Overlay CW 3110-R12 E11 Trie-ins and Approaches Type IA ELGIN AVENUE AT ODDY STREET - INTERSECTION ENHANCEMENTS Subtotal: ELGIN AVENUE AT KEEWATIN STREET - INTERSECTION ENHANCEMENTS ROADWORK - REMOVALS/RENEWALS Pavement Removal CW 3110-R12 E10 m² 180 Miscellaneous Concrete Slab Removal CW 3235-R7 Bullnose Miscellaneous Concrete Slab Installation CW 3235-R7 Median Slab SD-227A m² 45

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.4	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	28		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229A,B,C	m	14		
	LANDSCAPING					
D.5	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	220		
D	ELGIN AVENUE AT KEEWATIN STREET - II	NTERSECTION	ENHANC	<u>EMENTS</u>	Subtotal:	
E	ALEXANDER AVENUE AT WORTH STREET	- INTERSECTION	ON ENHA	ANCEMENTS		
	EARTH AND BASE WORKS					
E.1	Construction of Traffic Circle	E9	L.S.	1		
E.2	Pavement Removal	CW 3110-R12 E11				
i)	Asphalt Pavement	E11	m²	1		
E.3	Construction of Asphaltic Concrete Overlay	CW 3410-R8 E12				
i)	Tie-ins and Approaches	E12				
а	Type IA		tonne	1		
E	ALEXANDER AVENUE AT WORTH STREET	- INTERSECTION	ON ENHA	ANCEMENTS	Subtotal:	
F	ALEXANDER AVENUE AT WINKS STREET	- INTERSECTIO	N ENHAI	NCEMENTS		
	EARTH AND BASE WORKS					
F.1	Construction of Traffic Circle	E9	L.S.	1		
F.2	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
а	Type IA		tonne	35		
F.3	Partial Slab Patches	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	3		
ii)	200 mm Concrete Pavement (Type B)		m²	8		
F.4	Drilled Dowels	CW 3230-R6				

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	19.1 mm Diameter	INCI.	each	15		
F.5	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	25		
F.6	Planing of Pavement	CW 3450-R5				
i)	0 - 50 mm Depth (Asphalt)		m²	240		
F	ALEXANDER AVENUE AT WINKS STREET	 <u>- INTERSECTIO</u>	N ENHA	NCEMENTS	Subtotal:	
	I					
G	1155 PACIFIC AVENUE PATHWAY CONSTR SURFACE PARKING LOT	RUCTION - WINF	(S STRE	<u>E1 10</u>		
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R12 E13, E18	L.S.	1		
G.2	Common Excavation- Suitable site material	CW 3170-R3 E14	L.S.	1		
G.3	Sub-Grade Compaction	CW 3110-R12	m²	680		
G.4	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	260		
G.5	Supplying and Placing Base Course Material	CW 3110-R12	m³	35		
G.6	Separation Geotextile Fabric	CW 3130-R2	m²	680		
	ROADWORK - REMOVALS/RENEWALS					
G.7	Concrete Curb Removal	CW 3240-R8				
i)	Curb and Gutter		m	25		
G.8	Concrete Curb Installation	CW 3240-R8				
i)	Curb and Gutter (10-15mm ht, Curb Ramp, Integral, 600mm width, 150mm Plain	SD-200	m	25		
G.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	120		
	LANDSCAPING					
G.10	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1000		
	MISCELLANEOUS					
I	I	I	I I	ı	I	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
6.11	Concrete Panel Fence Removal	E17	L.S.	1		
G	1155 PACIFIC AVENUE PATHWAY CONSTR SURFACE PARKING LOT	Subtotal:				
Н	ALEXANDER AVENUE AT SHERBROOK ST ENHANCEMENTS	REET - INTERS	ECTION	-		
	EARTH AND BASE WORKS					
l.1	Excavation	CW 3110-R12	m³	60		
1.2	Sub-Grade Compaction	CW 3110-R12	m²	150		
1.3	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	55		
1.4	Supplying and Placing Base Course Material	CW 3110-R12	m³	15		
1.5	Grading of Boulevards	CW 3110-R12	m²	150		
	ROADWORK - REMOVALS/RENEWALS					
1.6	Pavement Removal	CW 3110-R12				
i)	Concrete Pavement	E10	m²	50		
1.7	Concrete Pavements, Median Slabs, Bull-	CW 3310-R14				
i)	noses, and Safety Medians Construction of 150 mm Concrete Pavement (Reinforced)		m²	120		
1.8	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	20		
1.9	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	175		
1.10	Miscellaneous Concrete Slab Removal	CW 3235-R7				
i)	Sidewalk		m²	50		
H.11	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Monolithic Median Slab	SD-226A	m²	45		
ii)	Sidewalk	SD-228A	m²	30		
1.12	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (180mm ht, Dowelled)	SD-205	m	80		
ii)	Modified Barrier (180mm ht, Integral)	SD-203B	m	20		

UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Curb Ramp (10-15 mm ht, Integral)	SD-229A,B,C	m	16		
	LANDSCAPING					
H.13	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	150		
	ALEXANDER AVENUE AT SHERBROOK ST	 	 SECTION	<u> </u>	0	
н	ENHANCEMENTS				Subtotal:	
	ALEVANDED AVENUE AT ICADEL CIDEET	INTERSECTIO	NI ENILIA	NCEMENTS		
J	ALEXANDER AVENUE AT ISABEL STREET	<u>- INTERSECTIO</u>	<u> ЛИ ЕНП<i>Р</i></u> 	INCEMENTS		
	EARTH AND BASE WORKS					
J.1	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Median Slab	SD-227A	m²	25		
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	30		
J.2	Concrete Curb Installation	CW 3240-R8				
i)	Barrier (150mm ht, Dowelled)	SD-205	m	20		
ii)	Curb Ramp (10-15 mm ht, Monolithic)	SD-229A,B,C	m	14		
J	ALEXANDER AVENUE AT ISABEL STREET	 - INTERSECTIO	I ON ENHA	ANCEMENTS	Subtotal:	
				_		
К	EUGENIE STREET AT KENNY STREET - IN	TERSECTION E	NHANC	EMENTS		
	EARTH AND BASE WORKS					
K.1	Construction of Traffic Circle	E9	L.S.	1		
К	EUGENIE STREET AT KENNY STREET - IN	 TERSECTION E	 NHANCI	 	Subtotal:	
	ESSENIE STREET AT NEWY STREET-IN	TEROLOTION E	MIANOL	<u> </u>	Gubiotai.	
L	EUGENIE STREET AT BRAEMAR AVENUE	- INTERSECTIO	N ENHA	NCEMENTS		
	EARTH AND BASE WORKS					
L.1	Construction of Traffic Circle	E9	L.S.	1		
L	EUGENIE STREET AT BRAEMAR AVENUE	- INTERSECTIO	N ENHA	<u>NCEMENTS</u>	Subtotal:	
	AVONDALE RD DIKE FROM EGERTON RD	TO DES MEURO	ONS - PA	ATHWAY		
М	CONSTRUCTION		1			
	EARTH AND BASE WORKS					
				-	•	

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M.1	Excavation	CW 3110-R12	m³	220		
M.2	Sub-Grade Compaction	CW 3110-R12	m²	1100		
И.3	Crushed Sub-base Material	CW 3110-R12				
i)	50 mm - Limestone		tonne	400		
Л.4	Supplying and Placing Base Course Material	CW 3110-R12	m³	60		
И.5	Grading of Boulevards	CW 3110-R12	m²	300		
Л.6	Ditch Grading	CW 3110-R12	m²	30		
	ROADWORK - REMOVALS/RENEWALS					
Л.7	Concrete Curb Removal	CW 3240-R8				
i)	Barrier Separate		m	18		
Л.8	Miscellaneous Concrete Slab Installation	CW 3235-R7				
i)	Monolithic Curb and Sidewalk	SD-228B	m²	25		
Л.9	Construction of Asphaltic Concrete Overlay	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
<i>1</i> .10	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS Corrugated Steel Pipe - Supply	CW 3610-R3				
i)	(450mm, 1.6mm gauge)		m	16		
И.11	Corrugated Steel Pipe - Install	CW 3610-R3				
i)	(450mm, 1.6mm gauge)		m	16		
	LANDSCAPING					
Л.12	Seeding	CW 3520-R7	m²	1500		
	MISCELLANEOUS					
Л.13	Removal and Reinstatement of Wooden Bollards and Steel Chain	E15	L.S.	1		
Л.14	Removal of Existing Culvert, Rip-Rap and Headwalls	E16	L.S.	1		
M	AVONDALE RD DIKE FROM EGERTON RD CONSTRUCTION	TO DES MEURO	ONS - PA	ATHWAY	Subtotal:	

(SEE B9)

HEM	DESCRIPTION	REF.	UNII	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY KING EDWARD STREET AT LISMORE AVEN	JUIE INTERSE	CTION			
Α	ENHANCEMENTS	NUE - INTERSE	CTION		Subtotal:	
В	LISMORE AVENUE AT ODDY STREET - INTI	ERSECTION EN	<u>IHANCE</u>	MENTS	Subtotal:	
С	ELGIN AVENUE AT ODDY STREET - INTERS	SECTION ENHA	NCEME	NTS	Subtotal:	
D	ELGIN AVENUE AT KEEWATIN STREET - IN	ITERSECTION I	ENHANC	EMENTS	Subtotal:	
E	ALEXANDER AVENUE AT WORTH STREET	- INTERSECTION	ON ENHA	ANCEMENTS	Subtotal:	
F	ALEXANDER AVENUE AT WINKS STREET -	INTERSECTIO	N ENHA	NCEMENTS	Subtotal:	
G	1155 PACIFIC AVENUE PATHWAY CONSTRUCTION - WINKS STREET TO SURFACE PARKING LOT					
Н	ALEXANDER AVENUE AT SHERBROOK STI ENHANCEMENTS	REET - INTERS	<u>ECTION</u>	_	Subtotal:	
J	ALEXANDER AVENUE AT ISABEL STREET	- INTERSECTIO	N ENHA	NCEMENTS	Subtotal:	
K	EUGENIE STREET AT KENNY STREET - INT	TERSECTION E	NHANCE	MENTS	Subtotal:	
L	EUGENIE STREET AT BRAEMAR AVENUE -	INTERSECTIO	N ENHA	NCEMENTS	Subtotal:	
М	AVONDALE RD DIKE FROM EGERTON RD CONSTRUCTION	TO DES MEURO	ONS - PA	ATHWAY_	Subtotal:	
TOTAL BI	D PRICE (GST extra)		(in figures)		
(in words)						

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

BID BOND

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 381-2010

2010 Active Transportation Infrastructure Stimulus Program
Alexander Avenue / Pacific Avenue Bikeway, Eugenie Street / Rue des Meurons Bikeway

as more fully set out in the Bid Opportunity.

KNOW ALL MEN BY THESE PRESENTS THAT

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: Per:	
	(Name of Surety) By: (Attorney-in-Fact)	(Seal)

(Seal)

Template Version: C420100317 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 381-2010 2010 Active Transportation Infrastructure Stimulus Program Alexander Avenue / Pacific Avenue Bikeway, Eugenie Street / Rue des Meurons Bikeway in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ , 20_____ . (Name of Surety) (Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 381-2010
2010 Active Transportation Infrastructure Stimulus Program Alexander Avenue / Pacific Avenue Bikeway, Eugenie Street / Rue des Meurons Bikeway
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 03, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)