### FORM A: BID (See B8)

1.	Contract Title	2010 WATERMAIN RE	NEWALS - CONTRACT NO. 8	3
2.	Bidder			
		Name of Bidder		
		Street		······································
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	norizes the following contact p of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
1.	Definitions	All capitalized terms uascribed to them in the	ised in the Contract shall h General Conditions.	ave the meanings
5.	Offer		ers to perform the Work in a Bid Price, in Canadian funds, o.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.			

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

	PERCENTION	SPEC.		APPROX.	UNIT	AAAG: 13.17
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
	nwood Ave - St. Mary's Rd to St. David					
Rd						
A. 1	Watermain Renewal	CW 2110				
a)	150mm					
	trenchless installation, Class B sand bedding, Class 3 backfill 300mm		m	330.0		
· ·	trenchless installation, Class B sand bedding, Class 3 backfill		m	30.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	5		
A. 3	Watermain Valve	CW 2110				
a)	300mm		each	2		
b)	150mm		each	3		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm X 300mm X 150mm		each	1		
b)	Bends (SD-004)					
i)	300mm - 45° bend		each	4		
ii)	150mm - 22.5° bend		each	1		
A. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	20		
A. 6	Corporation Stops	CW 2110				
a)	19mm		each	34		
A. 7	Curb Stops	CW 2110				
a)	19mm		each	1		
A. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	1		
-	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110				
i)	300mm		each	2		
ii)	150mm		each	1		
A. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	12mm		each	18		
b)	19mm		each	16		

b) A. 12	On Water Services Continutity Bonding	CW 2110	each each	34	
A. 12	Continutity Bonding	CW 2110	each	34	
A. 13	Maintaining Curb Stop Excavations	CW 2110	each/day	1	
A. 14	Partial Slab Patches	E5			
a)	150mm reinforced concrete pavement		$m^2$	20.0	
b)	200mm reinforced concrete pavement		$m^2$	15.0	
A. 15	Miscellaneous Concrete Slab Renewal	CW 3235			
a)	Sidewalk (SD-228A)				
i)	Less than 5m <sup>2</sup>		$m^2$	65.0	
A. 16	Concrete Curb Renewal	CW 3240			
a)	Barrier curb (SD-203A)				
i)	Less than 3 m		m	50.0	
b)	Modified Barrier Curb (SD-203B)				
1	Less than 3 m		m	10.0	
1 ′	Ramp curb				
1 '	Less than 3 m		l m	5.0	
1 ′	Construction of Asphaltic Concrete	CW 3410	m <sup>2</sup>	35.0	
[ " ' '	Patches Type 1A	3 5	""	00.0	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ald Rd - Lagimodiere Blvd to 20.8m EEL R. Sprague Subdivision R.O.W.					
B. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand		m	125.0		
	bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill		m	195.0		
iii)	in a casing pipe 200mm		m	25.0		
	trenchless installation, Class B sand bedding, Class 5 backfill		m	30.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	5		
B. 3	Watermain Valve	CW 2110				
a)	300mm		each	4		
b)	200mm		each	1		
B. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm x 300mm x 200mm		each	1		
b)	Bends (SD-004)					
i)	300mm - 45° bend		each	2		
ii)	300mm - 22 1/2° bend		each	4		
iii)	300mm - 11 1/4° bend		each	2		
iv)	200mm - 22 1/2° bend		each	2		
v)	200mm - 11 1/4° bend		each	1		
	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110				
	300mm		each	2		
,	200mm		each	1		
· · · · · · · · · ·	Preparation of Existing Roadway	CW 3150	m <sup>2</sup>	350.0		
	Surfacing Material	CW 3150	I	000.0		
	Limestone	011 0100	tonnes	50.0		
B. 8	Removal of Contaminated Soil	E14	m <sup>3</sup>	200.0		
B. 9	Rail Crossing Warning Signs	E10	each	200.0		
J. 0	Training Orgino		Caon			
				Part I	3 Sub-total	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
HEIVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
C. Ald	erwood Rd - Drake Blvd to Elizabeth Rd	•				
C. 1	Watermain Renewal	CW 2110				
a)	300mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	10.0		
b)	250mm					
,	trenchless installation, Class B sand		m	25.0		
۵)	bedding, Class 3 backfill					
c) i)	150mm trenchless installation, Class B sand		m	120.0		
	bedding, Class 3 backfill			0.0		
ii)	trenchless installation, Class B sand		m	200.0		
C. 2	bedding, Class 5 backfill Hydrant Assembly	CW 2110				
a)	SD-007	011 = 110	each	3		
C. 3	Watermain Valve	CW 2110				
a)	300mm		each	1		
b)	250mm		each	1		
c)	150mm		each	4		
C. 4	Fittings	CW 2110				
a)	Tees					
i)	300mm X 300mm X 150mm		each	1		
b)	Bends (SD-004)					
,	150mm - 45° bend		each	1		
,	150mm - 22.5° bend		each	1		
	Bends (SD-005)					
,	300mm - 45° bend		each	4		
·	250mm - 45° bend		each	4		
l ′	150mm - 45° bend		each	2		
d)	Crosses					
,	250mmX250mmX150mmX150mm		each	1		
C. 5	Water Services	CW 2110				
a) .,	19mm			10		
I)	trenchless installation, Class B sand bedding, Class 3 backfill		m	40		
C. 6	Corporation Stops	CW 2110				
a)	19mm	02110	each	38		
C. 7	Curb Stops	CW 2110	24011			
a)	19mm		each	4		
C. 8	Curb Stop Boxes	CW 2110	2 2.0			
a)	19mm		each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 9 a)	Connecting to Existing Watermains and Large Diameter Water Services Inline Connection - No Plug Existing	CW 2110				
,	300mm		each	2		
,	250mm		each	2		
,	150mm		each	1		
C. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110	Gaoii	'		
a)	19mm		each	38		
C. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	3		
C. 12	Continutity Bonding	CW 2110	each	38		
C. 13	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		$m^2$	25.0		
b)	150mm reinforced concrete pavement		$m^2$	40.0		
C. 14 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235				
i)	Less than 5m <sup>2</sup>		$m^2$	15.0		
ii)	5 sq. m to 20 sq. m		m <sup>2</sup>	10.0		
C. 15 <sup>°</sup> a)	Concrete Curb Renewal Lip curb (SD-202A)	CW 3240				
i)	Less than 3 m		m	20.0		
b)	Modified Barrier Curb (SD-203B)					
	Less than 3 m		m	15.0		
c)	Ramp curb					
i)	·		m	15.0		
C. 16	Construction of Asphaltic Concrete Patches Type 1A	CW 3410	m <sup>2</sup>	45.0		
	1	l		Part	C Sub-total	

	T	SPEC.		APPROX.	UNIT	<u> </u>
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
				<u> </u>		
D. Pul	berry St - Parkville Dr to Moore Ave					
211 (41						
D. 1	On-Line Watermain Renewal	CW 2110				
a)	200mm	CW Z110				
,	trenchless installation, Class B sand		m	300.0		
.,	bedding, Class 3 backfill			000.0		
b)	150mm					
i)	trenchless installation, Class B sand		m	15.0		
Б 0	bedding, Class 3 backfill	0144.044.0				
D. 2	Hydrant Assembly SD-007	CW 2110				
a)	Watermain Valve	CW 2110	each	2		
D. 3		CW 2110	aaab			
a) b)	200mm 150mm		each each	3		
b) D. 4		CW 2110	each	'		
a)	Fittings Tees	CW 2110				
,	200mm X 150mm X 200mm		each	4		
,	Bends (SD-004)		Cacii			
-	200mm - 22.5° bend		each	2		
,	Bends (SD-005)		odon	_		
	200mm - 45° bend		each	4		
,	150mm - 45° bend		each	6		
,	Reducers					
,	150mm - 100mm		each	1		
D. 5	Corporation Stops	CW 2110				
a)	19mm		each	1		
D. 6	Connecting Existing Copper Water	CW 2110				
a)	19mm		each	1		
D. 7	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains		each	1		
D. 8	Continutity Bonding	CW 2110	each	1		
D. 9	Connecting to Existing Watermains and	CW 2110				
۵)	Large Diameter Water Services Inline Connection - No Plug Existing					
,	200mm		oach			
,	150mm		each each	3		
,	100mm		each	1		
,	Partial Slab Patches	E5	Gauri	'		
a)	150mm reinforced concrete pavement		$m^2$	20.0		
D. 11	Miscellaneous Concrete Slab Renewal	CW 3235	111	20.0		
a)	Sidewalk (SD-228A)	2 0200				
,	Less than 5m <sup>2</sup>		m²	40.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 12	Concrete Curb Renewal	CW 3240				
a)	Lip curb (SD-202A)					
i)	Less than 3 m		m	55.0		
b)	Modified Barrier Curb (SD-203B)					
i)	Less than 3 m		m	10.0		
c)	Ramp curb					
i)	Less than 3 m		m	15.0		
D. 13	Construction of Asphaltic Concrete	CW 3410	$m^2$	20.0		
D. 14	Tempoary Road Restorations	E17	$m^2$	40.0		
	Part D - Subtotal					

#### **UNIT PRICES**

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	St					
<b>E. Pro</b> v E. 1	visional Items Cement Stabilized Fill	CW 2030	3	10.0		
=. ı ≣. 2	Water Service	CW 2030 CW 2110	m <sup>3</sup>	10.0		
=. ∠ a)	38mm	CW 2110				
•	trenchless installation, Class B sand		m	15.0		
1)	bedding, Class 3 backfill		111	15.0		
b)	50mm					
i)	trenchless installation, Class B sand		m	15.0		
	bedding, Class 3 backfill					
≣. 3	Corporation Stops	CW 2110				
a)	38mm		each	1.0		
b)	50mm		each	1.0		
≣. 4	Curb Stops	CW 2110				
a)	38mm		each	1.0		
b)	50mm		each	1.0		
5. 5	Curb Stop Boxes	CW 2110				
a)	38mm		each	1.0		
b)	50mm		each	1.0		
≣. 6	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	1.0		
b)	50mm		each	1.0		
Ē. 7	Watermain and Water Service Insulation	CW 2110				
a)	Under Roadway Excavation (SD-018)					
i)	75mm thick x 1500mm wide		m	15.0		
≣. 8	Street Light Cable	E9				
a)	trench installation		m	50.0		
b)	trenchless installation		m	50.0		
≣. 9	Regrading Existing Sewer Service – Up to 1.5 Metres Long	CW 2130				
a)	100mm - Class 3 Backfill		each	1.0		
b)	150mm - Class 3 Backfill		each	1.0		
c)	250mm - Class 3 Backfill		each	1.0		
≣. 10	Regrading Existing Interlocking Paving Stone Installations	CW 3330	m²	15.0		
Ξ. 11	Sodding	CW 3510	$m^2$	50.0		

TOTAL BID P	RICE (GST extra)	(in figures)\$	
(in words)			

Name of Bidder

(Witness as to Principal if no seal)

(Seal)

(Seal)

Template Version: C120100203 - C BCivil

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT		
(hereinafter called the "Principal") and		
(hereinafter called the "Surety"), are held and firmly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.		
WHEREAS the Principal has submitted a Bid to the Obligee for		
BID OPPORTUNITY NO. 457-2010		
2010 WATERMAIN RENEWALS - CONTRACT NO. 8		
as more fully set out in the Bid Opportunity.		
NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.		
IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the		
day of , 20		
SIGNED AND SEALED in the presence of:  (Name of Principal)		

Per: \_\_\_\_\_

(Name of Surety)

(Attorney-in-Fact)

Ву:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 457-2010 2010 WATERMAIN RENEWALS - CONTRACT NO. 8 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 K	ity of Winnipeg rate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 457-2010
	2010 WATERMAIN RENEWALS - CONTRACT NO. 8
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demai Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	I drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	es)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 9, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	