

FORM A: BID
(See B7)

1. Contract Title SUPPLY & DELIVERY OF CLASS 5 CAB & CHASSIS VEHICLES

2. Bidder

Name of Bidder

Street

City

Province

Postal Code

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work

The Bidder agrees that no Work shall commence until he is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B8)

SUPPLY & DELIVERY OF CLASS 5 CAB & CHASSIS VEHICLES

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX QTY	UNIT PRICE	AMOUNT
1	7484 kg (16,500 lbs.) GVWR Regular Cab & Chassis	10056	Each	5	\$ _____	\$ _____
1a	Option 1: Parts Repair and Service Manuals for Item 1	10056	Each	2	\$ _____	\$ _____
2	7484 kg (16,500 lbs.) GVWR, Crew Cab & Chassis	10057	Each	6	\$ _____	\$ _____
2a	7484 kg (16,500 lbs.) GVWR, Crew Cab & Chassis w/Option 3: 9072 kg Towing Capacity	10057	Each	1	\$ _____	\$ _____
2b	7484 kg (16,500 lbs.) GVWR, Crew Cab & Chassis w/Option 2: 4wd and Option 3: 9072 kg Towing Capacity	10057	Each	1	\$ _____	\$ _____
3	8618 kg (19,000 lbs.) GVWR, Crew Cab & Chassis w/Option 2: 4wd and Option 3: 9072 kg Towing Capacity	10058	Each	1	\$ _____	\$ _____
3a	8618 kg (19,000 lbs.) GVWR, Crew Cab & Chassis w/Option 2: 4wd and Option 4: SPPP	10058	Each	5	\$ _____	\$ _____
TOTAL BID PRICE (GST and MRST extra) (in figures) \$ _____ (in words) _____ _____						

 Name of Bidder

FORM N: DETAILED SPECIFICATIONS 10056

7484 kg (16,500 lbs.) GVWR CAB & CHASSIS
(Item 1 – Traffic Services)

1. TYPE

1.1 Shall be a 7484 kg (16,500 lbs.) GVWR Conventional Cab & Chassis suitable for use as a service body truck. The cab & chassis shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE MAKE AND MODEL BEING BID: 2011** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker on the driver's side window.

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR	7484 kg (16,500 lbs.), state _____
6.	Cab configuration	Regular cab _____
7.	Wheelbase	424 cm (167 in.) approx., state _____
8.	CA	213 cm (84 in.) nominal _____
9.	Engine	Diesel, 6.0 L class, state displacement _____
10.	Engine cooling	Maximum factory cooling package _____

11.	Coolant	Extended Life Coolant, -37°C (-35°F)	_____
12.	Block heater	Required with cord through grille	_____
13.	Alternator	135 Amp	_____
14.	Batteries	Dual, 1500 CCA combined capacity	_____
15.	Transmission	Automatic	_____
16.	Transmission cooling	Maximum factory cooling package	_____
17.	Transmission PTO	Required	_____
18.	Rear axle	Limited slip or locking type	_____
18.1	Rear axle ratio	Standard, state ratio	_____
19.	Shock absorbers	Standard, front and rear	_____
20.	Tires	Standard size to match GVWR, 225/70Rx19.5 approx.	_____
20.1	Front	G-rated, all season radials, state make, model and size	_____
20.2	Rear	G-rated, radial traction tires, state make, model and size	_____
21.	Wheels	Steel rims with wheel nut indicators installed on every second wheel nut, front and rear	_____
22.	Mudflaps	Required front mounted, OEM, moulded	_____
23.	Brakes	Power with ABS	_____
24.	Steering	Power	_____
25.	Cab steps	Dual, chrome or black powder coated finish, OEM	_____
26.	Seats, front	Split bench, cloth or cloth w/vinyl trim	_____
27.	Floor covering	Rubber matting throughout with throw-in rubber floor mats	_____
28.	Tilt steering	Required	_____
29.	Cruise control	Required	_____
30.	Door locks	Power	_____
31.	Remote keyless entry	Two (2) required	_____
32.	Auxiliary switches	Four (4) dash mounted switches	_____
33.	Ignition keys	Three (3) sets required	_____
34.	Windows	Power	_____
35.	12-Volt power point	Required	_____
36.	Air bags	Required, front driver's and passenger	_____
37.	Windshield	Tinted	_____
38.	Windshield wipers	Intermittent	_____
38.1	Wiper blades	Winter blades with heavy duty rubber boot	_____
39.	Mirror, interior	Rearview, windshield mounted	_____
40.	Mirrors, exterior	Dual exterior, black polycarbonate, 13 cm x 20 cm	_____

		(5" x 8") approx., West Coast or recreational swing-out, manually telescoping for trailer towing	_____
41.	Lights	Interior dome with door switches	_____
42.	Radio	Factory installed AM/FM with CD	_____
43.	12-Volt power point	Required	_____
44.	Air conditioning	Required	_____
45.	Colour:		
	- Interior	Blue or grey	_____
	- Exterior	Bright white	_____
	- Wheels	Grey, argent or white	_____
46.	Fuel tank	110 L (29 US Gal) capacity, fully fuelled upon delivery	_____
47.	Fuel filler	Permanent type installed	_____
48.	Towing prep package	Class IV, 4536 kg (10,000 lbs.) capacity	_____
48.1	Trailer plug wiring	Wired into chassis manufacturer's OEM trailer wiring circuit, independently wired/fused from main truck lighting harness or circuits. Cable shall be routed along vehicle frame to rear of vehicle, properly secured using "Outdoor Black" cable ties	_____
48.2	Trailer plug	7-Way (Spade type) socket, black ABS or nylon construction, Grote 82-1058 or equal, wired to code	_____
48.3	Electric Brake Controller	Required, factory installed	_____
49.	Bumper, front	Chrome	_____
49.1	Bumper, rear	Not required	_____
50.	License plate bracket	Required, front bumper mounted	_____
51.	Flare kit	Three triangular reflectors, CVSA approved, Truck Lite 798 or equal	_____
52.	Fire extinguisher	2.3 kg (5 lbs.) ABC type, required in cab with mounting bracket	_____
53.	Operator's manual	Required, one (1) per vehicle	_____
54.	Warranty:		
54.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
54.2	Batteries	Three (3) years or 60 000 km (37,282 miles)	_____
54.3	Drivetrain	Three (3) years or 60 000 km (37,282 miles)	_____
54.4	Cab structure/corrosion	Three (3) years, unlimited km/miles	_____
54.5	Frame & crossmembers	Three (3) years or 60 000 km (37,282 miles)	_____
54.6	Cab paint	Three (3) years or 60 000 km (37,282 miles)	_____
54.7	Engine	Five (5) years or 160 000 km (99,419 miles) including engine electronics and injectors	_____
54.8	Towing coverage	Three (3) years or 60 000 km (37,282 miles)	_____

54.9	Transmission	Five (5) years or 100 000 km (62,137 miles)	_____
54.10	Axles, front & rear	Five (5) years or 100 000 km (62,137 miles)	_____
54.11	Exhaust system	Three (3) years or 60 000 km (62,137 miles)	_____
54.12	Biodiesel fuel	The above warranties shall be applicable with a B5 biodiesel fuel or less	_____
55.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
56.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	_____
57.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
58.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Option 1: Manuals

Note: Options to be priced only as indicated on Form B: Prices

59.	Parts, Repair, Service	Parts, repair and technical service manuals including preventative maintenance schedules for life of unit, CD format preferred	_____
-----	------------------------	--	-------

DETAILED SPECIFICATIONS 10057

7484 kg (16,500 lbs.) GVWR CREW CAB & CHASSIS
(Item 2 – Street Maintenance)

1. TYPE

- 1.1 Shall be a 7484 kg (16,500 lbs.) GVWR, Crew Cab & Chassis suitable for use as a dump body truck. The cab & chassis shall be furnished complete and ready for use with all features and equipment as described herein.
- 1.2 **STATE MAKE AND MODEL BEING BID: 2011** _____

2. OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker on the driver's side window.

3. SERVICE FACILITY

- 3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR	7484 kg (16,500 lbs.), state _____
6.	Cab configuration	Crew cab _____
7.	Wheelbase	447 cm (176 in.) approx., state _____
8.	CA	152 cm (60 in.) nominal _____
9.	Bumper to Back of Cab	386 cm (152 in.) BBC approx., state _____

10.	Engine	Diesel, 6.0 L class, state displacement	_____
11.	Engine cooling	Maximum factory cooling package	_____
12.	Coolant	Extended Life Coolant, -37°C (-35°F)	_____
13.	Block heater	Required with cord through grille	_____
14.	Alternator	135 Amp	_____
15.	Batteries	Dual, 1500 CCA combined capacity	_____
16.	Transmission	Automatic	_____
17.	Transmission cooling	Maximum factory cooling package	_____
18.	Transmission PTO	Required	_____
19.	Rear axle	Limited slip or locking type	_____
19.1	Rear axle ratio	Standard, state ratio	_____
20.	Shock absorbers	Standard, front and rear	_____
21.	Tires	Standard size to match GVWR, 225/70Rx19.5 approx.	_____
21.1	Front	G-rated, all season radials, state make, model and size	_____
21.2	Rear	G-rated, radial traction tires, state make, model and size	_____
22.	Wheels	Steel rims with wheel nut indicators installed on every second wheel nut, front and rear	_____
23.	Mudflaps	Required front mounted, OEM, moulded	_____
24.	Brakes	Power with ABS	_____
25.	Steering	Power	_____
26.	Cab steps	Dual, chrome or black powder coated finish, OEM	_____
27.	Seats, front	Split bench, cloth or cloth w/vinyl trim	_____
27.1	Seats, rear	Bench, cloth or cloth w/vinyl trim	_____
28.	Floor covering	Rubber matting throughout with throw-in rubber floor mats	_____
29.	Tilt steering	Required	_____
30.	Cruise control	Required	_____
31.	Door locks	Power	_____
32.	Remote keyless entry	Two (2) required	_____
33.	Auxiliary switches	Four (4) dash mounted switches	_____
34.	Ignition keys	Three (3) sets required	_____
35.	Windows	Power	_____
36.	12-Volt power point	Required	_____
37.	Air bags	Required, front driver's and passenger	_____
38.	Windshield	Tinted	_____
39.	Windshield wipers	Intermittent	_____

39.1	Wiper blades	Winter blades with heavy duty rubber boot	_____
40.	Mirror, interior	Rearview, windshield mounted	_____
41.	Mirrors, exterior	Dual exterior, black polycarbonate, 13 cm x 20 cm (5" x 8") approx., West Coast or recreational swing-out, manually telescoping for trailer towing	_____
42.	Lights	Interior dome with door switches	_____
43.	Radio	Factory installed AM/FM with CD	_____
44.	12-Volt power point	Required	_____
45.	Air conditioning	Required	_____
46.	Colour:		
	- Interior	Blue or grey	_____
	- Exterior	Bright white	_____
	- Wheels	Grey, argent or white	_____
47.	Fuel tank	110 L (29 US Gal) capacity, fully fuelled upon delivery	_____
48.	Fuel filler	Permanent type installed	_____
49.	Towing prep package	Suitable for 5443 kg (12,000 lbs.) trailer	_____
49.1	Trailer plug wiring	Wired into chassis manufacturer's OEM trailer wiring circuit, independently wired/fused from main truck lighting harness or circuits. Cable shall be routed along vehicle frame to rear of vehicle, properly secured using "Outdoor Black" cable ties	_____
49.2	Trailer plug	7-Way (Spade type) socket, black ABS or nylon construction, Grote 82-1058 or equal, wired to code	_____
49.3	Electric Brake Controller	Required, factory installed	_____
50.	Bumper, front	Chrome	_____
50.1	Bumper, rear	Not required	_____
51.	License plate bracket	Required, front bumper mounted	_____
52.	Flare kit	Three triangular reflectors, CVSA approved, Truck Lite 798 or equal	_____
53.	Fire extinguisher	2.3 kg (5 lbs.) ABC type, required in cab with mounting bracket	_____
54.	Operator's manual	Required, one (1) per vehicle	_____
55.	Warranty:		
55.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
55.2	Batteries	Three (3) years or 60 000 km (37,282 miles)	_____
55.3	Drivetrain	Three (3) years or 60 000 km (37,282 miles)	_____
55.4	Cab structure/corrosion	Three (3) years, unlimited km/miles	_____
55.5	Frame & crossmembers	Three (3) years or 60 000 km (37,282 miles)	_____
55.6	Cab paint	Three (3) years or 60 000 km (37,282 miles)	_____

55.7	Engine	Five (5) years or 160 000 km (99,419 miles) including engine electronics and injectors	_____
55.8	Towing coverage	Three (3) years or 60 000 km (37,282 miles)	_____
55.9	Transmission	Five (5) years or 100 000 km (62,137 miles)	_____
55.10	Axles, front & rear	Five (5) years or 100 000 km (62,137 miles)	_____
55.11	Exhaust system	Three (3) years or 60 000 km (37,282 miles)	_____
55.12	Biodiesel fuel	The above warranties shall be applicable with a B5 biodiesel fuel or less	_____
56.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
57.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	_____
58.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
59.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Option 2: 4wd

Note: Options to be priced only as indicated on Form B: Prices

60.	Front axle	4wd with dash mounted electronic shift	_____
-----	------------	--	-------

Option 3: (9072 kg) 20,000 lbs. Towing Capacity

Note: Options to be priced only as indicated on Form B: Prices

61.	Towing Capacity	Suitable for towing a 9072 kg (20,000 lbs.) 5 th wheel trailer	_____
-----	-----------------	---	-------

DETAILED SPECIFICATIONS 10058

8618 kg (19,000 lbs.) GVWR CREW CAB & CHASSIS
(Item 3 – Street Maintenance/Bridge Engineering)

1. TYPE

1.1 Shall be a 8618 kg (19,000 lbs.) GVWR, Crew Cab & Chassis suitable for use as a dump body truck. The cab & chassis shall be furnished complete and ready for use with all features and equipment as described herein.

1.2 **STATE MAKE AND MODEL BEING BID: 2011** _____

2. OTHER SPECIFICATIONS AND STANDARDS

2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

2.2 The completed unit and all its components shall comply with all C.M.V.S.S. and Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker on the driver's side window.

3. SERVICE FACILITY

3.1 For the purpose of warranty repairs, the manufacturer shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

4.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

4.2 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

ITEM	SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
5.	GVWR	8618 kg (19,000 lbs.), state _____
6.	Cab configuration	Crew cab _____
7.	Wheelbase	447 cm (176 in.) approx., state _____
8.	CA	152 cm (60 in.) nominal _____
9.	Bumper to Back of Cab	386 cm (152 in.) BBC approx., state _____
10.	Engine	Diesel, 6.0 L class, state displacement _____
11.	Engine cooling	Maximum factory cooling package _____

12.	Coolant	Extended Life Coolant, -37°C (-35°F)	_____
13.	Block heater	Required with cord through grille	_____
14.	Alternator	135 Amp	_____
15.	Batteries	Dual, 1500 CCA combined capacity	_____
16.	Transmission	Automatic	_____
17.	Transmission cooling	Maximum factory cooling package	_____
18.	Transmission PTO	Required	_____
19.	Rear axle	Limited slip or locking type	_____
19.1	Rear axle ratio	Standard, state ratio	_____
20.	Shock absorbers	Standard, front and rear	_____
21.	Tires	Standard size to match GVWR, 225/70Rx19.5 approx.	_____
21.1	Front	G-rated, all season radials, state make, model and size	_____
21.2	Rear	G-rated, radial traction tires, state make, model and size	_____
22.	Wheels	Steel rims with wheel nut indicators installed on every second wheel nut, front and rear	_____
23.	Mudflaps	Required front mounted, OEM, moulded	_____
24.	Brakes	Power with ABS	_____
25.	Steering	Power	_____
26.	Cab steps	Dual, chrome or black powder coated finish, OEM	_____
27.	Seats, front	Split bench, cloth or cloth w/vinyl trim	_____
27.1	Seats, rear	Bench, cloth or cloth w/vinyl trim	_____
28.	Floor covering	Rubber matting throughout with throw-in rubber floor mats	_____
29.	Tilt steering	Required	_____
30.	Cruise control	Required	_____
31.	Door locks	Power	_____
32.	Remote keyless entry	Two (2) required	_____
33.	Auxiliary switches	Four (4) dash mounted switches.	_____
34.	Ignition keys	Three (3) sets required	_____
35.	Windows	Power	_____
36.	12-Volt power point	Required	_____
37.	Air bags	Required, front driver's and passenger	_____
38.	Windshield	Tinted	_____
39.	Windshield wipers	Intermittent	_____
39.1	Wiper blades	Winter blades with heavy duty rubber boot	_____
40.	Mirror, interior	Rearview, windshield mounted	_____

41.	Mirrors, exterior	Dual exterior, black polycarbonate, 13 cm x 20 cm (5" x 8") approx., West Coast or recreational swing-out, manually telescoping for trailer towing	_____
42.	Lights	Interior dome with door switches	_____
43.	Radio	Factory installed AM/FM with CD	_____
44.	12-Volt power point	Required	_____
45.	Air conditioning	Required	_____
46.	Colour:		
	- Interior	Blue or grey	_____
	- Exterior	Bright white	_____
	- Wheels	Grey, argent or white	_____
47.	Fuel tank	110 L (29 US Gal) capacity, fully fuelled upon delivery	_____
48.	Fuel filler	Permanent type installed	_____
49.	Towing prep package	Suitable for 5443 kg (12,000 lbs.) trailer	_____
49.1	Trailer plug wiring	Wired into chassis manufacturer's OEM trailer wiring circuit, independently wired/fused from main truck lighting harness or circuits. Cable shall be routed along vehicle frame to rear of vehicle, properly secured using "Outdoor Black" cable ties	_____
49.2	Trailer plug	7-Way (Spade type) socket, black ABS or nylon construction, Grote 82-1058 or equal, wired to code	_____
49.3	Electric Brake Controller	Required, factory installed	_____
50.	Bumper, front	Chrome	_____
50.1	Bumper, rear	Not required	_____
51.	License plate bracket	Required, front bumper mounted	_____
52.	Flare kit	Three triangular reflectors, CVSA approved, Truck Lite 798 or equal	_____
53.	Fire extinguisher	2.3 kg (5 lbs.) ABC type, required in cab with mounting bracket	_____
54.	Operator's manual	Required, one (1) per vehicle	_____
55.	Warranty:		
55.1	Basic vehicle	Three (3) years or 60 000 km (37,282 miles)	_____
55.2	Batteries	Three (3) years or 60 000 km (37,282 miles)	_____
55.3	Drivetrain	Three (3) years or 60 000 km (37,282 miles)	_____
55.4	Cab structure/corrosion	Three (3) years, unlimited km/miles	_____
55.5	Frame & crossmembers	Three (3) years or 60 000 km (37,282 miles)	_____
55.6	Cab paint	Three (3) years or 60 000 km (37,282 miles)	_____
55.7	Engine	Five (5) years or 160 000 km (99,419 miles) including engine electronics and injectors	_____

55.8	Towing coverage	Three (3) years or 60 000 km (37,282 miles)	_____
55.9	Transmission	Five (5) years or 100 000 km (62,137 miles)	_____
55.10	Axles, front & rear	Five (5) years or 100 000 km (62,137 miles)	_____
55.11	Exhaust system	Three (3) years or 60 000 km (37,282 miles)	_____
55.12	Biodiesel fuel	The above warranties shall be applicable with a B5 biodiesel fuel or less	_____
56.	Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
57.	Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered within 8:00 am and 3:00 pm on Business Days	_____
58.	Delivery contact	The Contractor shall contact the Contract Administrator prior to delivery of the equipment	_____
59.	PDI	A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list	_____

Option 2: 4wd

Note: Options to be priced only as indicated on Form B: Prices

60.	Front axle	4wd with dash mounted electronic shift	_____
-----	------------	--	-------

Option 3: (9072 kg) 20,000 lbs. Towing Capacity

61.	Towing Capacity	Suitable for towing a (9072 kg) 20,000 lbs. 5 th wheel trailer	_____
-----	-----------------	---	-------

Option 4: Snow Plow Prep Package (SPPP)

62.	SPPP	Suitable for use with a 9' 2" V-plow	_____
-----	------	--------------------------------------	-------