



NOTES

BEVELED EDGES ARE NOT SHOWN ON CROSS SECTIONS. SEE PLAN VIEW ON DRAWING 4 FOR LOCATION OF BEVEL EDGES.

89 mm X 140 mm P.T. SEATS TO BE SECURED TO CONCRETE WALL WITH COUNTERSUNK 150 mm LONG 9mm DIAMETER RUST PROOF CONCRETE ANCHORS WITH COUNTERSUNK C/W WASHERS. SPACE FASTENERS 600 mm ON CENTER.

ENG-TECH CONSULTING LIMITED
 #6 - 854 Marion Street
 Winnipeg, MB R2J 0K4
 Phone: (204) 233-1694
 Fax: (204) 235-1579

ENG. STAMP:
 PROVINCE OF MANITOBA
 C.D. HRYHORUK
 REGISTERED PROFESSIONAL ENGINEER

APECM
 Certificate of Authorization
 ENG-TECH Consulting Limited
 No.2475 Expiry: April 30, 2011

CLIENT:
 KEN RECH LANDSCAPE ARCHITECTS INC.

PROJECT:
 RIVERBANK ASSESSMENT,
 BOURKEVALE C.C. RIVER ACCESS/
 CANOE LAUNCH, WINNIPEG, MB

DWG DESCRIPTION:
 CROSS SECTIONS 1, 2, AND 3

SCALE: AS SHOWN	
DRAWN BY: ATK	DATE: AUGUST 2010
FILE No.: 10-432-01	CLIENT DWG/FIG. No.:
ENG-TECH DWG/FIG. No.: G-3	REV.: R-0