



738-2010 ADDENDUM 1

ROOF REPLACEMENT AT 457 MAIN STREET

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: September 28, 2010
BY: Norm Carrothers
TELEPHONE NO. (204) 794-4400

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20070419

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8^ of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

- | | |
|--------------|---|
| Revise: E2.4 | <u>ROOF INSULATION</u>

Two layers 1.5 Soprema Colgrip B or IKO IsoTherm polyisocyanurate insulation |
| Add: E4.37 | The existing ducting is to have the existing insulation and membrane replaced with new 2" polyisocyanurate and then covered with Venture Clad. |
| E4.38 | The existing curb that the chiller lines penetrate is to be replaced with a small covered curb fabricated from 2x6 lumber and 1/2" plywood. The entire assembly is to be insulated with batt insulation and removable cover incorporated. All lines are to exit the curb through the sides. |
| E4.39 | The chiller lines are to be reinsulated and clad with 0.020" aluminum. |
| E4.40 | the old chimney is being removed. The opening is to be covered with double layer of 3/4" fir plywood. This double layer is to replace the base layer of insulation in that location. |