FORM A: BID (See B7)

1.	Contract Title	SUPPLY & DELIVERY	OF A GRADER MOUNTED PR	ROFILER
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes	thorizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	E-mail Address
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.		
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.		
6.	Commencement of the Work		t no Work shall commence unti from the Award Authority Work.	

7.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
8.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
9.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
10.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this day of , 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official canacity of individual whose signature appears above)

FORM B: PRICES

(See B8)

SUPPLY & DELIVERY OF A GRADER MOUNTED PROFILER

UNIT PRICES

NO.	DESCRIPTION	REF.	UNII	QUANTITY	PRICE	AMOUNT
1.	Supply & Installation of a Grader Mounted Profiler	1075	(Each)	(1)	\$	\$
2.	Parts and Technical Service Manual	1075	(Each)	(1) Set	\$	\$
TOTAL BID PRICE (GST and MRST extra) (in figures) \$ (in words)						

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 1075

1.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS-

- 1.1 It is the intent of these specifications to describe a **grader mounted profiler** and other equipment and features as specified herein.
- 1.2 The grader mounted profiler shall be furnished complete and ready for use. All parts not specifically mentioned, but which are required to complete and place the units in successful operation, shall be furnished as though specifically mentioned in these specifications. The complete unit, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the unit.
- 1.4 The ratings specified herein merely state the minimum values acceptable to the City. There is no intent of implying that these values are sufficient for the design of the unit being bid.
- 1.5 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.
- 1.6 All items in these specifications must be answered indicating compliance or non-compliance.

 BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.7 EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID

2.0 OTHER SPECIFICATIONS AND STANDARDS-

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 The <u>grader mounted profiler</u> and all its components and attachments shall comply with the applicable regulations:

Highway Traffic Act = http://web2.gov.mb.ca/laws/statutes/ccsm/h060e.php

Manitoba Motor Vehicle Act = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/menu.htm

Canadian Motor Vehicle Safety Standards, CMVSS = http://www.gnb.ca/0062/regs/83-163.htm

Transport Canada = http://laws.justice.gc.ca/en/notice/index.html?redirect=%2Fen%2FM-10.01%2F250448.html

National Safety Mark, NSM = http://www.tc.gc.ca/acts-regulations/GENERAL/M/mvsa/regulations/mvsrg/001/mvsr3-5.html

Manitoba/Winnipeg Safety and Health Act, Parts 12, 22 = http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php and http://www.gov.mb.ca/labour/safety/

Canadian Standards Association, CSA = http://www.csa.ca/about/Default.asp?language=english

Under Writers of Canada, U/L = http://www.ulc.ca/

Society of Automotive Engineers, SAE = http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

3.0 **SERVICE FACILITY-**

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type of equipment being offered. Further to B9.1, Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.
- 3.1.1 If a suitable warranty facility is not available within 10 km of the boundaries of the City of

	work. Any Work performed by the City of Winnipeg Repair Facility performed work. Any Work performed by the City of Winnipeg Repair Facility shall be charge Contractor at the Facility's shop rate in effect at the time the work is performed (F SHOP RATE FOR 2010: \$80.00/HOUR AND \$112.00/HOUR FOR OVERTIME A	ed to the OR EXAMPLE,				
3.2.	LOCATION OF THE SERVICE FACILITY LOCATED WITHIN 10 KM OF THE BOF THE CITY OF WINNIPEG. The Bidder shall choose and fill in ONE of the Clabelow 3.2.1) OR 3.2.2)					
3.2.1	Bidder's own facility location. State the location of the service facility below.					
3.2.2	2 Bidder elects to have warranty work performed by the City of Winnipeg.					
4.0	ELIGIBLE MAKE- IRON WOLF OR EQUIVALENT IN ACCORDANCE TO B5 SUBSTITUES STATED HEREIN.					
4.1	State make, model and manufacturing year-					
5.0	PERFORMANCE-					
5.1	Shall be capable of consistent top performance for cold planning.					
5.2	The responsibility for the design of the grader mounted profiler, its performance and reliability shall rest upon the Contractor.					
5.3	The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.					
5.4	Where the grader mounted profiler develops "repeated failures" in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.					

6.0	GRADER MOUNTED PROFILER-			
6.1	The unit must mount to the City of Winnipeg's existing new 2010 or 2011 AWD Motor Grader. Exact make and model is to be determined prior to order.			
6.2	The unit must be able to grind asphalt from 1" thick to 4" thick.			
6.3	The unit will have an supplementary power plant that attaches to the ripper mount on the back of grader.			
6.4	The power plant must contain the following:			
	 A) Model QSB 4.5 L. Cummins engine rated at 168 gross H.P. B) One Sauer Danfoss 90cc hydrostatic pump. C) API combination radiator/cooling package. D) Additional fuel tank (50 US gallon capacity) 			
6.5	The cutter will mount where the factory blade mounted on the grader. The cutter must contain the following:			
	a) One O & K F100 planetary drive b) One 90cc hydraulic motor c) Hydraulically controlled depth control shoe(s) d) 1/2" thick A572 Grade 50 steel housing e) Abrasive resistant plates inside the housing for wear protection f) Replaceable wear bar(s) g) 40 to 46 7/8" diameter shank carbide tipped rock bits h) Drum with a 40" tip diameter and 2' cutting width			
6.6	The following modifications to the grader mounted profiler are required :			
a) b) c) d)	Camera (Day/Night) both on back and curb Saddle bag type water tank to keep the length of unit down. State size and capacity- Gauges for profiler Intake stacks			
e)	Beacon/Lighting locations, ensure headlight are not obstructed by Hydraulic hoes			
f) g)	Step on the rear required exact location to be determined upon Pre-production meeting Cage around water & hydraulic controls			
h) i) j)	Single drive drum Mounting of hydraulic hoes on Cab Hydraulic heater			

Photos of modifications are available upon request from the contract Administrator upon request. 6.7

7.0 TRAINING-

7.1 The Contractor shall be required to provide training (at the Contractor's expense) for the City of Winnipeg maintenance and operating personnel. The training shall be divided into two separate sessions, one for maintenance personnel and one for operating personnel. The training shall be conducted in separate or combined sessions for each group of personnel.

The duration of the sessions shall be as long as required for adequate familiarization and orientation of the equipment to the satisfaction of the Contract Administrator.

The training shall be conducted within two (2) calendar weeks from the date of delivery and shall be coordinated through the Contract Administrator.

The training shall be conducted in Winnipeg at a time and location designated by the Contract Administrator.

Pricing should be based one (1) Business day for maintenance personnel and one (1) Business day for operating personnel.

Note: The first payment of the contract on the equipment will not be issued until successful completion of training has been conducted to the satisfaction of the Contract Administrator.

7.2 Training aids to be included.
a) On the type of equipment being offered, state if VHS videotape or CD Rom training aides are available7.3 State if other training aides are available and state type7.4 What is the recommended minimum training duration for:

Primary unit:
For major attachments (if applicable):

7.5 State what other training aids are available (videos, CDs).
For the primary unit:

For major attachments (if applicable):

7.6 Training Materials and applicable manuals or on-line training material information must be provided to the Operator Training Branch of Public Works at the earliest possible opportunity, no later than (4) weeks prior to delivery, when supplying vehicles, equipment and related attachments. Send these materials, preferably in both electronic format and hard copy (training videos are to be supplied on either CD or DVD) to:

(training videos are to be supplied on either CD or DVD) to: Public Works Safety and Operator Training Division Operator Training Branch 2nd Floor, Building "B", 1500 Plessis Road R2C 5G6 E-mail: pwd-opertrain@winnipeg.ca Attn: Equipment Training Coordinator - Pending Equipment Delivery 7.7 State manufacturer's accreditation or certification for training-8.0 **WARRANTY**-8.1 State warranty details-8.2 Please provide optional price \$\$ for extended warranty options-8.3 Upon request, complete details of warranties shall be made available within twenty-four (24) hours of the request of the Contract Administrator. 9.0 **LITERATURE**-9.1 Bidders shall submit within twenty-four (24) hours upon request of the Contract Administrator, current descriptive, detailed literature on the equipment being bid. 10.0 **DELIVERY-**Delivery Point- The complete unit shall be serviced, ready for operation 10.1 and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. 10.2 Delivery Time- Equipment shall be delivered before March 15th, 2011. All costs (freight, duty, brokerage fees etc.) to delivery the complete unit (motor grader and profiler), are the responsibility of the successful bidder. 10.3 Delivery Contact- The Contractor shall contact the Contract Administrator prior to delivery of the equipment. P.D.I- A pre-delivery inspection shall be performed by the Contractor on the 10.4

equipment. Proof upon inspection including completed check list