

THE CITY OF WINNIPEG

BID OPPORTUNITY

BID OPPORTUNITY NO. 882-2010

PORTAGE AVE AT TRURO CREEK CULVERT RELINING

TABLE OF CONTENTS

PART A - BID SUBMISSION	
Form A: Bid Form B: Prices Form G1: Bid Bond and Agreement to Bond Form G2: Irrevocable Standby Letter of Credit and Undertaking	1 4 5 7
PART B - BIDDING PROCEDURES	
 B1. Contract Title B2. Submission Deadline B3. Site Investigation B4. Enquiries B5. Addenda B6. Substitutes B7. Bid Components B8. Bid B9. Prices B10. Qualification B11. Bid Security B12. Opening of Bids and Release of Information B13. Irrevocable Bid B14. Withdrawal of Bids B15. Evaluation of Bids B16. Award of Contract 	1 1 1 1 2 2 3 4 4 5 6 6 7
PART C - GENERAL CONDITIONS	
C0. General Conditions	1
PART D - SUPPLEMENTAL CONDITIONS	
General D1. General Conditions D2. Scope of Work D3. Contract Administrator D4. Contractor's Supervisor D5. Notices D6. Furnishing of Documents	1 1 1 1 1 2
Submissions D7. Authority to Carry on Business D8. Safe Work Plan D9. Insurance D10. Performance Security D11. Subcontractor List D12. Detailed Work Schedule	2 2 2 3 3 3
Schedule of Work D13. Commencement D14. Substantial Performance D15. Total Performance D16. Liquidated Damages	4 4 4 5
Control of Work D17. Job Meetings D18. Prime Contractor – The Workplace Safety and Health Act (Manitoba)	5 5
Measurement and Payment D19. Payment	5

Warranty D20. Warranty	5
Form H1: Performance Bond Form H2: Irrevocable Standby Letter of Credit Form J: Subcontractor List	
PART E - SPECIFICATIONS	
General E1. Applicable Specifications and Drawings	1
General Requirements E2. Mobilization and Demobilization E3. Traffic and Pedestrian Control E4. Creek Flow Maintenance E5. Surface Restoration E6. Culvert Relining	1 2 2 4 4

PART B - BIDDING PROCEDURES

B1. CONTRACT TITLE

B1.1 PORTAGE AVE AT TRURO CREEK CULVERT RELINING

B2. SUBMISSION DEADLINE

- B2.1 The Submission Deadline is 12:00 noon Winnipeg time, December 14, 2010.
- B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.
- B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

B3. SITE INVESTIGATION

B3.1 Further to C3.1, the Bidder may view the Site without making an appointment.

B4. ENQUIRIES

- B4.1 All enquiries shall be directed to the Contract Administrator identified in D3.1.
- B4.2 If the Bidder finds errors, discrepancies or omissions in the Bid Opportunity, or is unsure of the meaning or intent of any provision therein, the Bidder shall notify the Contract Administrator of the error, discrepancy or omission, or request a clarification as to the meaning or intent of the provision at least five (5) Business Days prior to the Submission Deadline.
- B4.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B4.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B4.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B4 unless that response or interpretation is provided by the Contract Administrator in writing.

B5. ADDENDA

- B5.1 The Contract Administrator may, at any time prior to the Submission Deadline, issue addenda correcting errors, discrepancies or omissions in the Bid Opportunity, or clarifying the meaning or intent of any provision therein.
- B5.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B5.2.1 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/bidopp.asp
- B5.2.2 The Bidder is responsible for ensuring that he has received all addenda and is advised to check the Materials Management Division website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.
- B5.3 The Bidder shall acknowledge receipt of each addendum in Paragraph 10 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.

B6. SUBSTITUTES

- B6.1 The Work is based on the Plant, Materials and methods specified in the Bid Opportunity.
- B6.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B6.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B6.4 The Bidder shall ensure that any and all requests for approval of a substitute:
 - (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the Plant, Material or method as either an approved equal or alternative;
 - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
 - (c) identify any anticipated cost or time savings that may be associated with the substitute;
 - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance;
 - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance.
- B6.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B6.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, only to the Bidder who requested approval of the substitute.
- B6.6.1 The Bidder requesting and obtaining the approval of a substitute shall be entirely responsible for disseminating information regarding the approval to any person or persons he wishes to inform.
- B6.7 If the Contract Administrator approves a substitute as an "approved equal", any Bidder may use the approved equal in place of the specified item.
- B6.8 If the Contract Administrator approves a substitute as an "approved alternative", any Bidder bidding that approved alternative may base his Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B15.
- B6.9 No later claim by the Contractor for an addition to the Total Bid Price because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.
- B6.10 Notwithstanding B6.2 to B6.9, and in accordance with B7.6 deviations inconsistent with the Bid Opportunity document shall be evaluated in accordance with B15.1(a).

B7. BID COMPONENTS

B7.1 The Bid shall consist of the following components:

- (a) Form A: Bid;
- (b) Form B: Prices;
- (c) Bid Security
 - Form G1: Bid Bond and Agreement to Bond, or Form G2: Irrevocable Standby Letter of Credit and Undertaking, or a certified cheque or draft;
- B7.2 Further to B7.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B6.
- B7.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely, to constitute a responsive Bid.
- B7.4 The Bid shall be submitted enclosed and sealed in an envelope clearly marked with the Bid Opportunity number and the Bidder's name and address.
- B7.4.1 Samples or other components of the Bid which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Bid Opportunity number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid.
- B7.5 Bidders are advised not to include any information/literature except as requested in accordance with B7.1.
- B7.6 Bidders are advised that inclusion of terms and conditions inconsistent with the Bid Opportunity document, including the General Conditions, will be evaluated in accordance with B15.1(a).
- B7.7 Bids submitted by facsimile transmission (fax) or internet electronic mail (e-mail) will not be accepted.
- B7.8 Bids shall be submitted to:

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

B8. BID

- B8.1 The Bidder shall complete Form A: Bid, making all required entries.
- B8.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:
 - (a) if the Bidder is a sole proprietor carrying on business in his own name, his name shall be inserted:
 - (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
 - (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
 - (d) if the Bidder is carrying on business under a name other than his own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.
- B8.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B8.2.
- B8.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.
- B8.4 Paragraph 12 of Form A: Bid shall be signed in accordance with the following requirements:

- (a) if the Bidder is a sole proprietor carrying on business in his own name, it shall be signed by the Bidder:
- (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
- (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers and the corporate seal, if the corporation has one, should be affixed;
- (d) if the Bidder is carrying on business under a name other than his own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.
- B8.4.1 The name and official capacity of all individuals signing Form A: Bid should be printed below such signatures.
- B8.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

B9. PRICES

- B9.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.
- B9.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.
- B9.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.
- B9.4 Payments to Non-Resident Contractors are subject to Non-Resident Withholding Tax pursuant to the Income Tax Act (Canada).

B10. QUALIFICATION

- B10.1 The Bidder shall:
 - (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba; and
 - (b) be financially capable of carrying out the terms of the Contract; and
 - (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.
- B10.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
 - (a) be responsible and not be suspended, debarred or in default of any obligations to the City. A list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/debar.stm
- B10.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
 - (a) have successfully carried out work similar in nature, scope and value to the Work; and
 - (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
 - (c) have a written workplace safety and health program if required pursuant to The Workplace Safety and Health Act (Manitoba);

- B10.4 Further to B10.3(c), the Bidder shall, within five (5) Business Days of a request by the Contract Administrator, provide proof satisfactory to the Contract Administrator that the Bidder/Subcontractor has a workplace safety and health program meeting the requirements of The Workplace Safety and Health Act (Manitoba), by providing:
 - (a) a valid COR certification number under the Certificate of Recognition (COR) Program administered by the Manitoba Construction Safety Association or by the Manitoba Heavy Construction Association's Safety, Health and Environment Program; or
 - (b) a report or letter to that effect from an independent reviewer acceptable to the City. (A list of acceptable reviewers and the review template are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt)
- B10.5 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.
- B10.6 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

B11. BID SECURITY

- B11.1 The Bidder shall provide bid security in the form of:
 - (a) a bid bond, in the amount of at least ten percent (10%) of the Total Bid Price, and agreement to bond of a company registered to conduct the business of a surety in Manitoba, in the form included in the Bid Submission (Form G1: Bid Bond and Agreement to Bond); or
 - (b) an irrevocable standby letter of credit, in the amount of at least ten percent (10%) of the Total Bid Price, and undertaking issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form included in the Bid Submission (Form G2: Irrevocable Standby Letter of Credit and Undertaking); or
 - (c) a certified cheque or draft payable to "The City of Winnipeg", in the amount of at least fifty percent (50%) of the Total Bid Price, drawn on a bank or other financial institution registered to conduct business in Manitoba.
- B11.1.1 If the Bidder submits alternative bids, the bid security shall be in the amount of the specified percentage of the highest Total Bid Price submitted.
- B11.1.2 All signatures on bid securities shall be original.
- B11.1.3 The Bidder shall sign the Bid Bond.
- B11.1.4 The Surety shall sign and affix its corporate seal on the Bid Bond and the Agreement to Bond.
- B11.2 The bid security of the successful Bidder and the next two lowest evaluated responsive and responsible Bidders will be released by the City when a Contract for the Work has been duly executed by the successful Bidder and the performance security furnished as provided herein. The bid securities of all other Bidders will be released when a Contract is awarded.
- B11.2.1 Where the bid security provided by the successful Bidder is in the form of a certified cheque or draft pursuant to B11.1(c), it will be deposited and retained by the City as the performance security and no further submission is required.
- B11.2.2 The City will not pay any interest on certified cheques or drafts furnished as bid security or subsequently retained as performance security.

B11.3 The bid securities of all Bidders will be released by the City as soon as practicable following notification by the Contract Administrator to the Bidders that no award of Contract will be made pursuant to the Bid Opportunity.

B12. OPENING OF BIDS AND RELEASE OF INFORMATION

- B12.1 Bids will be opened publicly, after the Submission Deadline has elapsed, in the office of the Corporate Finance Department, Materials Management Division, or in such other office as may be designated by the Manager of Materials.
- B12.1.1 Bidders or their representatives may attend.
- B12.2 Following the Submission Deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/default.stm
- B12.3 After award of Contract, the name(s) of the successful Bidder(s) and the Contract Amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/default.stm
- B12.4 The Bidder is advised that any information contained in any Bid may be released if required by City policy or procedures, by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law.

B13. IRREVOCABLE BID

- B13.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 11 of Form A: Bid.
- B13.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work until a Contract for the Work has been duly executed and the performance security furnished as herein provided, but any Bid shall be deemed to have lapsed unless accepted within the time period specified in Paragraph 11 of Form A: Bid.

B14. WITHDRAWAL OF BIDS

- B14.1 A Bidder may withdraw his Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.
- B14.1.1 Notwithstanding C23.3, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.
- B14.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid, and only such person, has authority to give notice of withdrawal.
- B14.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:
 - (a) retain the Bid until after the Submission Deadline has elapsed:
 - (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 12 of Form A: Bid; and
 - (c) if the notice has been given by any one of the persons specified in B14.1.3(b), declare the Bid withdrawn.
- B14.2 A Bidder who withdraws his Bid after the Submission Deadline but before his Bid has been released or has lapsed as provided for in B13.2 shall be liable for such damages as are

imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law, including the right to retain the Bidder's bid security.

B15. EVALUATION OF BIDS

- B15.1 Award of the Contract shall be based on the following bid evaluation criteria:
 - (a) compliance by the Bidder with the requirements of the Bid Opportunity, or acceptable deviation there from (pass/fail);
 - (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B10 (pass/fail);
 - (c) Total Bid Price;
 - (d) economic analysis of any approved alternative pursuant to B6.
- B15.2 Further to B15.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities, if the interests of the City so require.
- B15.3 Further to B15.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his Bid or in other information required to be submitted, that he is responsible and qualified.
- B15.4 Further to B15.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.
- B15.4.1 If there is any discrepancy between the Total Bid Price written in figures, the Total Bid Price written in words and the sum of the quantities multiplied by the unit prices for each item, the sum of the quantities multiplied by the unit prices for each item shall take precedence.
- B15.4.2 Further to B15.1(a), in the event that a unit price is not provided on Form B: Prices, the City will determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.

B16. AWARD OF CONTRACT

- B16.1 The City will give notice of the award of the Contract or will give notice that no award will be made.
- B16.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be responsible and qualified, and the Bids are determined to be responsive.
- B16.2.1 Without limiting the generality of B16.2, the City will have no obligation to award a Contract
 - (a) the prices exceed the available City funds for the Work;
 - (b) the prices are materially in excess of the prices received for similar work in the past;
 - (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;
 - (d) only one Bid is received; or
 - (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.
- B16.3 Where an award of Contract is made by the City, the award shall be made to the responsible and qualified Bidder submitting the lowest evaluated responsive Bid, in accordance with B15.

B16.3.1 Following the award of contract, a Bidder will be provided with information related to the evaluation of his Bid upon written request to the Contract Administrator.

PART C - GENERAL CONDITIONS

CO. GENERAL CONDITIONS

- C0.1 The General Conditions for Construction (Revision 2006 12 15) are applicable to the Work of the Contract.
- C0.1.1 The General Conditions for Construction are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/gen_cond.stm
- C0.2 A reference in the Bid Opportunity to a section, clause or subclause with the prefix "C" designates a section, clause or subclause in the *General Conditions for Construction*.

PART D - SUPPLEMENTAL CONDITIONS

GENERAL

D1. GENERAL CONDITIONS

D1.1 In addition to the *General Conditions for Construction*, these Supplemental Conditions are applicable to the Work of the Contract.

D2. SCOPE OF WORK

- D2.1 The Work to be done under the Contract shall consist of relining a corrugated steel plate culvert.
- D2.2 The major components of the Work are as follows:
 - (a) Construction of temporary works including work storage/laydown areas, temporary provisional water control and pumping works, hoardings, and provision of heating as may be required.
 - (b) Supply, delivery, installation, and grouting of the liner.
 - (c) Site restoration and cleanup.

D3. CONTRACT ADMINISTRATOR

D3.1 The Contract Administrator is:

Darren Burmey, P.Eng. Bridge Maintenance Engineer 106-1155 Pacific Avenue Winnipeg, Manitoba, R3E 3P1Telephone No. (204) 986-5409 Facsimile No. (204) 986-5302

D3.2 At the pre-construction meeting, the Contract Administrator will identify additional personnel representing the Contract Administrator and their respective roles and responsibilities for the Work.

D4. CONTRACTOR'S SUPERVISOR

D4.1 At the pre-construction meeting, the Contractor shall identify his designated supervisor and any additional personnel representing the Contractor and their respective roles and responsibilities for the Work.

D5. NOTICES

- D5.1 Except as provided for in C23.2.2, all notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the Contractor shall be sent to the address or facsimile number identified by the Contractor in Paragraph 2 of Form A: Bid.
- D5.2 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the City, except as expressly otherwise required in D5.3, D5.4 or elsewhere in the Contract, shall be sent to the attention of the Contract Administrator at the address or facsimile number identified in D3.1.
- D5.3 Notwithstanding C21., all notices of appeal to the Chief Administrative Officer shall be sent to the attention of the Chief Financial Officer at the following facsimile number:

The City of Winnipeg Chief Financial Officer

Facsimile No.: (204) 949-1174

D5.4 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications required to be submitted or returned to the City Solicitor shall be sent to the following address or facsimile number:

The City of Winnipeg Legal Services Department Attn: City Solicitor 185 King Street, 3rd Floor Winnipeg MB R3B 1J1

Facsimile No.: (204) 947-9155

D6. FURNISHING OF DOCUMENTS

D6.1 Upon award of the Contract, the Contractor will be provided with five (5) complete sets of the Bid Opportunity. If the Contractor requires additional sets of the Bid Opportunity, they will be supplied to him at cost.

SUBMISSIONS

D7. AUTHORITY TO CARRY ON BUSINESS

D7.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

D8. SAFE WORK PLAN

- D8.1 The Contractor shall provide the Contract Administrator with a Safe Work Plan at least five (5) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D8.2 The Safe Work Plan should be prepared and submitted in the format shown in the City's template which is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/Safety/default.stm

D9. INSURANCE

- D9.1 The Contractor shall provide and maintain the following insurance coverage:
 - (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured, with a cross-liability clause, such liability policy to also contain contractual liability, unlicensed motor vehicle liability, non-owned automobile liability and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;
 - (b) automobile liability insurance for owned automobiles used for or in connection with the Work in the amount of at least two million dollars (\$2,000,000.00) at all times during the performance of the Work and until the date of Total Performance;
 - (c) all risks course of construction insurance in the amount of one hundred percent (100%) of the total Contract Price, written in the name of the Contractor and The City of Winnipeg, at all times during the performance of the Work and until the date of Total Performance.
- D9.2 Deductibles shall be borne by the Contractor.

- D9.3 The Contractor shall provide the City Solicitor with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D9.4 The Contractor shall not cancel, materially alter, or cause each policy to lapse without providing at least thirty (30) Calendar Days prior written notice to the Contract Administrator.

D10. PERFORMANCE SECURITY

- D10.1 The Contractor shall provide and maintain performance security until the expiration of the warranty period in the form of:
 - (a) a performance bond of a company registered to conduct the business of a surety in Manitoba, in the form attached to these Supplemental Conditions (Form H1: Performance Bond), in the amount of fifty percent (50%) of the Contract Price; or
 - (b) an irrevocable standby letter of credit issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form attached to these Supplemental Conditions (Form H2: Irrevocable Standby Letter of Credit), in the amount of fifty percent (50%) of the Contract Price; or
 - (c) a certified cheque or draft payable to "The City of Winnipeg", drawn on a bank or other financial institution registered to conduct business in Manitoba, in the amount of fifty percent (50%) of the Contract Price.
- D10.1.1 Where the performance security is in the form of a certified cheque or draft, it will be deposited by the City. The City will not pay any interest on certified cheques or drafts furnished as performance security.
- D10.2 The Contractor shall provide the City Solicitor with the required performance security within seven (7) Calendar Days of notification of the award of the Contract by way of letter of intent and prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

D11. SUBCONTRACTOR LIST

D11.1 The Contractor shall provide the Contract Administrator with a complete list of the Subcontractors whom the Contractor proposes to engage (Form J: Subcontractor List) at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

D12. DETAILED WORK SCHEDULE

- D12.1 The Contractor shall provide the Contract Administrator with a detailed work schedule at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D12.2 The detailed work schedule shall consist of the following:
 - (a) a critical path method (C.P.M.) schedule for the Work;
 - (b) a Gantt chart for the Work based on the C.P.M. schedule;
 - (c) a daily manpower schedule for the Work;
 - all acceptable to the Contract Administrator.
- D12.3 Further to D12.2(a), the C.P.M. schedule shall clearly identify the start and completion dates of all of the following activities/tasks making up the Work as well as showing those activities/tasks on the critical path:

- D12.4 Further to D12.2(b), the Gantt chart shall show the time on a weekly basis, required to carry out the Work of each trade, or specification division. The time shall be on the horizontal axis, and the type of trade shall be on the vertical axis.
- D12.5 Further to D12.2(c), the daily manpower schedule shall list the daily number of individuals on the Site for each trade.

SCHEDULE OF WORK

D13. COMMENCEMENT

- D13.1 The Contractor shall not commence any Work until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
- D13.2 The Contractor shall not commence any Work on the Site until:
 - (a) the Contract Administrator has confirmed receipt and approval of:
 - (i) evidence of authority to carry on business specified in D7:
 - (ii) evidence of the workers compensation coverage specified in C6.15;
 - (iii) the Safe Work Plan specified in D8;
 - (iv) evidence of the insurance specified in D9;
 - (v) the performance security specified in D10;
 - (vi) the Subcontractor list specified in D11; and
 - (vii) the detailed work schedule specified in D12.
 - (b) the Contractor has attended a pre-construction meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a pre-construction meeting.

D14. SUBSTANTIAL PERFORMANCE

- D14.1 The Contractor shall achieve Substantial Performance by March 31, 2011.
- D14.2 When the Contractor considers the Work to be substantially performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Substantial Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.
- D14.3 The date on which the Work has been certified by the Contract Administrator as being substantially performed to the requirements of the Contract through the issue of a certificate of Substantial Performance is the date on which Substantial Performance has been achieved.

D15. TOTAL PERFORMANCE

- D15.1 The Contractor shall achieve Total Performance by June 30, 2011.
- D15.2 When the Contractor or the Contract Administrator considers the Work to be totally performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Total Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be reinspected.
- D15.3 The date on which the Work has been certified by the Contract Administrator as being totally performed to the requirements of the Contract through the issue of a certificate of Total Performance is the date on which Total Performance has been achieved.

D16. LIQUIDATED DAMAGES

- D16.1 If the Contractor fails to achieve Substantial Performance or Total Performance in accordance with the Contract by the days fixed herein for same, the Contractor shall pay the City the following amounts per Calendar Day for each and every Calendar Day following the days fixed herein for same during which such failure continues:
 - (a) Substantial Performance one thousand dollars (\$1,000);
 - (b) Total Performance five hundred dollars (\$500).
- D16.2 The amounts specified for liquidated damages in D16.1 are based on a genuine pre-estimate of the City's losses in the event that the Contractor does not achieve critical stages, Substantial Performance or Total Performance by the days fixed herein for same.
- D16.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

CONTROL OF WORK

D17. JOB MEETINGS

- D17.1 Regular weekly job meetings will be held at the Site. These meetings shall be attended by a minimum of one representative of the Contract Administrator, one representative of the City and one representative of the Contractor. Each representative shall be a responsible person capable of expressing the position of the Contract Administrator, the City and the Contractor respectively on any matter discussed at the meeting including the Work schedule and the need to make any revisions to the Work schedule. The progress of the Work will be reviewed at each of these meetings.
- D17.2 The Contract Administrator reserves the right to cancel any job meeting or call additional job meetings whenever he deems it necessary.

D18. PRIME CONTRACTOR – THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA)

D18.1 Further to C6.24, the Contractor shall be the Prime Contractor and shall serve as, and have the duties of the Prime Contractor in accordance with The Workplace Safety and Health Act (Manitoba).

MEASUREMENT AND PAYMENT

D19. PAYMENT

D19.1 Further to C12, the City may at its option pay the Contractor by direct deposit to the Contractor's banking institution.

WARRANTY

D20. WARRANTY

- D20.1 Notwithstanding C13.2, the warranty period shall begin on the date of Total Performance and shall expire two (2) years thereafter unless extended pursuant to C13.2.1 or C13.2.2, in which case it shall expire when provided for thereunder.
- D20.2 Notwithstanding C13.2 or D20.1, the Contract Administrator may permit the warranty period for a portion or portions of the Work to begin prior to the date of Total Performance if:
 - (a) a portion of the Work cannot be completed because of unseasonable weather or other conditions reasonably beyond the control of the Contractor but that portion does not prevent the balance of the Work from being put to its intended use.

D20.2.1 In such case, the date specified by the Contract Administrator for the warranty period to begin shall be substituted for the date specified in C13.2 for the warranty period to begin.

FORM H1: PERFORMANCE BOND (See D10)

KNOW ALL MEN BY THESE PRESENTS THAT		
(herei	nafter called the "Pri	ncipal"), and
	nafter called the "So the "Obligee"), in the	urety"), are held and firmly bound unto THE CITY OF WINNIPEG (hereinafter e sum of
		dollars (\$
sum t	he Principal and the	to be paid to the Obligee, or its successors or assigns, for the payment of which Surety bind themselves, their heirs, executors, administrators, successors and lly, firmly by these presents.
WHEI	REAS the Principal h	as entered into a written contract with the Obligee for
BID C	PPORTUNITY NO.	382-2010
POR1	TAGE AVE AT TRUR	O CREEK CULVERT RELINING
which	is by reference mad	e part hereof and is hereinafter referred to as the "Contract".
NOW	THEREFORE the co	ondition of the above obligation is such that if the Principal shall:
(a) (b) (c) (d) (e)	forth in the Contra perform the Work make all the paym in every other res Contract; and indemnify and say demands of every claims, actions of Compensation Ac performance or res	orm the Contract and every part thereof in the manner and within the times set ct and in accordance with the terms and conditions specified in the Contract; in a good, proper, workmanlike manner; ents whether to the Obligee or to others as therein provided; spect comply with the conditions and perform the covenants contained in the re harmless the Obligee against and from all loss, costs, damages, claims, and redescription as set forth in the Contract, and from all penalties, assessments, or loss, damages or compensation whether arising under "The Workers t", or any other Act or otherwise arising out of or in any way connected with the con-performance of the Contract or any part thereof during the term of the varranty period provided for therein;
		SHALL BE VOID, but otherwise shall remain in full force and effect. The Surety le for a greater sum than the sum specified above.
nothin or rel	ng of any kind or ma	CLARED AND AGREED that the Surety shall be liable as Principal, and that the ter whatsoever that will not discharge the Principal shall operate as a discharge so the Surety, any law or usage relating to the liability of Sureties to the contrary
IN WI	TNESS WHEREOF	the Principal and Surety have signed and sealed this bond the
	day of	. 20

SIGNED AND SEALED in the presence of:		
	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Curety)	
	(Name of Surety) By:	(Seal)
	(Attorney-in-Fact)	(000.)

FORM H2: IRREVOCABLE STANDBY LETTER OF CREDIT (PERFORMANCE SECURITY) (See D10)

(Date)	
Legal S 185 Kir	ty of Winnipeg Services Department ng Street, 3rd Floor eg MB R3B 1J1
RE:	PERFORMANCE SECURITY - BID OPPORTUNITY NO. 882-2010
	PORTAGE AVE AT TRURO CREEK CULVERT RELINING
Pursua	nt to the request of and for the account of our customer,
(Name o	f Contractor)
(Address	s of Contractor)
	REBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
deman Letter of payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.		
Subject to the condition hereinafter set forth, this Standby Letter of Credit will expire on		
·		
(Date)		

It is a condition of this Standby Letter of Credit that it shall be deemed to be automatically extended from year to year without amendment from the present or any future expiry date, unless at least 30 days prior to the present or any future expiry date, we notify you in writing that we elect not to consider this Standby Letter of Credit to be renewable for any additional period.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	
	`	

FORM J: SUBCONTRACTOR LIST

(See D11)

PORTAGE AVE AT TRURO CREEK CULVERT RELINING

<u>Name</u>	<u>Address</u>

PART E - SPECIFICATIONS

GENERAL

E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

- E1.1 These Specifications shall apply to the Work.
- E1.2 The City of Winnipeg Standard Construction Specifications in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.
- E1.2.1 The City of Winnipeg Standard Construction Specifications is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/Spec/Default.stm
- E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.
- E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over *The City of Winnipeg Standard Construction Specifications*.
- E1.3 The following are applicable to the Work:

Drawing No.	<u>Drawing Name/Title</u>
C307-10-01	Portage Avenue at Truro Creek Culvert Relining – Plans, Elevations & Sections
C307-10-02	Portage Avenue at Truro Creek Culvert Relining – Site Plan Photo, Survey Data,
	Profile & Notes

GENERAL REQUIREMENTS

E2. MOBILIZATION AND DEMOBILIZATION

E2.1 Description

- (a) This Specification shall cover all operations relating to the mobilization and demobilization of the Contractor to the Site, as specified herein
- (b) The Work to be done by the Contractor under this Specification shall include the furnishing of all superintendence, overhead, labour, materials, equipment, tools, supplies, and all things necessary for and incidental to the satisfactory performance and completion of all works as hereinafter specified.

E2.2 Materials

(a) The Contractor shall be responsible for the supply, safe storage and handling of all materials as set forth in this Specification.

E2.3 Construction Methods

- (a) The Contractor shall obtain written permission from private property owners for any use of private property beyond what is shown on the Drawings. A copy of written permission shall be provided to the Contract Administrator prior use of the property in question.
- (b) A construction fence shall be setup and maintained around the perimeter of the work site to separate the work area from public spaces and private property. An orange snow-fence with regularly spaced posts is acceptable.
- (c) The Contractor's Site supervisor is required to carry, at all times, a cellular telephone, with voice mail.
- (d) This section also includes travel and accommodation, set-up and demobilization of site offices, storage conveniences and other temporary facilities, construction plant, and other items not required to form part of the permanent works and not covered by other prices.

E2.4 Measurement and Payment

- (a) Mobilization and demobilization will be paid for on a Lump Sum basis under "Mobilization and Demobilization," which price will be payment in full for supplying all materials and performing all operations herein described and all other items incidental to the Work included in this Specification and accepted by the Contract Administrator.
- (b) Mobilization and demobilization will be paid for at a percentage of the Contract Lump Sum Price for "Mobilization and Demobilization" specified as follows:
 - 30% when the Contract Administrator is satisfied that construction has commenced.
- (ii) 60% when Substantial Performance has been met.
- (iii) 10% upon completion of the project.

E3. TRAFFIC AND PEDESTRIAN CONTROL

E3.1 General

- (a) The Work covered under this item shall include all items relating to traffic and pedestrian control at the Site.
- (b) The Work to be done by the Contractor under this Specification shall include the furnishing of all superintendence, overhead, labour, materials, equipment, tools, supplies and all things necessary for and incidental to the satisfactory performance and completion of all Work as hereinafter specified.

E3.2 Construction Methods

- (a) Traffic control shall be carried out in accordance with the latest edition of the "Manual of Temporary Traffic Control in Work Areas on City Streets," issued by the City of Winnipeg and as specified herein.
- (b) Traffic lane and sidewalk closures shall only be undertaken if necessary and as approved by the Contract Administrator.
- (c) Curb lanes closures of Portage Avenue for work staging/laydown areas are envisioned and will be permitted.
- (d) The Contractor shall keep sidewalks on both sides of Portage Avenue open during the duration of the Contract.
- (e) Barricades shall be supplied, installed, and maintained by the Contractor and include the telephone number(s) at which the Contractor can be reached twenty-four (24) hours per day, seven (7) days per week.
- (f) Improper signing will be sufficient reason to immediately shutdown the entire job.

E3.3 Measurement and Payment

(a) Traffic and pedestrian control will be considered incidental to the Works of this Contract and no additional measurement or payment will be made.

E4. CREEK FLOW MAINTENANCE

E4.1 Description

- (a) This Specification shall cover the maintaining of flows in Truro Creek through Portage Avenue for the duration of the construction Works.
- (b) The Work to be done by the Contractor under this Specification shall include the furnishing of all superintendence, overhead, labour, materials, equipment, tools, supplies, and all things necessary for and incidental to the satisfactory performance and completion of all works as hereinafter specified.

E4.2 Materials

(a) The Contractor shall be responsible for the supply, safe storage and handling of all materials as set forth in this Specification. All materials shall be handled in a careful and workmanlike manner, to the satisfaction of the Contract Administrator.

E4.3 Construction Methods

- E4.3.1 In general, the Work shall include, but not necessarily be limited to:
 - (a) Design of the creek flow maintenance methods including the preparation and submission for review and approval by the Contract Administrator of a Creek Flow Maintenance Plan comprised of drawings and/or description of the maintenance methods.
 - (b) Maintenance of creek flows for the duration of construction.
 - (c) Removal of materials and/or equipment needed to maintain creek flows, at the end of their use.
 - (d) Confinement of suspended matter in the creek water generated at the Site through excavation, etc. to the area of the Site. This may require the construction of a downstream cofferdam and floating turbidity barrier through the creek to confine the suspended matter.
- E4.3.2 At least five (5) days prior to the commencement of any scheduled Work on the Site, the Contractor shall submit to the Contract Administrator for review and approval a Creek Flow Maintenance Plan showing how the Contractor will undertake dewatering activities and maintain creek flow at the Site during construction.
- E4.3.3 A silt fence, as approved by the Contract Administrator, across the creek shall be installed and maintained at the downstream extent of the work area. Additional silt fences shall be installed and maintained parallel to the creek as required during melting conditions to prevent and debris from entering the waterway.
- E4.3.4 It is anticipated that the work of this Contract will take place during freezing conditions and the flow in the creek will be minimal. As such, it is anticipated that the Contractor will install a berm at the upstream limit of the work area and install and maintain temporary by-pass diversion pumps to handle any flows. The Contractor shall be required to supply and operate at least 1 100 mm diameter flood pump that may be required. To fairly mitigate anticipated costs, if the flows encountered during the period from the commencement of construction up to and including March 15, 2011 the Contractor will be reimbursed for any diversion works exceeding the capacity of 1 100 mm diameter flood pump.
- E4.3.5 Disturbed areas shall be restored. Erosion control blanklets, as approved by the Contract Administrator, shall be used to control potential erosion of areas where vegetation has been damaged up to when vegetation can be re-established.
- E4.3.6 The Contractor's Creek Flow Maintenance Plan shall be designed to meet the following additional conditions and requirements:
 - (a) Cofferdam(s) may be constructed on either or both of the upstream or downstream ends of the Site, and the water pumped from upstream to downstream. Water or ice elevations upstream of any type of upstream cofferdam shall not exceed a level to cause overflowing of the banks at any point upstream.
 - (b) The Contractor shall have on site back-up pump(s) with adequate capacity to maintain 100% of downstream flow at all times and ready to takeover pumping if the operating pump(s) fail. The pump(s) shall be continually monitored to ensure downstream flow is maintained at all times until normal flows are restored to the creek.
 - (c) Cofferdams, if used, shall be constructed of non-erodible material such as sandbags. Earthen berms shall not be used as cofferdams.
 - (d) Between the dates of April 1 and June 15 of any given year, fish shall be afforded full access through the Site via a naturally flowing channel. In this time period, no construction activity impacting upon the creek affecting fish mobility or habitat will be permitted.

E4.4 Measurement and Payment

(a) Creek flow maintenance will be considered incidental to the Works of this Contract and no additional measurement or payment will be made.

E5. SURFACE RESTORATION

- E5.1 Prior to construction, inspect the grassed, pavement and gravel surfaces within and adjacent to the Site with the Contract Administrator to record the current condition. After construction and Site cleanup is complete, re-inspect the condition with the Contract Administrator.
- E5.2 Restoration of grassed areas damaged as a result of construction activities will be restored in accordance with CW 3510. Restoration of grassed areas will not be measured for payment and shall be included as part of the Work being done.
- E5.3 Pavement damaged as a result of construction activities will be restored in accordance with CW 3230 and CW 3410. Restoration of the pavement will not be measured for payment and shall be included as part of the Work being done.
- E5.4 Gravel surfacing damaged as a result of construction activities will be restored in accordance with CW 3150. Restoration of the gravel surfacing will not be measured for payment and shall be included as part of the Work being done.

E6. CULVERT RELINING

E6.1 Description

- (a) This Specification shall cover the relining of the corrugated steel plate culvert at Portage Avenue at Truro Creek as shown on the Drawings and as specified herein.
- (b) The Work to be done by the Contractor under this Specification shall include the furnishing of all superintendence, overhead, labour, materials, equipment, tools, supplied and all things necessary for and incidental to the satisfactory performance and completion of all work as hereinafter specified.

E6.2 Materials

E6.2.1 General

- (a) All Materials supplied under this Specification shall be of a type approved by the Contract Administrator, and shall be subject to inspection and testing by the Contract Administrator.
- (b) The Contractor shall be responsible for the safe removal and disposal of the existing severely corroded steel and for the supply, safe storage and handling of all Materials as set forth in the Specification. All Materials shall be handled in a careful and workman like manner, to the satisfaction of the Contract Administrator.

E6.2.2 Culvert Liner

- (a) The liner shall be a high density polyethylene (HDPE) liner or a centrifugally cast fibreglass reinforced polymer mortar (CCFRPM) liner. Acceptable products are Weholite by KWH Pipe and Hobas Pipe by Hobas Pipe USA. HDPE pipe to conform to ASTM F894-07 with a minimum ring stiffness constant (RSC) of 250. Fiberglass pipe to conform to ASTM D3262-06 with a minimum pipe stiffness (SN) of 46 psi.
- (b) Liner to be minimum 2100 mm inside diameter and to be hydraulically smooth (no corrugations) with a maximum Manning's n of 0.01.
- (c) Joints between liner segments are to be by bell and spigot, threaded, or by electofusion. Bell and spigot and threaded joints to be provided with a heat-shrinkable wrap on the exterior of the pipe to prevent erosion or infiltration of water.
- (d) Liner to be designed to capable of supporting AASHTO HS-25 and CSA S6-06 loading neglecting the strength of the existing corrugated steel pipe. Fill on culvert

- ranges from 1 m to 2 m. Stress relieving concrete pavement slab may be taken as present.
- (e) At least five (5) days prior to the commencement of any scheduled Work on the Site, the Contractor shall submit to the Contract Administrator for review and approval shop drawings and design calculations. Details of internal bracing to be shown along with pour sequences. Fittings and details at sewer services to be shown. Shop drawings shall be engineered and bear the seal of a Professional Engineer registered in the Province of Manitoba.

E6.2.3 Grout

- (a) Grout for the liner shall be cementious material with a minimum 28 day compressive strength of 25 MPa.
- (b) At least five (5) days prior to the commencement of work on Site the Contractor shall submit a mix design for the grout.

E6.2.4 Incidental Materials

(a) All incidental and miscellaneous materials required for the undertaking the works of this Specification shall be as approved by the Contract Administrator.

E6.3 Construction Methods

E6.3.1 Scope of Work

- (a) The scope of Work shall include the following items, as indicated on the Drawings and as specified herein:
 - Supply of Liner including the supply of the liner, couplings, and all other attachments and related materials.
 - (ii) Installation of Liner including supply and construction of temporary hoardings, cleaning and disposing of debris present in the culvert, blocking and connecting of existing services, installation and grouting of the liner, removal/restoration works, and all other related works.

E6.3.2 Scheduling and Methods

(a) At least five (5) days prior to the commencement of any scheduled Work on the Site, the Contractor shall submit to the Contract Administrator for review and approval a proposed schedule, including methods and sequence of operations. Sequence and details of grouting operations shall be clearly indicated.

E6.3.3 Material Storage and Care

(a) The liner and associated materials shall be stored above the ground on platforms, skids or other supports. It shall be kept free from dirt and other foreign matter, and shall be protected, as far as practical, and to prevent injury from deflection.

E6.3.4 Details of Existing Structure

- (a) The applicable details and structure dimensions of the existing structure are shown on the Drawings for the information of the Contractor in establishing the methods and limits of removal and determining the cost of the Work from his examination of the Site.
- (b) The information shown has been obtained from existing drawings, measurements, and observations at the Site. The accuracy of this information is not guaranteed and the Contractor must verify all information before commencing Work.

E6.3.5 Temporary Hoarding

(a) The ends of the culvert are required to be hoarded in and the culvert heated to permit installation and grouting of the liner under above freezing conditions.

E6.3.6 Culvert Cleaning and Disposal of Debris

(a) The existing culvert shall be cleaned free of all ice, dirt, and debris.

- (b) The Contractor shall only use methods of removal that will not damage the existing structure to remain and the new structures.
- (c) The Contractor shall remove and dispose of surplus debris off Site.

E6.3.7 Blockage and Connection of Existing Services

(a) An existing catchbasin lead penetrates the culvert and the new liner shall accommodate the service. The liner shall be suitably reinforced at the penetration and a gasketed seal to the service at the penetration shall be provided.

E6.3.8 Liner Installation

- (a) The liner shall be installed and positioned to the grades and elevations indicated in accordance with manufacturer's instructions and the requirements of this Specification.
- (b) The liner shall be positively secured in place prior to grouting operations. Internal bracing shall be provided prior to grouting to maintain the shape of the liner and to prevent movements and deformations.
- (c) End Bulkheads at the culvert headwalls shall be formed.
- (d) Locations of grout ports shall be clearly indicated and suitably sealed after grouting operations.
- (e) Joints in the liner shall be made in conformance with the approved shop drawings and manufacturer's recommendations.

E6.3.9 Grouting

(a) The annular space between the existing in-place culvert and the liner shall be grouted in stages as shown on the approved shop drawings. Any voids detected or displacement/deformation of the liner shall be cause for rejection of the works.

E6.3.10 Restoration

(a) The contractor shall cleanup the site prior to demobilizing.

E6.4 Quality Control

E6.4.1 Inspection

(a) All workmanship and all materials furnished and supplied under this specification are subject to close and systematic inspection and testing by the Contract Administrator including all operations from the selection and production of materials through to final acceptance of the specified Work. The Contractor shall be wholly responsible for the control of all operations incidental thereto notwithstanding any inspection or acceptance that may have been previously given. The Contract Administrator reserves the right to reject any materials or Works, which are not in accordance with the requirements of this Specification.

E6.4.2 Access

(a) The Contractor shall allow the Contract Administrator free access to all parts of the Work at all times. The Contractor shall supply samples to the Contract Administrator or his inspector for testing purposes as required. There will be no charge to the City for samples taken.

E6.5 Measurement and Payment

- E6.5.1 Liner supply will be paid for at the Contract Lump Sum Price for "Supply of Liner", which price will be payment in full for performing all operations herein described that are completed in accordance with this Specification and accepted by the Contract Administrator.
- E6.5.2 Liner installation will be paid for at the Contract Lump Sum Price for "Installation of Liner", which price will be payment in full for performing all operations herein described that are

completed in accordance with this Specification and accepted by the Contract Administrator.