#### FORM A: BID (See B7)

1.	Contract Title	2010 Restoration of Paved Surface Cuts in the T	ranscona Area			
2.	Bidder	Name of Bidder				
		Street				
		City Province	Postal Code			
		Facsimile Number				
	(Mailing address if different)	Street or P.O. Box				
		City Province	Postal Code			
		The Bidder is:				
	(Choose one)	a sole proprietor				
		a partnership				
		a corporation				
		carrying on business under the above name.				
3.	Contact Person	The Bidder hereby authorizes the following cont the Bidder for purposes of the Bid.	act person to represent			
		Contact Person Title				
		Telephone Number Facsimile Number				
4.	Definitions	All capitalized terms used in the Contract sh ascribed to them in the General Conditions and E				
5.	Offer	The Bidder hereby offers to perform the Work Contract for the Total Bid Price, in Canadian fur Prices, appended hereto.				

6.	Bid Security	In accordance with B10.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	PAVED SURFACE CUT RESTORATION - PR	RIORITY I STRE	ETS			
	ROADWORKS - RENEWALS					
A.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Plain- Dowelled)		m²	20		ı
A.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				ı
i)	200 mm Concrete Pavement (Type A)		m²	30		
ii)	200 mm Concrete Pavement (Type B)		m²	25		ı
iii)	200 mm Concrete Pavement (Type C)		m²	15		ı
iv)	200 mm Concrete Pavement (Type D)		m²	20		ı
A.3	Drilled Dowels	CW 3230-R6				1
i)	19.1 mm Diameter		each	40		1
A.4	Drilled Tie Bars	CW 3230-R6				
i)	25 M Deformed Tie Bar		each	110		1
ii)	15 M Deformed Tie Bar		each	6		1
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	12		1
b)	5 sq.m. to 20 sq.m.		m²	27		1
iii)	Monolithic Curb and Sidewalk	SD-228B	m²	5		1
A.6	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150mm ht, Integral)	SD-204				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	11		
ii)	Curb Ramp (10-15mm ht, Integral)	SD-229C,D	m	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.7	Construction of Asphalt Patches	CW 3410-R8	m²	40		
	ROADWORKS - NEW CONSTRUCTION					
A.8	Interlocking Paving Stones	CW 3330-R5	m²	5		
Α	PAVED SURFACE CUT RESTORATION - PI	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	PAVED SURFACE CUT RESTORATION - PI	RIORITY II STRI	EETS			
	ROADWORKS - RENEWALS					
B.1	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R6				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	15		
iii)	200 mm Concrete Pavement (Type C)		m²	15		
iv)	200 mm Concrete Pavement (Type D)		m²	55		
v)	150 mm Concrete Pavement (Type A)		m²	6		
vi)	150 mm Concrete Pavement (Type B)		m²	6		
vii)	150 mm Concrete Pavement (Type C)		m²	7		
viii)	150 mm Concrete Pavement (Type D)		m²	10		
B.2	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	50		
B.3	Drilled Tie Bars	CW 3230-R6				
i)	15 M Deformed Tie Bar		each	10		
ii)	20 M Deformed Tie Bar		each	20		
iii)	25 M Deformed Tie Bar		each	90		
B.4	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	35		
b)	5 sq.m. to 20 sq.m.		m²	125		
B.5	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150mm ht, Integral)	SD-204				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
a)	Less than 3 m		m	7		
b)	3 m to 30 m		m	25		
ii)	Modified Barrier (150mm ht Integral)	SD-203B	m	10		
iii)	Curb Ramp (10-15mm ht, Integral)	SD-229C,D	m	10		
B.6	Construction of Asphalt Patches	CW 3410-R8	m²	70		
	ROADWORKS - NEW CONSTRUCTION					
B.7	Interlocking Paving Stones	CW 3330-R5	m²	10		
В	PAVED SURFACE CUT RESTORATION - PI	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	PAVED SURFACE CUT RESTORATION - PI	RIORITY III STR	<u>EETS</u>			
	ROADWORKS - RENEWALS					
C.1	Partial Slab Patches	CW 3230-R6				
i)	150 mm Concrete Pavement (Type A)		m²	40		
ii)	150 mm Concrete Pavement (Type B)		m²	40		
iii)	150 mm Concrete Pavement (Type C)		m²	15		
iv)	150 mm Concrete Pavement (Type D)		m²	75		
C.2	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	50		
C.3	Drilled Tie Bars	CW 3230-R6				
i)	15 M Deformed Tie Bar		each	10		
ii)	20 M Deformed Tie Bar		each	120		
C.4	Miscellaneous Concrete Slab Renewal	CW 3235-R7				
i)	Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	40		
b)	5 sq.m. to 20 sq.m.		m²	80		
C.5	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150mm ht, Integral)	SD-204				
a)	Less than 3 m		m	5		
b)	3 m to 30 m		m	20		
ii)	Modified Barrier (150mm ht Integral)	SD-203B	m	5		
iii)	Curb Ramp (10-15mm ht, Integral)	SD-229C,D	m	10		
C.6	Construction of Asphalt Patches	CW 3410-R8	m²	150		
	ROADWORKS - NEW CONSTRUCTION					
C.7	Interlocking Paving Stones	CW 3330-R5	m²	10		
С	PAVED SURFACE CUT RESTORATION - PI	RIORITY III STR	<u>EETS</u>		Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	PAVED SURFACE CUT RESTORATION - PI	RIORITY I, II, AN	ID III ST	REETS		
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R12, E6	m³	10		
	ROADWORKS - RENEWALS					
D.2	Short Notice Restorations	E8	each	10		
D.3	Adjustment of Precast Sidewalk Blocks	CW 3235-R7	m²	30		
D.4	Supply of Precast Sidewalk Blocks	CW 3235-R7	m²	20		
D.5	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		
D.6	Supply and Installation of Dowel Assemblies	CW 3310-R14	m	10		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.7	Void Filling With Flowable Cement Stabalized Fill	CW 2030-R7	m³	10		
D.8	Void Filling With Cement Stabalized Fill	CW 2030-R7	m³	5		
	ADJUSTMENTS					
D.9	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	1		
D.10	Lifter Rings	CW 3210-R7				
i)	38mm		each	2		
ii)	51mm		each	2		
D.11	Adjustment of Valve Boxes	CW 3210-R7	each	3		
D.12	Valve Box Extensions	CW 3210-R7	each	2		
D.13	Adjustment of Curb Stop Boxes	CW 3210-R7	each	10		
D.14	Supply of Curb Inlet Frames	CW 3210-R7	each	1		
D.15	Adjustment of Curb and Gutter Inlet Frames	CW 3210-R7	each	3		
D.16	Curb Stop Extensions	CW 3210-R7	each	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
D.18	Seeding	CW 3520-R7	m²	50		
D.19	Salt Tolerant Seeding	E7	m²	30		
D	PAVED SURFACE CUT RESTORATION - PI	Subtotal:				

The City of Winnipeg Bid Opportunity No. 90-2010 Template Version: C420091214 - RW

## FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	PAVED SURFACE CUT RESTORATION - PR	RIORITY I STRE	<u>ETS</u>		Subtotal:	
В	PAVED SURFACE CUT RESTORATION - PR	RIORITY II STRE	<u>ETS</u>		Subtotal:	
С	PAVED SURFACE CUT RESTORATION - PR	RIORITY III STR	<u>EETS</u>		Subtotal:	
D	PAVED SURFACE CUT RESTORATION - PR	RIORITY I, II, AN	ID III STI	REETS	Subtotal:	
TOTAL BI	D PRICE (GST extra)	in figures)				
(in words)	(in words)					

(Seal)

Template Version: C420100203 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum t	and firmly bound unto <b>THE CITY OF WINNIPEG</b> recent (10%) of the Total Bid Price set out in the Bid the Principal and Surety bind themselves, their heirs, intly and severally, firmly by these presents.	hereinafter
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 90-2010		
2010 Restoration of Paved Surface Cuts in	the Transcona Area	
as more fully set out in the Bid Opportunity		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a Cod performance security for guaranteeing the faithful pd, but otherwise shall remain in full force and effect.	ontract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal) Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 90-2010 2010 Restoration of Paved Surface Cuts in the Transcona Area in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpor Materia 185 Kir	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 90-2010
	2010 Restoration of Paved Surface Cuts in the Transcona Area
Pursua	ant to the request of and for the account of our customer,
(Name of	f Bidder)
WE HE	s of Bidder)  EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demand Letter of payment	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written of for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 13, 2010.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)