

PART 1 GENERAL

1.1 REFERENCE

- .1 Comply with the General Conditions of the Contract, Supplementary General Conditions and the requirements of Division 1.

1.2 RELATED WORK SPECIFIED ELSEWHERE

- .1 Unit Masonry Section 04200
- .2 Rough Carpentry Section 06100
- .3 Glass and Glazing Section 08800
- .4 Tile Section 09300
- .5 Toilet Partitions Section 10165

1.3 SCOPE OF WORK INCLUDED

- .1 Supply and install the following washroom accessory products in the locations stated on drawings.

1.4 SUBMITTALS

- .1 Submit shop drawings in accordance with Section 01340.
- .2 When requested by the consultant submit samples of materials, colour and finish, and if required include the complete item., in accordance with Section 01340.

1.5 DELIVERY STORAGE AND HANDLING

- .1 Package accessories and label with description of contents and installation location.

PART 2 PRODUCTS

2.1 MATERIALS

- .1 Specified manufacturer's catalogue references establish minimum acceptable standards for Work of this Section. Catalogue numbers refer to the products of Frost Products Ltd. Other manufacturers will be considered with submittal to Architect.

_____.2 FROST Products

1. Mirrors - By Section 08800
2. Soap Dispensers White - Code 707
Liquid Soap Dispensor
(3 required)
3. Standard Toilet Roll -Code 158S
Double roll Stainless No.4 Brushed Finish
(4 required)
4. Stainless Steel Angle Shelf - bent 1/1`6" stainless steel # 4
mill finish 75mm V x 150mm H.

Predrill each unit with 4 holes on the vertical face to
achieve flush mount - flathead countersunk screws holes which
mount shelf behind mirror locations - stand off mirror from
shelf bracket as required to allow for movement with rubber
isolation pads - grind all exposed edges to minimize cut
hazard and radius exposed corners over sink.
5. Sanitary Napkin Dispenser - Code 610-5
Sanitary Napkin Receptacle - Code 620
6. Grab Bars knurled stainless - Frost Code 1001
 - 4A - 30mm dia 600 mm Long
 - 4B - 30mm dia 760 mm Long
 - 4C L Shaped
30mm dia 760mm L Hor
30mm dia 760mm L Vert
7. Plastic Laminate Counter - by Section 6200
8. Aluminum Eggcrate for light valance - by Section 016000
9. "Diaper Deck" compact wall mounted fold down infant changing
table made of min. .150" thick high density polyethylene, c/w
safety straps and integral sanitary liner dispenser. Changing
table shall be capable of withstanding a static weight of 250
lbs. in the open position. Manufactured by American Infant
Care Products or approved equal.
10. Waste Receptacle - Model 303 - semi recessed into wall
concrete block assembly

PART 3 EXECUTION

3.1 EXAMINATION

- .1 Take field dimensions of Work upon which Work of this Section depends before fabrication. Field adaptation of Work fabricated in error or without field check will not be allowed without Consultant's approval.

3.2 INSTALLATION

- .1 Erect Work straight, plumb, level, and secured to prevent distortion or displacement or both. Mounting heights and locations as shown on the drawings, or as directed by the Consultant
- .2 Follow manufacturer's written instruction for installation procedures.
- .3 Grab Bars shall be anchored to withstand a force of 300 lbs. applied horizontally or vertically.
- .4 Coordinate installation with the work of Trades providing adjacent construction to ensure all inserts are placed to achieve the reveals or other edge conditions shown where front faces of units are flush with the finished wall surfaces.

3.3 LOCATIONS OF ACCESSORIES

1. Supply and install the following washroom accessories to the locations identified by the drawings :

3.4 CLEANING

- .1 Final cleaning in accordance with Division 1

END OF SECTION