## FORM A: BID (See B8)

1.	Contract Title	2011 WATERMAIN RE	NEWALS – CONTRACT NO. 9	)
2.	Bidder			
		Name of Bidder		
		Street		
		City	Province	Postal Code
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business u	nder the above name.	
3.	Contact Person	The Bidder hereby aut	horizes the following contact ps of the Bid.	person to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms ascribed to them in the	used in the Contract shall h General Conditions.	ave the meanings
5.	Offer		ers to perform the Work in ac Bid Price, in Canadian funds, s to.	

6.	Bid Security	In accordance with B11.1, the Bidder encloses bid security in the form of:			
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)			
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)			
		a certified cheque or draft			
		and agrees that it shall be held by the City in accordance with the Contract.			
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.			
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.			
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.			
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:			
		No Dated			
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.			

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

## FORM B: PRICES (SEE B9)

## 2011 WATERMAIN RENEWALS - CONTRACT NO. 9

## UNIT PRICES

TITEM	CIVIT	NOLO					
A. 1	ITEM	DESCRIPTION		UNIT			AMOUNT
A. 1		ADCHIDALD STREET CAREALI	REF.		QUANTITY	PRICE	
A. 1 a) Watermain Renewal 150mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 250mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill iii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 2 Watermain Valve 250mm CW 2110 a) 250mm CW 2110 a) Tees i) 250mm x 250mm x150 mm Bends (SD-004) i) 150mm - 22 1/2° a) CW 2110 a) 15mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) CW 2110 a) 19mm b) 50mm ceach 10 a) 19mm b) 50mm CW 2110 a) 19mm each 10 ach 10	<del>^</del>						
a) 150mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 250mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill iii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 2 Watermain Valve a) 250mm CW 2110  A. 3 Fittings Tees i) 250mm x 250mm x 150 mm Bends (SD-004) i) 150mm - 22 1/2°  A. 4 Water Services a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill A. 5 Corporation Stops a) 19mm b) 50mm CW 2110 a) 19mm each 10 each 10 each 1 CW 2110 a) 19mm each 10 each 10 each 10		OTREET TO GOODON OTREET					
Iterachless installation, Class B sand bedding, Class 3 backfill   250mm	A. 1	Watermain Renewal	CW 2110				
bedding, Class 3 backfill 250mm i) trenchless installation, Class B sand bedding, Class 3 backfill ii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 2 Watermain Valve 250mm CW 2110 A. 3 Fittings Tees i) 250mm x 250mm x150 mm Bends (SD-004) i) 150mm - 22 1/2° A. 4 Water Services 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) Corporation Stops a) 19mm c) CW 2110 A. 5 Corporation Stops a) 19mm b) 50mm ceach 10 each 10 each 1  A. 6 Curb Stops a) 19mm each 10 each 10	a)	150mm					
i) trenchless installation, Class B sand bedding, Class 3 backfill  ii) trenchless installation, Class B sand bedding, Class 5 backfill  A. 2 Watermain Valve 250mm CW 2110  A. 3 Fittings Tees i) 250mm 250mm x150 mm each 1 b) Bends (SD-004) i) 150mm - 22 1/2°  A. 4 Water Services CW 2110  a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill  b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110  CW 2110  a) CW 2110 c) cach 1  CW 2110 c) cach 1  A. 6 Curb Stops a) 19mm each 10 each 10 each 10	i)			m	25.0		
bedding, Class 3 backfill trenchless installation, Class B sand bedding, Class 5 backfill  A. 2 Watermain Valve 250mm	b)	250mm					
Dedding, Class 5 backfill	i)			m	140.0		
a) 250mm	ii)			m	55.0		
a) 250mm	A. 2	Watermain Valve	CW 2110				
A. 3 Fittings				each	2		
a) Tees i) 250mm x 250mm x150 mm Bends (SD-004) i) 150mm - 22 1/2°  A. 4 a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm ii) trenchless installation, Class B sand bedding, Class 3 backfill Corporation Stops a) 19mm ii) Corporation Stops a) 19mm b) 50mm A. 5 Corporation Stops a) 19mm b) 50mm CW 2110 each 10 each 1  A. 6 Curb Stops a) 19mm each 10 each 10	ĺ						
i) 250mm x 250mm x150 mm Bends (SD-004) i) 150mm - 22 1/2°  A. 4 Water Services 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm ii) trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110  CW 2110  The control of the c	A. 3	Fittings	CW 2110				
b) Bends (SD-004) i) 150mm - 22 1/2°  A. 4 Water Services 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm ii) trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110 each 10 each 1  A. 6 Curb Stops a) 19mm CW 2110 each 10 each 10	a)	Tees					
i) 150mm - 22 1/2°  A. 4 a) Water Services 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110  A. 6 Curb Stops a) 19mm CW 2110 each 1  CW 2110 each 1  CW 2110 each 10 each 10	,			each	1		
A. 4 a) Water Services 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110  CW 2110  CW 2110  CW 2110  CW 2110  A. 6 Curb Stops a) 19mm each 10 each 1  CW 2110  Each 10 each 1	b)						
a) 19mm i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm i) trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110 each 10 each 1  A. 6 Curb Stops a) 19mm CW 2110 each 10	i)	150mm - 22 1/2°		each	1		
i) trenchless installation, Class B sand bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm each 10 b) 50mm  A. 6 Curb Stops a) 19mm CW 2110 each 1 each 10 each 1	A. 4	Water Services	CW 2110				
bedding, Class 3 backfill b) 50mm trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm b) 50mm CW 2110 each 10 each 1  A. 6 Curb Stops a) 19mm CW 2110 each 10	a)	19mm					
i) trenchless installation, Class B sand bedding, Class 3 backfill  A. 5 Corporation Stops a) 19mm each 10 b) 50mm  A. 6 Curb Stops a) 19mm each 1	i)			m	220.0		
bedding, Class 3 backfill  A. 5	b)	50mm					
a) 19mm b) 50mm  A. 6 Curb Stops a) 19mm  CW 2110 each 10 each 10	i)			m	3.0		
b) 50mm  A. 6 Curb Stops a) 19mm  CW 2110 each 10	A. 5	Corporation Stops	CW 2110				
A. 6 Curb Stops CW 2110 each 10	a)	19mm		each	10		
a) 19mm each 10	b)	50mm		each	1		
	A. 6	Curb Stops	CW 2110				
b) 50mm each 1	a)	19mm		each	10		
	b)	50mm		each	1		

ITEN 4	DECODIDATION	SPEC.		APPROX.	UNIT	AAAO. IN IT
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
. 7	Comb Otom Doors	CW 2110				
A. 7	Curb Stop Boxes 19mm	CVV 2110	ooch	10		
a)			each			
b)	50mm		each	1		
A. 8	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	Inline connection - plug existing					
i)			each	2		
b)	In-line connection - no plug existing					
i)	150mm		each	1		
ii)	250mm		each	4		
A. 9	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	10		
b)	50mm		each	1		
	100 161 0 16 1 <del>1</del>	0144.044.0				
A. 10	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	22.0		
A. 11 i)	Partial Slab Patches 200mm reinforced concrete pavement for early opening (24 hours)	CW 2110	m²	30.0		
A. 12 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E3	m²	90.0		
A. 13	Concrete Curb Renewal	E4				
a)	Barrier curb (SD-204)		m	10.0		
b)	Ramp curb			5.0		
A. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7.0		
	MONOTON AVENUE 204 W 25		1	Subt	otal Part A:	
<u>B</u>	MONCTON AVENUE - 201 W OF LOUELDA STREET TO LOUELDA STREET					
B. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	210.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
b)	200mm	KEF.		QUANTITY	FRICE	
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	7.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	3		
B. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	200mm		each	1		
B. 4	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	2		
b)	Bends (SD-004)					
i)	150mm - 11 1/4°		each	1		
B. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	65.0		
B. 6	Corporation Stops	CW 2110				
a)	19mm		each	28		
B. 7	Curb Stops	CW 2110				
a)	19mm		each	2		
B. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	2		
B. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2		
ii)	200mm		each	2		
B. 10	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	28		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 11	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	17.0		
B. 12	Continuity Bonding	CW 2110	each	13		
D. 12	Continuity Boriaing	OW 2110	odon		otal Part B:	
<u>C</u>	Munroe Avenue - 200 W of Grey Street to Grey Street					
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	168.0		
C. 2	Hydrant Assembly	CW 2110				
a)	SD-007		each	2		
C. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
C. 4	Fittings	CW 2110				
a)	Bends (SD-004)	OW 2110				
i)	, , , ,		each	2		
C. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	40.0		
C. 6	Corporation Stops	CW 2110				
a)	19mm		each	19		
C. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1		
C. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	19		
C. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	10		
C. 10	Continuity Bonding	CW 2110	each	9		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 11	Partial Slab Patches 150mm reinforced concrete pavement	CW 2110	m²	20.0		
C. 12 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	E3	m²	15.0		
C. 13 a) b)	Concrete Curb Renewal Barrier curb (SD-204) Ramp curb	E4	m m	15.0 5.0		
C. 14	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	2.0		
				Subt	otal Part C:	
<u>D</u>	Grey Street - Munroe Avenue to Fleming Avenue					
D. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	45.0		
b) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	360.0		
c) i)	300mm trenchless installation, Class B sand bedding, Class 3 backfill		m	20.0		
D. 2 a)	Hydrant Assembly SD-007	CW 2110	each	2		
D. 3	Watermain Valve	CW 2110				
a)	150mm		each	2		
b)	250mm		each	6		
c)	300mm		each	1		
D. 4 a)	Fittings Tees	CW 2110				
i)			each	1		
ii)			each	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT	AMOUNT
I I E IVI	DESCRIPTION	REF.	UNIT	QUANTITY	PRICE	AMOUNT
b)	Bends (SD-004)					
i)	150mm - 45°		each	2		
ii)	250mm - 22 1/2°		each	1		
iii)	250mm - 45°		each	1		
iv)	300mm - 45°		each	2		
c)	Crosses					
i)	250mm X250mm X 150mm X 150mm		each	3		
ii)	250mm X250mm X 250mm X 250mm		each	1		
d)	Reducers					
i)	300mm - 250mm		each	2		
D. 5	Water Services	CW 2110				
a) i)	19mm trenchless installation, Class B sand		m	5.0		
,	bedding, Class 3 backfill			0.0		
D. 6	Corporation Stops	CW 2110				
a)	19mm		each	3		
D. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	8		
ii)	250mm		each	5		
iii)	300mm		each	2		
D. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	3		
D. 9	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Metallic Watermains	-	each	2.0		
b)	On Water Services					
	2		each	3.0		
D. 10	Partial Slab Patches	CW 2110				
a)	150mm reinforced concrete pavement		m²	50.0		
D. 11	Miscellaneous Concrete Slab Renewal	E3				
a)	Sidewalk (SD-228A)	_•	m²	25.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 12	Concrete Curb Renewal	E4				
a)	Barrier curb (SD-204)	L4	m	5.0		
b)	Ramp curb		m	5.0		
ĺ	·					
D. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	10.0		
				Subt	otal Part D:	
<u>E</u>	Provisional Items					
E. 1	Cement Stabilized Fill	CW 2030	m <sup>3</sup>	50.0		
E. 2	Sodding	CW 3510	m <sup>2</sup>	100.0		
E. 3	Adjustment of Precast Sidewalk Blocks	CW 3235	m²	5.0		
E. 4	Regrading of Existing Sewer Service - Up to 1.5 metres Long	CW 2110				
a)	150mm		each	7		
b)	200mm		each	1		
E. 5	Regrading of Existing Sewer Service - Longer Than 1.5 metres	CW 2110				
a)	150mm		m	5		
b)	200mm		m	1		
E. 6	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	1		
b)	SD-025		each	1		
E. 7	Remove and Replace Existing Catch Pit	CW 2130				
a)	SD-023		each	1		
E. 8	Drainage Connection Pipe	CW 2130				
a)	250mm		m	5.0		
E. 9	Temporary Surface Restoration	E6				
a)	Street Pavement		m²	50.0		
b)	Sidewalk		m²	25.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 10 a)	Fittings Bends (SD-005)	CW 2110				
i)	150mm - 45°		each	2		
ii)			each	2		
iii)	300mm - 45°		each	2		
	Surfacing Material	CW 3150		40.0		
a)	Limestone		tonne	10.0	atal Dart C.	
				Subt	otal Part E:	
				(	Grand Total	
	BID PRICE (GST extra)	(in figu	es)\$			
				Name of Bio	dder	

(Seal)

Template Version: C120100621 - C BCivil

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

#### **BID BOND**

_
mly bound unto <b>THE CITY OF WINNIPEG</b> (hereinafter 0%) of the Total Bid Price set out in the Bid hereinafter sipal and Surety bind themselves, their heirs, executors, severally, firmly by these presents.
e Obligee for
O. 9
is such that if the Bid of the Principal is not accepted, or ince with the terms of the Bid, enters into a Contract with mance security for guaranteeing the faithful performance nerwise shall remain in full force and effect.
have signed and sealed this bond the
, 20
me of Principal) :: (Seal) ::

(Name of Surety)

(Attorney-in-Fact)

Ву:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 100-2011 2011 WATERMAIN RENEWALS - CONTRACT NO. 9 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

(Date)	
Corpo Materi 185 Ki	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor leg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 100-2011
	2011 WATERMAIN RENEWALS – CONTRACT NO. 9
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon writter and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the time that we shall honour your demand for the time time to make you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	5)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 13, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
(ivalile	OI DANK OF IIIIANCIAI INSULULION)	
Per:		
	(Authorized Signing Officer)	
_		
Per:		
	(Authorized Signing Officer)	