Template Version: C420110321 - RW

#### FORM A: BID (See B7)

1.	Contract Title	CITY OF WINNIPEG, 2011 RESIDENTIAL STREET RENEWAL PROGRAM: LANARK STREET AND WAVERLEY STREET
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
	(Mailing address if different)	Facsimile Number
		Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is:
		a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

Template Version: C420110321 - RW 6. **Bid Security** In accordance with B10.1, the Bidder encloses bid security in the form of: a bid bond (Form G1: Bid Bond and Agreement to Bond) (Choose one) an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) a certified cheque or draft and agrees that it shall be held by the City in accordance with the Contract. 7. **Execution of Contract** The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. The Bidder agrees that no Work shall commence until he is in receipt of 8. Commencement of the Work a letter of intent from the Award Authority authorizing the commencement of the Work. 9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. 10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

Template Version: C420110321 - RW

12. Siulialules	12.	Signatures
-----------------	-----	------------

	dder's authorized official	· ·
Signature of B Bidder's Autho	idder or orized Official or Officials	
(Print here name a	and official capacity of individua	al whose signature appears a
	and official capacity of individua	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	CITY FUNDED WORK					
Α	LANARK STREET - WELLINGTON CRESCEI	NT SOUTH TO W	ELLINGT	ON CRESCENT	r	
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R14	m³	750		
A.2	Sub-Grade Compaction	CW 3110-R14	m²	1,275		
A.3	Crushed Sub-base Material	CW 3110-R14				
ij	50 mm - Limestone		tonne	1,050		
A.4	Supplying and Placing Base Course Material	CW 3110-R14	m³	120		
A.5	Grading of Boulevards	CW 3110-R14	m²	900		
A.6	Separation Geotextile Fabric	CW 3130-R3	m²	1,275		
	ROADWORK - REMOVALS / RENEWALS					
A.7	Pavement Removal	CW 3110-R14				
ij	Concrete Pavement		m²	1,270		
ii	Asphalt Pavement		m²	10		
A.8	Drilled Dowels	CW 3230-R6				
ij	19.1 mm Diameter		each	120		
A.9	Drilled Tie Bars	CW 3230-R6				
ij	20 M Deformed Tie Bar		each	20		
A.10	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
ij	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	5		
b	5 sq.m. to 20 sq.m.		m²	20		
C	Greater than 20 sq.m.		m²	180		

NII PRIC	<u>ES</u>					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - REMOVALS / RENEWALS (Cont'd.)					
A.11	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
	ROADWORK - NEW CONSTRUCTION					
A.12	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	600		
A.13	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	600		
A.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	170		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	80		
iii)	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	30		
A.15	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.16	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
A.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
A.18	Sewer Service	CW 2130-R12				
i)	250 mm					
a)	In a Trench, Class B Bedding, Class 3 Backfill		m	5		
A.19	Drainage Connection Pipe	CW 2130-R12	m	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
A.20	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-005 - Standard Solid Cover for Standard Frame		each	3		
A.21	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	100 mm		each	2		
ii)	250 mm		each	2		
A.22	Removal of Existing Catch Basins	CW 2130-R12	each	2		
A.23	Installation of Subdrains	CW 3120-R4	m	48		
	ADJUSTMENTS					
A.24	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
A.25	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1		
A.26	Lifter Rings	CW 3210-R7				
i)	64 mm		each	3		
A.27	Adjustment of Valve Boxes	CW 3210-R7	each	7		
A.28	Valve Box Extensions	CW 3210-R7	each	1		
A.29	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		
	LANDSCAPING					
A.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	20		
ii)	width > or = 600 mm		m²	880		
A	LANARK STREET - WELLINGTON CRESCEN CRESCENT	T SOUTH TO W	ELLINGT	ON	Sub-Total:	

## FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	WAVERLEY STREET - ACADEMY ROAD TO	WELLINGTON C	RESCEN	IT		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R14	m³	800		
B.2	Sub-Grade Compaction	CW 3110-R14	m²	1,600		
B.3	Crushed Sub-base Material	CW 3110-R14				
i)	50 mm - Limestone		tonne	1,200		
ii)	100 mm - Limestone		tonne	400		
B.4	Supplying and Placing Base Course Material	CW 3110-R14	m³	125		
B.5	Grading of Boulevards	CW 3110-R14	m²	1,450		
B.6	Separation Geotextile Fabric	CW 3130-R3	m²	1,365		
B.7	Supply and Install Geogrid	CW 3135-R1	m²	1,365		
	ROADWORK - REMOVALS/RENEWALS					
B.8	Pavement Removal	CW 3110-R14				
i)	Concrete Pavement		m²	1,300		
ii)	Asphalt Pavement		m²	25		
B.9	Drilled Dowels	CW 3230-R6				
i)	19.1 mm Diameter		each	50		
B.10	Drilled Tie Bars	CW 3230-R6				
i)	20 M Deformed Tie Bar		each	65		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R8				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	25		
c)	Greater than 20 sq.m.		m²	260		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORK - REMOVALS/RENEWALS (Cont'd.)					
B.12	Concrete Curb Renewal	CW 3240-R8				
i)	Barrier (150 mm ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5		
B.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	80		
	ROADWORK - NEW CONSTRUCTION					
	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	645		
B.15	Concrete Pavements for Early Opening	CW 3310-R14				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 hour (Reinforced)		m²	645		
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R14				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	220		
	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	35		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	45		
	Construction of Curb Ramp (10-15 mm ht, Integral)	SD-229C	m	20		
B.17	Interlocking Paving Stones	CW 3330-R5	m²	5		
B.18	Construction of Asphaltic Concrete Pavements	CW 3410-R8				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.19	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS (Cont'd.)					
B.20	Sewer Service	CW 2130-R12				
	i) 250 mm					
;	In a Trench, Class B Bedding, Class 3 Backfill		m	10		
B.21	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
	i) AP-004 - Standard Frame for Manhole and Catch Basin		each	3		
	ii) AP-005 - Standard Solid Cover for Standard Frame		each	3		
B.22	Connecting to Existing Sewer	CW 2130-R12				
	i) 250 mm Sewer Service					
;	Connecting to 300 mm PVC Combined Sewer		each	2		
B.23	Removal of Existing Catch Basins	CW 2130-R12	each	4		
B.24	Installation of Subdrains	CW 3120-R4	m	265		
	ADJUSTMENTS					
B.25	Adjustment of Catch Basins / Manholes Frames	CW 3210-R7	each	3		
B.26	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	1		
B.27	Lifter Rings	CW 3210-R7				
	i) 64 mm		each	3		
B.28	Adjustment of Valve Boxes	CW 3210-R7	each	3		
B.29	Valve Box Extensions	CW 3210-R7	each	1		
B.30	Adjustment of Curb Stop Boxes	CW 3210-R7	each	1		

## FORM B: PRICES

(SEE B8)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	LANDSCAPING					
B.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	20		
ii)	width > or = 600 mm		m²	1,430		
В	WAVERLEY STREET - ACADEMY ROAD TO WELLINGTON CRESCENT					

## FORM B: PRICES

(SEE B8)

UNIT PRICES	UN	ИT	PR	ICES
-------------	----	----	----	------

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
CITY FUNDED WORK							
	SUMMARY						
A	LANARK STREET - WELLINGTON CRESCENT SOUTH TO WELLINGTON CRESCENT			Sub-Total:			
В	WAVERLEY STREET - ACADEMY ROAD TO WELLINGTON CRESCENT			Sub-Total:			
TOTAL BI	D PRICE (GST extra)		(in figures)				
(in words)							

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B10)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT	

(hereinafter called the "Principal") and				
called the "Obligee") in the sum of ten p described, for the payment of which sum	eld and firmly bound unto <b>THE CITY OF WINNIPEG</b> (bercent (10%) of the Total Bid Price set out in the Bid in the Principal and Surety bind themselves, their heirs, jointly and severally, firmly by these presents.	hereinafter		
WHEREAS the Principal has submitted a	a Bid to the Obligee for			
BID OPPORTUNITY NO. 172-2011				
CITY OF WINNIPEG, 2011 RESIDENTIA WAVERLEY STREET	AL STREET RENEWAL PROGRAM: LANARK STREET	AND		
as more fully set out in the Bid Opportuni	ity.			
if said Bid is accepted and the Principal, it the said Obligee and furnishes the requir	obligation is such that if the Bid of the Principal is not action accordance with the terms of the Bid, enters into a Corred performance security for guaranteeing the faithful peoid, but otherwise shall remain in full force and effect.	ontract with		
IN WITNESS WHEREOF the Principal ar	nd Surety have signed and sealed this bond the			
day of	, 20			
SIGNED AND SEALED in the presence of:  (Witness as to Principal if no seal)	(Name of Principal)  Per:  Per:	(Seal)		
	(Name of Surety)  By:	(Seal)		

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B10)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 172-2011 CITY OF WINNIPEG, 2011 RESIDENTIAL STREET RENEWAL PROGRAM: LANARK STREET AND WAVERLEY STREET in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal)

(Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B10)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Division King Street, Main Floor ripeg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 172-2011
	CITY OF WINNIPEG, 2011 RESIDENTIAL STREET RENEWAL PROGRAM: LANARK STREET AND WAVERLEY STREET
Pursu	uant to the request of and for the account of our customer,
(Name	of Bidder)
	HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
dema Letter paym dema	Canadian dollars.  Standby Letter of Credit may be drawn on by you at any time and from time to time upon writter and for payment made upon us by you. It is understood that we are obligated under this Standby or of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.  Immount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be seen.
Partia	al drawings are permitted.
	engage with you that all demands for payment made within the terms and currency of this Standby or of Credit will be duly honoured if presented to us at:
(Addre	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B10)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 5, 2011.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

(Name of bank or financial institution)		
Per:		
	(Authorized Signing Officer)	
Per:		
	(Authorized Signing Officer)	