

FORM A: BID
(See B7)

1. Contract Title SUPPLY & DELIVERY OF PICK-UP TRUCKS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

(Mailing address if different)

Facsimile Number

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (See B8)

SUPPLY & DELIVERY OF PICK-UP TRUCKS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	APPROX QTY	UNIT PRICE
SECTION A					
1.	6000 lbs. GVWR, 4wd, Regular Cab Pick-up Truck	PR21	Each	3	
2.	6200 lbs. GVWR Extended Cab Pick-up Truck	PE20	Each	1	
3.	6200 lbs. GVWR, 4wd, Extended Cab Pick-up Truck	PE21	Each	9	
4.	6200 lbs. GVWR, 4wd, Extended Cab Pick-up Truck w/Option 1: Tonneau Cover	PE21	Each	3	
5.	6200 lbs. GVWR, 4wd, Extended Cab Pick-up Truck w/Option 2: 8 ft. Cargo Box	PE21	Each	1	
6.	6500 lbs. GVWR Crew Cab Pick-up Truck	PC20	Each	5	
7.	6500 lbs. GVWR, 4wd, Crew Cab Pick-up Truck	PC21	Each	1	
SECTION B					
8.	11,000 lbs. GVWR, DRW, 4wd, Extended Cab Pick-up Truck	PE41	Each	1	
SECTION C					
9.	Warning Lights and Equipment	11066	Each	16	

 Name of Bidder

FORM N: DETAILED SPECIFICATIONS

PR21 (4x4) – Section A, Item 1



6,000 LBS. GVWR, 4WD PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,000 lbs., state	_____
4. Wheelbase	133 – 145 in.	_____
5. Cargo length	8 ft. nominal	_____
6. Overall length	State OAL	_____
7. Cargo box liner	Line-X spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
8. Cab configuration	Regular cab	_____
9. Engine	EFI, gasoline, state displacement	_____
9.1 Horsepower	275 hp, state	_____
9.2 Torque	275 lb-ft, state	_____
10. Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability	_____
11. Fuel consumption	State city rating, L/100km	_____
12. Block heater	Required with cord through grille	_____
13. Coolant	Extended Life Coolant, -35°C	_____
14. Battery	600 CCA	_____
15. Transmission	Automatic	_____
16. Transmission cooling	As required for trailer towing	_____
17. Steering	Power	_____
18. Brakes	Power with ABS	_____
19. Wheels	Standard manufacturer’s wheels, without locking nuts	_____
20. Tires – front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____

DETAILED SPECIFICATIONS PR21 (continued)

21. Spare wheel & tire	Required with underbody carrier	_____
22. Mudflaps	Required front and rear, OEM, moulded	_____
23. Rear axle	Limited slip or posi-traction	_____
24. Front axle	4WD with dash mounted electronic shift	_____
25. Floor covering	Rubber matting throughout with throw-in rubber floor mats	_____
26. Windshield	Tinted	_____
27. Windshield wipers	Intermittent	_____
27.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
28. Mirrors	Interior rearview & heated dual exterior	_____
29. Ignition keys	Three (3) sets required	_____
30. Air conditioning	Required	_____
31. Tilt steering	Required	_____
32. Cruise control	Required	_____
33. Door locks	Power	_____
34. Remote keyless entry	Two (2) required	_____
35. Windows	Power	_____
36. Seats, front	Cloth-faced, split bench	_____
37. Radio	AM-FM with CD player	_____
38. 12-Volt power point	Required	_____
39. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40. Air bags	Required, front driver's and passenger	_____
41. Fuel tank	90 litre approx., fully fuelled upon delivery	_____
42. Tubular side steps	Dual, chrome finish, OEM	_____
43. Bumper	Rear step bumper	_____
44. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
45. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
46. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____
47. Delivery time	Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days	_____

DETAILED SPECIFICATIONS PR21 (continued)

48. Delivery contact

The Contractor shall contact the Contract Administrator prior to delivery of the equipment

49. PDI

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

PE20 (4x2) – Section A, Item 2
PE21 (4x4) – Section A, Item 3, 4, 5



6,200 LBS. GVWR EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2.0 STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,200 lbs., state	_____
4. Wheelbase	138 – 145 in.	_____
5. Cargo length	6.5 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	EFI, gasoline, state displacement	_____
9.1 Horsepower	275 hp, state	_____
9.2 Torque	275 lb-ft, state	_____
10. Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability	_____
11. Fuel consumption <i>PE20</i>	State city rating, L/100km	_____
11.1 Fuel consumption <i>PE21</i>	State city rating, L/100km	_____
12. Block heater	Required with cord through grille	_____
13. Coolant	Extended Life Coolant, -35°C	_____
14. Battery	600 CCA	_____
15. Transmission	Automatic	_____
16. Transmission cooling	As required for trailer towing	_____
17. Steering	Power	_____
18. Brakes	Power with ABS	_____

DETAILED SPECIFICATIONS PE20/21 (continued)

19. Wheels	Standard manufacturer's wheels, without locking nuts	_____
20. Tires – Front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____
21. Spare wheel & tire	Required with underbody carrier	_____
22. Mudflaps	Required, front and rear, OEM, moulded	_____
23. Rear axle	Limited slip or posi-traction	_____
23.1 Front axle – PE21	4WD with dash mounted electronic shift	_____
24. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
25. Windshield	Tinted	_____
26. Windshield wipers	Intermittent	_____
26.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
27. Mirrors	Interior rearview & heated dual exterior	_____
28. Ignition keys	Three (3) sets required	_____
29. Air conditioning	Required	_____
30. Tilt steering	Required	_____
31. Cruise control	Required	_____
32. Door locks	Power	_____
33. Remote keyless entry	Two (2) required	_____
34. Windows	Power	_____
35. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
36. Seat, rear	Cloth-faced, bench	_____
37. Radio	AM-FM with CD player	_____
38. 12-Volt power point	Required	_____
39. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40. Air bags	Required, front driver's and passenger	_____
41. Fuel tank	90 litre approx., fully fuelled upon delivery	_____
42. Tubular side steps	Dual, chrome finish, OEM	_____
43. Bumper	Rear step bumper	_____
44. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
45. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
46. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____

DETAILED SPECIFICATIONS PE20/21 (continued)

- | | | |
|----------------------|--|-------|
| 47. Delivery time | Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days | _____ |
| 48. Delivery contact | The Contractor shall contact the Contract Administrator prior to delivery of the equipment | _____ |
| 49. PDI | A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list | _____ |

Options:

Note: Options to be priced only as indicated on Form B: Prices

- | | | |
|-----------------------------|--|-------|
| 50. Option 1: Tonneau Cover | Retrax P/N 10362 or equal, state make and model being bid | _____ |
| 51. Option 2: Box Length | 8 ft. Cargo Box length | _____ |

PC20 (4x2) – Section A, Item 6
PC21 (4x4) – Section A, Item 7



6,500 LBS. GVWR CREW CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	6,500 – 8,000 lbs.	_____
4. Wheelbase	136 - 145 in.	_____
5. Cargo length	5.5 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Crew cab	_____
8. Door configuration	Four (4) full sized, front hinged doors	_____
9. Engine	EFI, gasoline, state displacement	_____
9.1 Horsepower	275 hp, state	_____
9.2 Torque	275 lb-ft, state	_____
10. Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability	_____
11. Fuel consumption <i>PC20</i>	State city rating, L/100km	_____
11.1 Fuel consumption <i>PC21</i>	State city rating, L/100km	_____
12. Block heater	Required with cord through grille	_____
13. Coolant	Extended Life Coolant, -35°C	_____
14. Battery	600 CCA	_____
15. Transmission	Automatic	_____
16. Transmission cooling	As required for trailer towing	_____
17. Steering	Power	_____
18. Brakes	Power with ABS	_____

DETAILED SPECIFICATIONS PC20/21 (continued)

19. Wheels	Standard manufacturer's wheels, without locking nuts	_____
20. Tires – front & rear	BSW Tier 1 or 2 all terrain mud and snow, state size	_____
21. Spare wheel & tire	Required with underbody carrier	_____
22. Mudflaps	Required, front and rear, OEM, moulded	_____
23. Rear axle	Limited slip or posi-traction	_____
23.1 Front axle – <i>PC21</i>	4WD with dash mounted electronic shift	_____
24. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
25. Windshield	Tinted	_____
26. Windshield wipers	Intermittent	_____
26.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
27. Mirrors	Interior rearview & heated dual exterior	_____
28. Ignition keys	Three (3) sets required	_____
29. Air conditioning	Required	_____
30. Tilt steering	Required	_____
31. Cruise control	Required	_____
32. Door locks	Power	_____
33. Remote keyless entry	Two (2) required	_____
34. Windows	Power	_____
35. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
36. Seat, rear	Cloth-faced, bench	_____
37. Radio	AM-FM with CD player	_____
38. Air bags	Required, front driver's and passenger	_____
39. 12-Volt power point	Required	_____
40. Bluetooth [®] technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
41. Fuel tank	90 litre approx., fully fuelled upon delivery	_____
42. Tubular side steps	Dual, chrome finish, OEM	_____
43. Bumper	Rear step bumper	_____
44. Towing prep package	Class III (5,000 lbs.) capacity c/w trailer plug wiring and receiver hitch	_____
45. Colour - Interior	Blue or grey	_____
- Exterior	White	_____
46. Delivery point	Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB	_____

DETAILED SPECIFICATIONS PC20/21 (continued)

- | | | |
|----------------------|---|-------|
| 47. Delivery time | Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days | _____ |
| 48. Delivery contact | The Contractor shall contact the Contract Administrator prior to delivery of the equipment | _____ |
| 49. PDI | A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list | _____ |



PE41 (4x4) – Section B, Item 8

11,000 LBS. GVWR, DRW, EXTENDED CAB PICK-UP TRUCK

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. STATE YEAR, MAKE & MODEL BEING BID: _____

ITEM	SPECIFICATION	BIDDER TO STATE “YES” OR STATE DEVIATION
3. GVWR	11,000 lbs. approx., state	_____
3.1 MGI	Vehicles over 10,000 lbs. GVWR shall be supplied with a current year Manitoba Gov’t Inspection with Safety Sticker on the driver’s side window	_____
4. Wheelbase	154 – 161 in.	_____
5. Cargo length	8 ft. nominal	_____
6. Cargo box liner	Line-X spray-on liner or equal, 0.080 in. thickness, black, polyurethane elastomer, abrasive resistant. Sprayed material shall cover complete inside of box including inside of tailgate and top of side rails	_____
7. Cab configuration	Extended cab	_____
8. Door configuration	Four (4) doors	_____
9. Engine	V8, EFI, gasoline, state displacement	_____
10. Anti-idling programming	Preferred, to shut engine off after 15-minutes, state availability	_____
11. Block heater	Required with cord through grille	_____
12. Coolant	Extended Life Coolant, -35°C	_____
13. Battery	750 CCA	_____
14. Transmission	Automatic	_____
15. Transmission cooling	As required for trailer towing	_____
16. Steering	Power	_____
17. Brakes	Power with ABS	_____

DETAILED SPECIFICATIONS PE41 (continued)

18. Wheels	Standard manufacturer's wheels, without locking nuts	_____
19. Tires – front & rear	LT, BSW Tier 1 or 2 all terrain mud & snow, state size	_____
20. Spare wheel & tire	Required with underbody carrier	_____
21. Mudflaps	Required, front and rear, OEM, moulded	_____
22. Rear axle	Limited slip or posi-traction	_____
22.1 Front axle – PE31	4WD with dash mounted electronic shift	_____
23. Floor covering	Carpeting throughout with throw-in rubber floor mats front and rear	_____
24. Windshield	Tinted	_____
25. Windshield wipers	Intermittent	_____
25.1 Wiper blades	Winter blades with heavy duty rubber boot	_____
26. Mirrors	Interior rearview & heated dual exterior	_____
27. Ignition keys	Three (3) sets required	_____
28. Air conditioning	Required	_____
29. Tilt steering	Required	_____
30. Cruise control	Required	_____
31. Door locks	Power	_____
32. Remote keyless entry	Two (2) required	_____
33. Windows	Power	_____
34. Seats, front	Cloth-faced, split bench, 60/40 or 40/20/40	_____
35. Seat, rear	Cloth-faced, bench	_____
36. Radio	AM-FM with CD player	_____
37. Air bags	Required, front driver's and passenger	_____
38. 12-Volt power point	Required	_____
39. Bluetooth® technology	Required for use with cellular phones, "hands-free" capable, voice command activated through vehicle's radio circuit	_____
40. Fuel tank	90 litre fully fuelled upon delivery	_____
41. Tubular side steps	Dual, chrome finish, OEM	_____
42. Bumper	Rear step bumper	_____
43. Towing prep package	Class IV capacity c/w trailer plug wiring and receiver hitch	_____
43.1 Electric brake controller	Required, factory installed	_____
44. Colour - Interior	Blue or grey	_____
- Exterior	White	_____

DETAILED SPECIFICATIONS PE41 (continued)

- | | | |
|----------------------|--|-------|
| 45. Delivery point | Vehicles shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including N.I.V.S. to the WFMA 185 Tecumseh Street, Winnipeg MB | _____ |
| 46. Delivery time | Within 26-calendar weeks from the date of official notification of award of contract. Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days | _____ |
| 47. Delivery contact | The Contractor shall contact the Contract Administrator prior to delivery of the equipment | _____ |
| 48. PDI | A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list | _____ |



SECTION C: DETAILED SPECIFICATIONS 11066

SUPPLY & INSTALLATION OF WARNING LIGHTS AND EQUIPMENT

1. INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

- 1.1 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state "yes" for compliance or state deviation, or give a reply where requested to do so.** Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.
- 1.2 Each Bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

2. LIGHTING SPECIFICATIONS

- 2.1 Backrack® – required, or Headrack® equivalent, supplied and installed. _____
- 2.2 Utility light bracket – 16"x7", driver's side mounted, required for mounting mini light bar. _____
- 2.3 Mini light bar – Whelen R2LPPA, mounted to top-driver's side of Backrack/ Headrack, 360° visibility, wired through ignition, fused as per manufacturer's recommendations. _____
- 2.4 Actuation switch – backlit with high/off/low settings, labelled "beacon" with a permanent type, engraved style label. Exact mounting location to be determined at time of installation. _____
- 2.5 L-bracket – required for actuation switch. _____
- 2.6 All wiring for warning light and switch shall be colour coded, loomed and properly secured. _____
- 2.6.1 All electrical connectors shall be crimped and soldered, then sealed using heat shrink tubing. _____
- 2.6.2 All joining of wires shall be soldered and sealed using heat shrink tubing or approved OEM weathertight connections (crimp-on electrical connectors for joining of wires are not acceptable). _____
- 2.6.3 Any holes required to run wires through shall be drilled (not punched), grommeted and sealed as required. _____

FORM O-PREVENTATIVE MAINTENANCE SCHEDULE

Make: _____

Model: _____

Year: _____

Service/Parts Contact info: _____

PM Checklist and Adjustments

Please fill in all applicable areas and add any missing service intervals or component part numbers that are applicable to the supplied unit.

All items required to maintain warranties must be listed.

Description:	Capacity:	Type:	Description:	Capacity:	Type:
Engine Oil	Litres		Transmission	Litres	
Cooling System	Litres		Transfer Case	Litres	
Hydraulic Tank	Litres		Hydraulic System	Litres	
A/C Refrigerant	Lbs	R-134a	Brake Reservoir	Litres	
Fuel System	Litres		Differential (Front)	Litres	
Final Drives	Litres		Differential (Rear)	Litres	

Type of Filter:	OEM:	Wix:	Purolator:	Fram:	Baldwin:	Fleetguard:
Engine Oil						
Air Primary						
Air Secondary						
Primary Fuel						
Secondary Fuel Filter						
Cab Air Filter						
Hydraulic (pressure)						
Hydraulic (return)						
Transmission						
A/C Belt						
Alt Belt						
Water Pump Belt						
Serpentine Belt						

Make _____

Model: _____

Year: _____

Item	Recommended Service Intervals. Kms/Hours	Comments
List any one time services		
List any one time adjustments		
List regular Adjustments		
Initial Oil and Filter Change		
Engine Valve Lash and Fuel Injector, Timing Check.		
Engine Oil and Filter Changes and/or Oil Sample Intervals		
Lubrication Points and Intervals		
Transmission Filter/Screens- Replace/Clean and/or Obtain Oil Sample		
Primary Fuel Filter (Replace)		
Secondary Fuel Filter (Replace)		
Differential Oil Sample (Front)		
Final Drive Oil Sample (front)		
Hydraulic Filter (Replace and Obtain Oil Sample)		
Front Differential Fluid (Change)		
Rear Differential Fluid (Change)		
Differential Vents		
Transmission Oil (Change)		
Clean Transmission Magnetic Screen		

Make _____

Model: _____

Year: _____

Item	Recommended Service Intervals Kms/Hours	Comments
Change Final Drive Oil (Front)		
Clean Engine Crankcase Breather		
Hydraulic System Oil (Change)		
Engine Valve Lash and Fuel Inj. Timing (Check)		
Cooling system Water Temperature Regulator (Replace)		
Cooling System Coolant Extender (ELC)-Add		
Cooling System		
Wheel nut Torque and Intervals		
Check wheel Nut torque At Every service interval		
Refrigerant dryer (Replace)		

FORM P-DATA COLLECTION SHEET FOR W.F.M.A

UNIT NUMBER		
--------------------	--	--

ITEMS		DETAILS FROM VENDOR
MAKE/MANUFACTURER	(e.g. Ford, Volvo, etc.)	
MODEL	Enter model (e.g. F-350)	
YEAR	(Enter model year)	
DISCRIPTION/TYPE	(e.g. Truck, snow blower, mower, tractor)	
FUEL TYPE	(e.g. gas, diesel, hybrid, propane)	
RATED FUEL CONSUMPTION	(L/100 km, L/hr, etc.)	
GVWR	(In pounds [lbs.] and kilograms)	
GAWR FRONT		
GAWR REAR		
GCWR		
DIMENSION HEIGHT	(Overall height m)	
DIMENSION LENGTH	(Overall length m)	
DIMENSION WIDTH	(Overall width m)	
WHEELBASE		
DELIVERY DATE	(Confirmed date)	
SUPPLIER/DEALER	(Name, phone number, and contact person)	
ODOMETER/HOUR METER	(Upon delivery)	
V.I.N. NUMBER		
SERIAL NUMBER (if applicable)		
CAB CONFIGURATION	(Regular, Extended, Crew)	
M.G.I NUMBER (if applicable)		
KEY DOOR NUM		
KEY IGNITION NUM		
PAINT CODE	(Exterior colour)	
PAINT COLOUR	(Exterior colour)	
PAINT TRIM CODE	(Interior code #/colour)	
ITEMS	SERVICE ITEMS	DETAILS FROM VENDOR
ENGINE MAKE		
ENGINE MODEL		
ENGINE SERIAL NUMBER		
ENGINE HORSE POWER	(Enter as xxx H.P. @ xxxx RPM)	

ENGINE DISPLACEMENT	(In cubic inches and litres)	
CPL NUMBER		
ENGINE CYLINDERS	(Number of cylinders)	
ENGINE OIL CAPACITY	(Capacity with filter, in litres)	
ENGINE OIL FILTER PART NUMBER	(Number of filters and part numbers)	
ENGINE OIL TYPE	(e.g. 15W40, regular or synthetic)	
ENGINE AIR FILTER (PRI)	(Make, part number, quantity)	
ENGINE AIR FILTER (SEC)	(Make, part number, quantity)	
CAB FILTER	(Part number and location)	
FUEL TANK CAPACITY	(In litres)	
FUEL FILTER # PRIMARY	(Make, part number, and quantity)	
FUEL FILTER # SECONDARY	(Make, part number, and quantity)	
FUEL SEPARATOR	(Make, part number, and quantity)	
COOLANT TYPE	(Heavy-duty, extended life, or regular)	
COOLANT CAPACITY	(In litres)	
COOLANT FILTER NUMBER	(Part number)	
TRANSMISSION		DETAILS FROM VENDOR
TRANSMISSION MAKE	(Enter make & model)	
TRANSMISSION SERIAL NUMBER		
TRANSMISSION TYPE	(Hydrostatic, standard, automatic)	
TRANSMISSION FLUID CAPACITY	(in litres)	
TRANSMISSION FLUID TYPE	(Dextron III, synthetic, weight, etc.)	
TRANSMISSION FILTER(S)	(# of filters and part numbers; internal and external filters)	
TRANSMISSION FILTER KITS	(Gasket, o-ring, secondary filters etc.)	
TRANSMISSION COOLER	(Make and part number if applicable)	
FRONT DIFFERENTIAL		DETAILS FROM VENDOR
DIFFERENTIAL MAKE		
DIFFERENTIAL MODEL		
DIFFERENTIAL SERIAL #		
DIFFERENTIAL OIL TYPE	(e.g. 80W90, synthetic)	
DIFFERENTIAL CAPACITY	(In litres)	
REAR DIFFERENTIAL		DETAILS FROM VENDOR
DIFFERENTIAL MAKE		

DIFFERENTIAL MODEL		
DIFFERENTIAL SERIAL #		
DIFFERENTIAL OIL TYPE	(e.g. 80W90, synthetic)	
DIFFERENTIAL CAPACITY	(In litres)	
TIRES/WHEELS/ETC.		DETAILS FROM VENDOR
TIRE MANUFACTURER & BRAND		
TIRE SIZE FRONT		
TIRE SIZE REAR		
WHEEL NUT TORQUE	(lb-ft)	
WHEEL NUT RE-TORQUE INTERVAL		
FINAL DRIVE/HUB	(Oil type and capacity)	
WHEEL SPINDLES OIL CAPACITY	(In litres)	
WHEEL SPINDLES FLUID TYPE	(e.g. 80w90, Dextron, synthetic)	
POWER STEERING CAPACITY	(In litres)	
POWER STEERING FLUID TYPE	(e.g. ATF or synthetic)	
POWER STEERING FILTER #	(Make, part number, quantity)	
BRAKE FLUID	(Type)	
BRAKE TYPE	(Hydraulic/air)	
MISC. ITEMS		DETAILS FROM VENDOR
ALTERNATOR	(Enter make, model, part #)	
ALTERNATOR AMPS	Integers only (e.g. 105, 125, etc.)	
BATTERY MAKE		
BATTERY MODEL		
BATTERY CCA		
BATTERY QTY.		
BATTERY VOLTAGE		
BELT A/C PART #	(Enter make and part number)	
BELT COMPRESSOR PART #		
BELT FAN PART #		
BELT ALTERNATOR PART #		
BELT STEERING	(V-belt or serpentine, quantity)	
BELT STEERING PART #		
BELTS OTHER		

COMPRESSOR CFM	(e.g. 13.2, 15, 18)	
COMPRESSOR MODEL	(Enter make and model)	
COMPRESSOR PART #		
AIR DRYER	(Enter make and model)	
AIR DRYER PART/SERIAL #		
AIR DRYER DESCRIANT		
AIR DRYER FILTER	(part number)	
AUX. HEATER TYPE	(Diesel, electric, etc.)	
AUX. HEATER MAKE		
AUX. HEATER MODEL		
AIR CONDITIONING	(Type, 113 etc.)	
AIR CONDITIONING CAPACITY	(lbs)	
A/C RECEIVER DRYER PART #	(part, number)	
ATTACHMENT ITEMS	(Construction equipment)	DETAILS FROM VENDOR
SKID SHOE	(part number)	
STINGER BLADES	(part number)	
STINGER TEETH	(Quantity and part number)	
BUCKET TEETH	(Quantity and part number)	
CUTTING TOOTH		
CLAM BUCKET BLADE	(Dimensions and part number)	
UTILITY BUCKET BLADE	(Dimensions and part number)	
BOX SCRAPER BLADE	(Dimensions and part number)	
BUCKET CAPACITY		
BUCKET BLADES AND SIDES	(Quantity and part number)	
GRADER BLADES	(part number)	
GRADER ICE BLADES	(Part number)	
WING BLADES	(Part number)	
BODY UNIT ITEMS		DETAILS FROM VENDOR
BODY SUPPLIER	(Name and contact number)	
BODY TYPE		
BODY MAKE		
BODY MODEL		
BODY SERIAL NUMBER		
BOX SIZE	(Length and/or capacity)	

HYDRAULICS		DETAILS FROM VENDOR
HYDRAULIC PUMP	(Make, model and capacity)	
PTO	(Make, model and shift type)	
HYDRAULIC TANK CAPACITY	(In litres)	
HYDRAULIC FILTER NUMBER	(Filter number and screen numbers)	
HYDRAULIC FLUID TYPE	(e.g. N22, synthetic)	
HYDRAULIC FILTER	(Make, quantity and part number)	
HYDRAULIC SCREEN	(Make, quantity and part number)	
HYDRAULIC BREATHER	(Make, quantity and part number)	
HYDRAULIC SPINNER		
HYDRAULIC SPINNER MAKE		
HYDRAULIC SPINNER MODEL		
HYDRAULIC SPINNER SERIAL #		
CONVEYOR MOTOR MAKE		
CONVEYOR MOTOR MODEL		
CONVEYOR MOTOR SERIAL #		
CYCLE TIME DOWN		
CYCLE TIME UP		
SANDER/DUMP CONTROLS:		DETAILS FROM VENDOR
CONTROL SYSTEM MAKE		
CONTROL SYSTEM MODEL		
CONTROL SYSTEM SERIAL #		
CONTROL SYSTEM PART #		
CONVEYOR CHAIN	(Length and part #)	
SENSORS	(Part #s)	
CALCIUM PUMP MAKE		
CALCIUM PUMP MODEL		
CALCIUM PUMP SERIAL #		
CALCIUM PUMP CAPACITY		
UNIT ITEMS	ATTACHMENT(S)	DETAILS FROM VENDOR
TYPE	(e.g. snow blower, mower, spreader, etc.)	
MAKE/ MANUFACTURER	(e.g. John Deere, Colpron, etc.)	
MODEL		

YEAR	(Enter year manufactured)	
AUX. ENGINE	(Make and model)	
AUX. ENGINE DISPLACEMENT	(In cubic inches and litres)	
AUX. ENGINE SERIAL #		
SUPPLIER/DEALER	(Name, phone number, and contact person)	
FUEL TYPE	(e.g. gas, diesel, propane)	
ODOMETER/HOUR METER		
AUX. ENGINE HORSE POWER	(Enter as xxx H.P. @ xxxx RPM)	
AUX. ENGINE CYLINDERS	(Number of cylinders)	
AUX. ENGINE OIL CAPACITY	(Capacity with filter, in litres)	
AUX. ENGINE OIL FILTER PART #	(Number of filters and part number)	
AUX. ENGINE OIL TYPE	(e.g. 15W40, regular or synthetic)	
AUX. ENGINE AIR FILTER (PRI)	(Make, part number, quantity)	
AUX. ENGINE AIR FILTER (SEC)	(Make, part number, quantity)	
HYDRAULICS	ATTACHMENT(S)	DETAILS FROM VENDOR
HYDRAULIC DRIVE MAKE	(Enter make & model)	
HYDRAULIC DRIVE MODEL		
HYDRAULIC DRIVE SERIAL #		
HYDRAULIC DRIVE TYPE	(Hydrostatic, standard, automatic)	
HYDRAULIC DRIVE FLUID CAPACITY	(in litres)	
HYDRAULIC DRIVE FLUID TYPE	(Dextron III, synthetic, etc.)	
HYDRAULIC DRIVE FILTER(S)	(# of filters and part numbers; internal and external filters where applicable)	
HYDRAULIC DRIVE COOLER	(Part number if applicable)	
HYDRAULIC BREATHER CAP	(Part number if applicable)	
SWEEPER		DETAILS FROM VENDOR
BROOM SEGMENTS	(part #)	
WATER FILTER	(part #)	
WEAR PLATES	(part #)	
ROLLERS	(part #)	
SKID SHOES	(part #)	

FORM Q-SUSTAINABILITY QUESTIONNAIRE

Product Information

(Yes/No)

Product Sustainability: High Quality, Small Ecological Footprint

1. Have you employed environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity as compared to similar goods? If yes, please describe them below.

Describe:

2. Have you obtained 3rd party environmental certifications for any of the products that you are supplying in this Bid Opportunity?

Describe:

3. Have you performed a life cycle assessment of the goods you are supplying in this Bid Opportunity? If yes, please describe below.

Describe:

4. Are there any other environmentally innovative best practices and/or technologies in the goods you are supplying in this Bid Opportunity that we could have specified in this tender, but have not? If yes, please describe them below.

Describe:

Company Information

Energy and Climate: Reducing Energy Costs and Greenhouse Gas Emissions

1. Have you measured your corporate greenhouse gas emissions? If yes, please report your total annual greenhouse gas emissions reported in the most recent year measured?

Describe:

2. Have you set publicly available greenhouse gas reduction targets? If yes, what are those targets?

Describe:

Material Efficiency: Reducing Waste and Enhancing Quality

1. Do you measure the total amount of solid waste generated from the facilities that produce your product(s) for this Bid Opportunity? If yes, please report for the most recent year measured.

Describe:

2. Have you set publicly available solid waste reduction targets? If yes, what are those targets?

Describe:

3. Do you measure the total water use from facilities that produce your product(s) for this Bid Opportunity? If yes, please report for the most recent year measured.

Describe:

4. Have you set publicly available water use reduction targets? If yes, what are those targets?

Describe:

Natural Resources: Responsibly Sourced Raw Materials

1. Have you established publicly available sustainability purchasing guidelines for your direct suppliers that address issues such as environmental compliance, employment practices and product safety?

Describe:

Social Responsibility: Ensuring Responsible and Ethical Production

1. Do you have a process for managing social compliance at the manufacturing level?

Describe:

2. Do you work with your supply base to resolve issues found during social compliance evaluations and also document specific corrections and improvements?

Describe:

3. Do you invest in community development activities in the markets you source from and/or operate within? _____

Describe:
