FORM A: BID (See B8)

| 1. | Contract Title | 2011 WATERMAIN RENEWALS – CONTRACT NO. 3 | |
|----|--------------------------------|---|-----|
| 2. | Bidder | | |
| | | Name of Bidder | |
| | | Usual Business Name of Bidder as it appears on Invoice (if different from above) | |
| | | Street | |
| | | City Province Postal C | ode |
| | (Mailing address if different) | Facsimile Number | |
| | | Street or P.O. Box | |
| | | City Province Postal C | ode |
| | | GST Registration Number (if applicable) | |
| | | The Bidder is: | |
| | (Choose one) | a sole proprietor | |
| | | a partnership | |
| | | a corporation | |
| | | carrying on business under the above name. | |
| 3. | Contact Person | The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid. | ent |
| | | Contact Person Title | |
| | | Telephone Number Facsimile Number | |
| 4. | Definitions | All capitalized terms used in the Contract shall have the meanir ascribed to them in the General Conditions. | ngs |
| 5. | Offer | The Bidder hereby offers to perform the Work in accordance with a Contract for the Total Bid Price, in Canadian funds, set out on Form Prices, appended hereto. | |

| 6. | Bid Security | In accordance with B11.1, the Bidder encloses bid security in the form of: |
|-----|--------------------------|---|
| | (Choose one) | a bid bond (Form G1: Bid Bond and Agreement to Bond) |
| | | an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking) |
| | | a certified cheque or draft |
| | | and agrees that it shall be held by the City in accordance with the Contract. |
| 7. | Execution of Contract | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4. |
| 8. | Commencement of the Work | The Bidder agrees that no Work shall commence until he is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work. |
| 9. | Contract | The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: |
| | | No Dated |
| | | |
| 11. | Time | This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline. |

| 12. | Signatures | The Bidder or the Bidder's authorized official or officials have signed this |
|-----|------------|---|
| | | , 20 |
| | | Signature of Bidder or Bidder's Authorized Official or Officials |
| | | (Print here name and official capacity of individual whose signature appears above) |
| | | (Print here name and official capacity of individual whose signature appears above) |

| ITEM | | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----------------|---|---------------|----------------------|---------------------|---------------|--------|
| A | | Ridley Street - Ridley Place (South Leg) to Ridley Place (North Leg) | | | | | |
| A.1 | a) :: | Watermain Renewals 150mm | CW 2110 | | 00 | | |
| | i) ii) | Trenchless installation, Class B sand bedding, Class 5 backfill Trenchless installation, Class B sand bedding, Class 3 backfill | | m m | 20 | | |
| A.2 | a) | Watermain Valve 150mm | CW 2110 | each | 1 | | |
| A.3 | a) i) | Connecting to Existing Watermain Services Inline connection –no plug existing 150mm | CW 2110 | each | 2 | | |
| A.4 | | Water Service Replacement | CW 2110 | | | | |
| | a) i) | 19mm trenchless installation, Class B sand bedding, Class 5 backfill | | m | 110 | | |
| A.5 | a) | Connecting Existing Copper Water Services to New Watermain 19mm | CW 2110 | each | 12 | | |
| A.6 | a) | Corporation Stops 19mm | CW 2110 | each | 12 | | |
| A.7 | a) b) c) | 10.9 Kilogram Zinc Anodes On couplings On valves On water services | CW 2110 | each each each | 2 1 12 | | |
| A.8 | a) | Temporary Pavement Restorations 50mm Asphalt | E12 | m² | 20 | | |
| | | Subtotal Section A - Ridley Place | | | | | |
| В | | Leicester Square - Leicester Square Square (West Leg) to Bourkewood Place | | | | | |
| B.1 | a) | Watermain Renewals 150mm | CW 2110 | | | | |
| | i) ii) | bedding, Class 5 backfill | | m m | 170 20 | | |
| | , | bedding, Class 3 backfill | | | | | |
| B.2 | a) | Hydrant Assembly SD-006 | CW 2110 | each | 1 | | |
| B.3 | a) b) | Watermain Valve 150mm 150 mm on Existing Watermain | CW 2110 | each each | 2 1 | | |

| | | | SPEC. | | APPROX. | UNIT | |
|------|----------|---|------------|--------------|----------|-------|--------|
| ITE | M | DESCRIPTION | REF. | UNIT | QUANTITY | PRICE | AMOUNT |
| B.4 | | Connecting to Existing Watermain Services | CW 2110 | | 20 | | |
| | a) | Inline connection –no plug existing | | | | | |
| | i) | | | each | 5 | | |
| | | | | | | | |
| B.5 | , | Fittings | CW 2110 | | | | |
| | a) :\ | Tee 450 1450 | | | | | |
| | i) b) | 150mm x 150mm x 150mm Bend (SD-004) | | each | 1 | | |
| | ii) | | | each | 2 | | |
| | , | 100111111 | | odon | _ | | |
| B.6 | | Water Service Replacement | CW 2110 | | | | |
| | a) | 19mm | | | | | |
| | i) | | | m | 10 | | |
| | | sand bedding, Class 5 backfill | | | | | |
| B.7 | | Connecting Existing Copper Water | CW 2110 | | | | |
| D.1 | | Services to New Watermain | CVV 2110 | | | | |
| | a) | 19mm | | each | 14 | | |
| | , | | | - | | | |
| B.8 | | Corporation Stops | CW 2110 | | | | |
| | a) | 19mm | | each | 14 | | |
| | | 10 0 I/I | 0144 044 0 | | | | |
| B.9 | ۵) | 10.9 Kilogram Zinc Anodes On couplers | CW 2110 | oooh | _ | | |
| | a) b) | On Tee | | each each | 5 1 | | |
| | c) | On bends | | each | 2 | | |
| | d) | On valves | | each | 3 | | |
| | e) | On water services | | each | 14 | | |
| | | | | | | | |
| B.10 | , | Partial Slab Patches | CW 3230 | 2 | | | |
| | a) | 150mm reinforced concrete pavement | | m² | 20 | | |
| B.11 | | Concrete Curb Renewal | CW 3240 | | | | |
| | a) | Barrier curb (SD-204) | 011 02 10 | m | 25 | | |
| | - , | , | | | | | |
| B.12 | | Construction of Asphaltic Patches | CW 3410 | m² | 20 | | |
| | | (Type 1A) | | | | | |
| | | Subtotal Section B - Leicester Square | | | | | |
| | | Oublotal Section D - Leicester Square | | | | | |
| | | | | | | | |
| С | | Bourkewood Place - Bourkewood | | | | | |
| | | Place (South Leg) to Leicester | | | | | |
| | | Square | | | | | |
| C 1 | | Watermain Renewals | CW 2110 | | | | |
| C.1 | a) | 200mm | CVV 2110 | | | | |
| | а) i) | | | m | 175 | | |
| | ., | bedding, Class 5 backfill | | | | | |
| | ii) | Trenchless installation, Class B sand | | m | 20 | | |
| | | bedding, Class 3 backfill | | | | | |
| | | I bulgand Annagabb | OW 0440 | | | | |
| C.2 | 2) | Hydrant Assembly SD-006 | CW 2110 | each | 1 | | |
| | a) | 3D-000 | | each | ' | | |
| C.3 | | Watermain Valve | CW 2110 | | | | |
| | a) | 200mm | | each | 2 | | |
| | | | | | | | |

| ITE | M | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|------|----------------|--|---------|----------------------|--------------|-------|--------|
| | | | REF. | 5.4.1 | QUANTITY | PRICE | , |
| C.4 | a) i) | Connecting to Existing Watermain Services Inline connection –no plug existing 200mm | CW 2110 | each | 2 | | |
| C.5 | a) i) | Water Service Replacement 19mm trenchless installation, Class B sand bedding, Class 5 backfill | CW 2110 | m | 65 | | |
| C.6 | a) | Connecting Existing Copper Water Services to New Watermains 19mm | CW 2110 | each | 23 | | |
| C.7 | a) | Corporation Stops 19mm | CW 2110 | each | 23 | | |
| C.8 | a) b) c) | 10.9 Kilogram Zinc Anodes On couplers On valves On water services | CW 2110 | each each each | 2 2 10 | | |
| C.9 | a) | Partial Slab Patches 150mm reinforced concrete pavement | CW 3230 | m² | 40 | | |
| C.10 | a) | Concrete Curb Renewal Mountable curb (SD-201) | CW 3240 | m | 50 | | |
| C.11 | | Construction of Asphaltic Patches (Type 1A) | CW 3410 | m² | 20 | | |
| | | Subtotal Section C - Bourkewood Place | | | <u> </u> | | |
| D | | Garrioch Avenue - South Leg to West Leg | | | | | |
| D.1 | a) | Watermain Renewals 150mm | CW 2110 | | | | |
| | i) ii) | bedding, Class 5 backfill | | m m | 110 20 | | |
| D.2 | a) | Hydrant Assembly SD-006 | CW 2110 | each | 1 | | |
| D.3 | a) | Watermain Valve 150mm | CW 2110 | each | 2 | | |
| D.4 | a) i) | Connecting to Existing Watermain Services Inline connection –no plug existing 150mm | CW 2110 | each | 2 | | |
| D.5 | a) i) | Fittings Bends 150mm – 45° | CW 2110 | each | 2 | | |

| ITE | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. | UNIT PRICE | AMOUNT |
|------|----------------------|--|---------------|------------------------------|-------------------|---------------|--------|
| D.6 | a) i) | Water Service Replacement 19mm trenchless installation, Class B sand bedding, Class 5 backfill | CW 2110 | m | 30 | | |
| D.7 | a) | Connecting Existing Copper Water Services to New Watermains 19mm | CW 2110 | each | 14 | | |
| D.8 | a) | Corporation Stops 19mm | CW 2110 | each | 14 | | |
| D.9 | a) b) c) d) | 10.9 Kilogram Zinc Anodes On couplers On bends On valves On water services | CW 2110 | each each each each | 2 2 2 14 | | |
| D.10 | a) | Temporary Pavement Restorations 50mm Asphalt | E12 | m² | 30 | | |
| | | Subtotal Section D - Garrioch Avenue | | | | | |
| E | | King Edward Street - Lane South of Legion Avenue to Lane North of Legion Avenue | | | | | |
| E.1 | a) i) ii) | bedding, Class 5 backfill Trenchless installation, Class B sand bedding, Class 3 backfill | CW 2110 | m m | 50 65 | | |
| | b) i) ii) | bedding, Class 5 backfill | | m m | 4 | | |
| E.2 | a) | Hydrant Assembly SD-006 | CW 2110 | each | 1 | | |
| E.3 | a) b) | Watermain Valve 150mm 200mm on Existing Watermain | CW 2110 | each each | 4 1 | | |
| E.4 | a) i) ii) | | CW 2110 | each each | 4 4 | | |

| ITE | ΞM | DESCRIPTION | SPEC. | UNIT | APPROX. | UNIT | AMOUNT |
|------------|---------------|--|----------------|-------|----------|-------|--------|
| Г <i>Г</i> | | Fittings | REF. | | QUANTITY | PRICE | |
| E.5 | ۵) | Fittings | CW 2110 | | | | |
| | a) i) | Tee 150mm x 150mm x 150mm | | oooh | 3 | | |
| | b) | Bend (SD-004) | | each | 3 | | |
| | i) | · · · · · · · · · · · · · · · · · · · | | each | 2 | | |
| | ii) | | | each | 4 | | |
| | c) " <i>)</i> | Plug | | Cacii | | | |
| | i) | | | each | 1 | | |
| | d) | Reducer | | Cuon | | | |
| | i) | | | each | 1 | | |
| | ٠, | 20011111 to 100111111 | | Cuon | | | |
| E.6 | | Water Services | CW 2110 | | | | |
| | a) | 19mm | | | | | |
| | i) | | | m | 16 | | |
| | -, | sand bedding, Class 3 Backfill | | | | | |
| | | cana secanig, elace e zaciani | | | | | |
| E.7 | | Connecting Existing Copper Water | CW 2110 | | | | |
| | | Services to New Watermain | 3 23 | | | | |
| | a) | 13mm or 19mm | | each | 4 | | |
| | u) | Tomin or Tomin | | Cuon | | | |
| E.8 | | Corporation Stops | CW 2110 | | | | |
| | a) | 19mm | 011 2110 | each | 4 | | |
| | ω, | 1011111 | | odon | | | |
| E.9 | | Curb Stops | | | | | |
| | a) | 19mm | | each | 1 | | |
| | ۵, | | | 000 | | | |
| E.10 | | Curb Stop Boxes | | | | | |
| | a) | 19mm | | each | 1 | | |
| | ۵, | | | 000 | | | |
| E.11 | | Maintaining Curb Stop Excavations | CW 2110 | day | 10 | | |
| | | · | | , | | | |
| E.12 | | 10.9 Kilogram Zinc Anodes | CW 2110 | | | | |
| | a) | On metallic watermains | | each | 2 | | |
| | b) | On couplers | | each | 4 | | |
| | c) | On Tees | | each | 3 | | |
| | ď) | On bends | | each | 6 | | |
| | e) | On valves | | each | 4 | | |
| | f) | On water services | | each | 1 | | |
| | , | | | | | | |
| E.13 | | Continuity Bonding | CW 2110 | each | 4 | | |
| | | | | | | | |
| E.14 | | Miscellaneous Concrete Slab Renewals | | | | | |
| | a) | Sidewalk (SD-228A) | | | | | |
| | i) | | | m² | 35 | | |
| | · | | | | | | |
| E.15 | | Temporary Pavement Restorations | E12 | | | | |
| | a) | 150mm Concrete | | m² | 25 | | |
| | b) | 50mm Asphalt | | m² | 30 | | |
| | | | | | | | |
| | | Subtotal Section E - King Edward Stree | t - near Legio | n | , | | T |
| 1 | | | | | | | |
| 1 | | | | | | | |

| ITE | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|----------|---|---------------|------|------------------|---------------|--------|
| F | | King Edward Street - Elgin Avenue West to Pacific Avenue West | | | | | |
| F.1 | a) | Watermain Renewals 150mm | CW 2110 | | | | |
| | i) | Trenchless installation, Class B sand bedding, Class 5 backfill | | m | 140 | | |
| | ii) | | | m | 75 | | |
| F.2 | a) | Hydrant Assembly SD-007 | CW 2110 | each | 1 | | |
| F.3 | a) | Watermain Valve 150mm | CW 2110 | each | 5 | | |
| F.4 | | Connecting to Existing Watermain Services | CW 2110 | | | | |
| | a) i) | Inline connection –no plug existing 150mm | | each | 4 | | |
| F.5 | | Fittings | CW 2110 | | | | |
| | | Tee 150mm x 150mm x 150mm | | each | 2 | | |
| | b) i) | Bend (SD-004) 150mm – 11.25° | | each | 2 | | |
| | ii) | 150mm – 22.5° | | each | 2 | | |
| | iii) | 150mm – 45° | | each | 4 | | |
| F.6 | | Water Service Replacement | CW 2110 | | | | |
| | a) :\ | 19mm | | | | | |
| | i) | trenchless installation, Class B sand bedding, Class 3 backfill | | m | 15 | | |
| F.7 | | Connecting Existing Copper Water Services to New Watermain | CW 2110 | | | | |
| | a) | 19mm | | each | 7 | | |
| F.8 | | Corporation Stops | CW 2110 | | | | |
| | a) | 19mm | | each | 7 | | |
| F.9 | | 10.9 Kilogram Zinc Anodes | CW 2110 | | | | |
| | a) | On metallic watermains | | each | 2 | | |
| | b) | On couplers | | each | 4 | | |
| | c) | On Tees | | each | 3 | | |
| | d) | On bends | | each | 8 | | |
| | e) | On valves | | each | 5 | | |
| | f) | On water services | | each | 7 | | |
| F.10 | | Continuity Bonding | CW 2110 | each | 2 | | |

| ITE | M | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|------|-----------------|--|---------------|--------------|---------------------|---------------|--------|
| F.11 | a) i) | Miscellaneous Concrete Slab Renewals Sidewalk (SD-228A) Less than 5 m ² | | m² | 60 | | |
| F.12 | a) b) | Temporary Pavement Restorations 150mm Concrete 50mm Asphalt | E12 | m² m² | 50 40 | | |
| | | Subtotal Section F – King Edward Street | - Elgin to Pa | cific | | | |
| G | | Park Lane Avenue - Park Lane Avenue (South Leg) to 268m North of Park Lane (South Leg) | | | | | |
| G.1 | a) i) | Watermain Renewals 250mm Trenchless installation, Class B | CW 2110 | m | 210 | | |
| | ii) | bedding, Class 3 backfill | | m | 50 | | |
| | b) i) | 150mm (fire service main) Trenchless installation, Class B bedding, Class 3 backfill | | m | 8 | | |
| G.2 | a) | Hydrant Assembly SD-006 | CW 2110 | each | 3 | | |
| G.3 | a) b) | Watermain Valve 250mm 150mm | CW 2110 | each each | 2 1 | | |
| G.4 | | Connecting to Existing Watermain Services | CW 2110 | | | | |
| | a) i) ii) | Inline connection –no plug existing 250mm 150mm | | each each | 2 | | |
| G.5 | a) i) | Fittings Tee 250mm x 250mm x 150mm | CW 2110 | each | 1 | | |
| G.6 | a) i) | Water Service Replacement 25mm trenchless installation, Class B sand bedding, Class 3 backfill | CW 2110 | m | 17 | | |

| ITE | ΕM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. QUANTITY | UNIT PRICE | AMOUNT |
|----------|----------|--|---------------|------|------------------|---------------|--------|
| G.7 | | Connecting Existing Copper Water | CW 2110 | | Q0/111111 | | |
| | | Services to New Watermain | | | | | |
| | a) | 25mm | | each | 1 | | |
| | b) | 38mm | | each | 4 | | |
| | ۵, | 30 | | Guon | | | |
| G.8 | | Corporation Stops | CW 2110 | | | | |
| 0.0 | a) | 25mm | 011 2110 | each | 1 | | |
| | b) | 38mm | | each | 4 | | |
| | ۵, | 30 | | Guon | | | |
| G.9 | | Curb Stops | | | | | |
| 0.0 | a) | 25mm | | each | 1 | | |
| | ۵, | | | 000 | | | |
| G.10 | | Curb Stop Boxes | | | | | |
| | a) | 25mm | | each | 1 | | |
| | , | | | | | | |
| G.11 | | 10.9 Kilogram Zinc Anodes | CW 2110 | | | | |
| | a) | On couplers | | each | 3 | | |
| | b) | On Tees | | each | 1 | | |
| | c) | On valves | | each | 3 | | |
| | d) | On water services | | each | 5 | | |
| | ω, | on water services | | Guon | | | |
| G.12 | | Partial Slab Patches | CW 3230 | | | | |
| | a) | 200mm reinforced concrete | | m² | 40 | | |
| | - / | | | | | | |
| G.13 | | Concrete Curb Renewal | CW 3240 | | | | |
| | a) | Barrier curb (SD-204) | | m | 40 | | |
| | , | , | | | | | |
| | | Subtotal Section G – Park Lane Avenue | e | | - | | |
| | | | | | | | |
| Н | | Provisional Items | | | | | |
| | | 0 101111 1511 | 0144 0000 | | 50 | | |
| H.1 | | Cement Stabilized Fill | CW 2030 | m³ | 50 | | |
| | | | 014 0440 | | | | |
| H.2 | , | Water Service Replacement | CW 2110 | | | | |
| | a) | 19mm | | | | | |
| | i) | | | | 00 | | |
| | | sand bedding, Class 3 backfill | | m | 30 | | |
| | ii) | | | | 00 | | |
| | | sand bedding, Class 5 backfill | | m | 30 | | |
| | | Composition Eviation Compos Weter | CW 2440 | | | | |
| H.3 | | Connecting Existing Copper Water Services to New Watermain | CW 2110 | | | | |
| | ۵) | | | cook | | | |
| | a) | 19mm | | each | 3 | | |
| H.4 | | Corporation Stans | C)M 0440 | | | | |
| H 4 | _\ | Corporation Stops | CW 2110 | | | | |
| | | 19mm | | each | 3 | | İ |
| | a) | | | | l l | | |
| | a) | Curb Stone | | | | | |
| · ⊣.5 | a) a) | Curb Stops 19mm | | each | 3 | | |

| IT | EM | DESCRIPTION | SPEC. REF. | UNIT | APPROX. | UNIT PRICE | AMOUNT | | | |
|--------|----------------|---|---------------|----------|----------------------|---------------|--------|--|--|--|
| H.6 | | Curb Stop Boxes | 1121. | | Q07.11111 | | | | | |
| | a) | 19mm | | each | 3 | | | | | |
| H.7 | | Maintaining Curb Stop Excavations | CW 2110 | day | 15 | | | | | |
| H.8 | | Regrading of Existing Sewer Service – Longer Than 1.5 meters | CW 2110 | | | | | | | |
| | a) | 150mm | | m | 15 | | | | | |
| H.9 | | Adjustment of Precast Sidewalk Blocks | CW 3235 | m² | 10 | | | | | |
| H.10 | | Regrading Existing Paving Stone Installations | CW 3330 | m² | 10 | | | | | |
| H.11 | | Soddding | CW 3510 | m² | 60 | | | | | |
| H.12 | | Street Lighting Cable | E5 | | | | | | | |
| | a) | trench installation | | m | 50 | | | | | |
| | b) | trenchless installation | | m | 50 | | | | | |
| H.13 | | Temporary Pavement Restorations | E12 | | | | | | | |
| | a) | 150mm Concrete | | m² | 50 | | | | | |
| | b) | 50mm Asphalt | | m² | 40 | | | | | |
| | | Subtotal Section H – Provisional Items | | | | | | | | |
| | | | | | | | | | | |
| | | SUMMARY | | | | | | | | |
| Α | | RIDLEY STREET | | | Subtotal | | | | | |
| В | | LEICESTER SQUARE | | | Subtotal | | | | | |
| С | | BOURKEWOOD PLACE | | | Subtotal | | | | | |
| D | | GARRIOCH AVENUE | | | Subtotal | | | | | |
| E F | | KING EDWARD STREET - LEGION KING EDWARD STREET - ELGIN | | | Subtotal Subtotal | | | | | |
| G | | PARK LANE AVENUE | | | Subtotal | | | | | |
| Н | | PROVISIONAL ITEMS | | | Subtotal | | | | | |
| | | TOTAL | | | | | | | | |
| | | | | <u> </u> | <u> </u> | | | | | |
| TOTAL | _ BID PI | RICE (GST extra) (in fig | ures)\$ | | | | | | | |
| (in wo | ords) | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | Name of Bidder | | | | | | | | | |

(Seal)

Template Version: C120110218 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B11)

BID BOND

| | 515 50N5 |
|---|--|
| KNOW ALL MEN BY THESE PRESENTS TI | HAT |
| (hereinafter called the "Principal") and | |
| called the "Obligee") in the sum of ten perc | and firmly bound unto THE CITY OF WINNIPEG (hereinafter ent (10%) of the Total Bid Price set out in the Bid hereinafter e Principal and Surety bind themselves, their heirs, executors the truly and severally, firmly by these presents. |
| WHEREAS the Principal has submitted a Bio | d to the Obligee for |
| BID OPPORTUNITY NO. 295-2011 | |
| 2011 WATERMAIN RENEWALS – CONTRA | ACT NO. 3 |
| as more fully set out in the Bid Opportunity. | |
| if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required | gation is such that if the Bid of the Principal is not accepted, or ccordance with the terms of the Bid, enters into a Contract with performance security for guaranteeing the faithful performance but otherwise shall remain in full force and effect. |
| IN WITNESS WHEREOF the Principal and S | Surety have signed and sealed this bond the |
| day of | , 20 |
| SIGNED AND SEALED in the presence of: | (Name of Principal) |
| (Witness as to Principal if no seal) | Per: (Seal) |

(Name of Surety)

(Attorney-in-Fact)

Ву:

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B11)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 295-2011 2011 WATERMAIN RENEWALS - CONTRACT NO. 3 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B11)

| (Date) | |
|--------------------------|--|
| Corpo Materi 185 K | ity of Winnipeg rate Finance Department ials Management Division ing Street, Main Floor peg MB R3B 1J1 |
| RE: | BID SECURITY - BID OPPORTUNITY NO. 295-2011 |
| | 2011 WATERMAIN RENEWALS – CONTRACT NO. 3 |
| Pursu | ant to the request of and for the account of our customer, |
| (Name | of Bidder) |
| WE H | es of Bidder) EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate |
| | Canadian dollars. |
| demai Letter payme | Standby Letter of Credit may be drawn on by you at any time and from time to time upon written nd for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us. |
| | mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be |
| Partia | I drawings are permitted. |
| | ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at: |
| (Addres | es) |
| and w | e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us. |

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B11)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 11, 2011

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (1993 Revision), International Chamber of Commerce Publication Number 500.

| (Name of bank or financial institution) | |
|---|------------------------------|
| Per: | |
| | (Authorized Signing Officer) |
| Per: | |
| | (Authorized Signing Officer) |